



WAJAX.COM

The background of the cover features a black and white photograph of various safety equipment. On the left, there are several pairs of heavy-duty work boots with laces. On the right, a white hard hat is visible, featuring a small red Wajax logo on its side. A clear safety visor is also partially visible in the lower right. A large red diagonal stripe runs from the top right corner towards the bottom right, partially obscuring the background image.

Health and Safety Products Catalogue

2nd Edition

1.866.546.3267

Across Industries. Across Canada.



Dear valued customer,

For over 150 years, Wajax has been at the forefront of Canada's industrial market as a leading provider of heavy equipment, power systems, industrial components and services.

At Wajax, we understand the importance that must be attributed to the safety of your workers. Three years ago, we launched the first edition of our safety products catalogue and today we are proud to introduce our second edition.

Wajax safety products are sourced from the world's most reputable brand names including 3M, Honeywell, Showa-Best, Dynamic Safety and Superior Glove. These renowned manufacturers represent just a few of the hundreds of partners with whom we have teamed up to offer you the superior quality products you need and that your workers deserve. In this edition, we have expanded our selection of products by adding 20 new suppliers to the catalogue.

Our Wajax certified specialists have extensive experience in the field of health and safety, so whether you need an analysis of your work environment, safety advice or training for your workers, Wajax is at your service.

We would like to thank you in advance for the trust you have in Wajax. Together, let's protect your Canadian workers and ensure them a safe future.

Best regards,

Your Wajax Safety Specialists



Table of Contents

Personal Protection

Head Protection	1 - 6
Eye & Face Protection	7 - 24
Hearing Protection	25 - 34
Respiratory Protection	35 - 49
Hand Protection	50 - 91
Protective Clothing	92 - 127
Protective Footwear	128 - 140

Risk Assessment Protection Needs

Fall Protection	141 - 159
Gas Detection	160
Welding Protection	161 - 165
First Aid Products	166 - 175
Miscellaneous Safety Products	176 - 192
Emergency Showers	176 - 178
Rehydration Products	179, 181
Insect Repellents	180
Wheel Chocks / Strobe Lights & Accessories	182-183
Safety Product Satellite Storeroom	184
Signs & Lockouts, Labels & Barricade Tapes	185 - 192

Environment & Hygiene

Spills	193 - 207
Workwipes & Washroom Paper	208, 212
Cabinets	208
Absorbent Mats	209- 210
Industrial Soaps	211
Industrial Paper	212 - 213
Industrial Matting	214-215

Index by Company

216 - 217

Training & Fit Testing Certification

219

Focus Vendor List



1.866.546.3267

WAJAX.COM

NorthZone Hardhat N10R

- Has a sleek, modern shell combined with a patented suspension
- Comes with easy-grip ratchet suspension
- Comes with 3-levels height adjustment
- Side slots for cap-mounted earmuffs, face shields and other PPE accessories.



by Honeywell

Vendor Code: NOSAPR

Series #	Suspension	Color
N10R02	Ratchet	Yellow
N10R01	Ratchet	White
N10R04	Ratchet	Green
N10R09	Ratchet	Grey
N10R17	Ratchet	Royal Blue
N10R44	Ratchet	Hi Viz Yellow



N10R

The Everest A119R

- Full brim HDPE shell with accessory slots
- Protects from the sun's UV rays, rain and falling debris
- 4 point or 6 point nylon suspension with 2 level height adjustment
- Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 1 Class E

Series #	Suspension	Color
A119R01	Ratchet	White
A119R02	Ratchet	Yellow
A119R03	Ratchet	Orange



A119R

The Matterhorn A89

- All purpose lateral impact HDPE hard hat with foam liner
- Rain trough and accessory slots
- 4 point nylon ratchet or quick fit suspension with 3 level height adjustment
- Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E

Series #	Suspension	Color
A8901	Pin Lock	White
A89R01	Ratchet	White
A8902	Pin Lock	Yellow
A89R02	Ratchet	Yellow
A8903	Pin Lock	Orange
A89R03	Ratchet	Orange



A89R03

BC86 Bump Cap

- Low hazard bump cap
- Well ventilated and lightweight
- Ideal for food industry, mechanics, and truck drivers
- Not approved; do not use where ANSI or CSA head protection is required

Series #	Suspension	Color
BC8601	Pin Lock	White
BC8602	Pin Lock	Yellow
BC8607	Pin Lock	Sky Blue
BC8615	Pin Lock	Red



BC8607

Additional colors available for all models

HEAD PROTECTION



by Honeywell

Vendor Code: NOSAPR



P2ARW



P2AQRW



SE2



SBC2KI



E2RW00A389

P2A

- Proprietary injection-molded fiberglass compound offers exceptional impact and crack resistance and is eight times stronger than common high density polyethylene (HDPE) cap shells
- Best-in-class heat resistance. Meets standard impact resistance tests at extreme temperatures of up to 370°F / 188°C
- Solid color resin provides a permanent, no-chip, no-peel finish. The matte finish makes logo imprints crisper and cleaner, so your official company caps look better and last longer
- The technically-advanced SuperEight suspension balances and spreads weight over a wide area for added comfort and impact protection
- Available with the famous Fibre-Metal non-slip/non-strip ratchet, SwingStrap or TabLok headgear
- Meets ANSI Z89.1-2009 Type I Class G (including Quick-Lok® model) and CSA Z94.1-2005 Type I Class G or C (Class C for Quick-Lok® model) in both forward and reverse

Series #	Suspension
P2AW	TabLok
P2ARW	Ratchet
P2ASW	SwingStrap
P2AQRW	Ratchet, Quick-Lok
P2AQRSW	SwingStrap, Quick-Lok

SE2

- ANSI and CSA Type II / 2 hard hat features a patented attenuator band, which provides side, front and rear impact protection
- SuperEight® 8-point suspension system
- Ratchet allows for quick and easy size adjustment
- Available with Quick-Lok® blocks for combination use with Fibre-Metal welding helmets and faceshields

Series #	Suspension
SE2	Ratchet
SE2QC	Ratchet with Quick-Lok® blocks pre-installed

SBC2

- Soft bump cap
- Available in 3 different colors : black, kaki and red
- Plastic Inner Shell available separately (SBCIS07).

Series #	Color
SBC2BK	Black
SBC2RD	Red
SBC2KI	Kaki

E2

- Same great features and benefits as our standard E2 Caps
- Exclusive Canadian flag overlay design is heat and scratch resistant

Series #	Suspension
E2RW00A389	Canada full graphic

Additional colors available for all models

Whistler Hard Hat CSA Type 1

Sleek & modern style lightweight high density polyethylene hard hat with rain trough & slotted design shell to accommodate all the latest accessories. Also attachment points for chin straps etc. Comfortable 4-point nylon webbing suspension with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment. Large printing surfaces for company logos on front, sides & back. CSA certified, Type 1 Class E Z94.1-05 and meets ANSI Type I Class E Z89.1.2009.



Series #	Suspension	Adjustment
HP241	4-point, nylon	Pin lock
HP241R	4-point, nylon	Ratchet

Tremblant Hard Hat CSA Type 1

Curved and fluid style, ideal for mining, aluminum, steel, construction and other industries. High-density polyethylene shell, without rain trough, universal slots to accommodate all the latest accessories. Includes 4-point attachment for chin straps. Comfortable 4-point nylon webbing suspension with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment. Large printing surfaces for company logos on front, sides & back. CSA certified, Type 1 Class E Z94.1-05 and meets ANSI Type I Class E Z89.1.2009.



Series #	Suspension	Adjustment
HP741	4-point, nylon	Pin lock
HP741R	4-point, nylon	Ratchet

Kilimanjaro Hard Hat CSA Type 1 and CSA Type 2

This wide brim hat offers added sun protection to ears & neck from harmful UV rays and protection from falling materials & debris. Ideal for forestry, mining, oil & gas and other demanding environments. High density polyethylene slotted designed shell to accommodate all the latest accessories. Comfortable 4-point nylon webbing suspension with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment. Large printing surfaces to accommodate company logos on front, sides & back. The extra lateral protection CSA Type 2 model has foam liner which adds lateral side, front & rear impact protection. CSA certified, Type 1 or Type 2 Class E Z94.1-05 and meets ANSI Type I or Type II Class E Z89.1.2009.



Series #	Suspension	Adjustment
HP641	4-point, nylon type 1	Pin lock
HP641R	4-point, nylon type 1	Ratchet
HP642R	4-point, nylon type 2	Ratchet

Mont-Blanc Hard Hat CSA Type 2

Extra lateral protection CSA Type 2 high density polyethylene hard hat. Foam liner adds lateral side, front & rear impact protection. Rain trough & slotted designed shell to accommodate all the latest accessories. Comfortable 4-point nylon webbing suspensions with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment. Large printing surfaces to accommodate company logos on front, sides & back. CSA certified, Type 2 Class E Z94.1-05 and meets ANSI Type II Class E Z89.1.2009.



Series #	Suspension	Adjustment
HP542	4-point, nylon	Pin lock
HP542R	4-point, nylon	Ratchet

Dom Hard Hat CSA Type 1

Smooth dome shape is ideal for welding applications & attachments. Rain trough & slotted design high density polyethylene shell to accommodate all the latest accessories. Also attachment points for chin straps etc. Comfortable 4-point nylon webbing suspension with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment. Large printing surfaces for company logos on front, sides & back. CSA certified, Type 1 Class E Z94.1-05 and meets ANSI Type I Class E Z89.1.2009.



Series #	Suspension	Adjustment
HP341	4-point, nylon	Pin lock
HP341R	4-point, nylon	Ratchet

Stromboli Hard Hat CSA Type 1 and Type 2

Safety helmet designed primarily for welders and high heat applications. Shell is made of lightweight polycarbonate offering exceptional protection against heat radiation and impacts. The rain trough free shell is narrower than other models and allows the addition of all types of welding helmets available on the market. Also attachment points for chin straps etc. Comfortable 4-point nylon webbing suspension with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment. Large printing surfaces for company logos on front, sides & back. The extra lateral protection CSA Type 2 model has a foam liner which adds lateral side, front & rear impact protection. CSA certified, Type 1 Class E Z94.1-05 and meets ANSI Type I Class E Z89.1.2009.



Series #	Suspension	Adjustment
HP841R	4-point, nylon type 1	Ratchet
HP842R	4-point, nylon type 2	Ratchet



Vendor Code: DSISAF



Dynamic CSA/ANSI Safety Hard hat with personal printing !

Let's identify your company on your safety hard hat,
and even print safety slogans on it.

All Dynamic hard hats feature large printing surfaces for
company logos on front, sides and back. They can print
up to 5 colors per location.

Some graphics can cover the complete hard hat showing
the type of industry your company is in.

Also, they are offering reflective striping installation services for
more visibility when workers are in dark working areas.

Contact your nearest branch for more information.



Vendor Code: NOSAPR



by Honeywell

Winter Liners – Standard

Series #	Description
WL1	Dielectric outer shell, Kasha flannel inner lining, velcro attachment
FM10	Thermal face protector, 100% stretch acrylic
WL50	Snug fit tuque, 100% acrylic

Winter Liners – Deluxe

Series #	Description
WL12	100% fire-retardant cotton winter liner with long neck outer shell
WL12FP	100% fire-retardant cotton winter liner with long neck outer shell and face warmer
WL40RBSP	100% Nomex outer shell winter liner with heavy quilted lining
WL41RBSP	Westex Proban outer shell winter liner with heavy quilted lining and face warmer

Nomex Balaclava

Series #	Description
FH157	Short Nomex Balaclava
FH257	Long Nomex Balaclava

Pull Over Winter Liners

Series #	Description
WL82/1	Fits cap style. Nomex IIIA shell, modacrylic lining, fire-retardant, with face warmer
WL20	Fits cap style. Sock type winter liner fits snugly over hat brim, 100% stretch nylon
WL20XL	Fits full brim style. Sock type winter liner fits snugly over hat brim, 100% stretch nylon
WL86/1	Fits full brim style. Westex Proban shell, 100% FR cotton lining, fire-retardant, with face warmer

Replacement Parts – Replacement Suspension

Series #	Description
A29S2	Quick Fit 4-point nylon suspension for A29
A49S2	Pin Lock 4-point nylon suspension for A49
A49RS2	Ratchet 6-point nylon suspension, (includes additional strap) for A49R
A59S1	Pin Lock 4-point plastic suspension for A59
A59RS	Ratchet 4-point plastic suspension for A59R
A69S2	Pin Lock 6-point nylon suspension for A69
A69RS2	Ratchet 6-point nylon suspension for A69R
A69TL	6-point strap, converts A79S2 and A79RS2 suspension to A69S2 and A69RS2
BC86S	Pin Lock suspension for BC86 Bump Cap
A89S3	Quick Fit 4-point nylon suspension for A89
A89RS3	Ratchet 4-point suspension for A89R
A89FN	Foam liner for A89 and A89R
A99RS2	Ratchet 6-point nylon suspension for A99R and A119R
N10RS	Replacement ratchet suspension for N10R hard hat



WL1



WL12



FH157



WL20



A29S2



A59RS1



A89RS3



Vendor Code: DSISAF

Rocky Hard Hat CSA Type 1 and CSA Type 2



Made of Polycarbonate with ABS making the hat ultra light while offering exceptional protection against shocks, radiation and impacts. Non-vented Hat offering maximum protection against electrical shocks. Available in CSA Type 1 and Type 2. The absence of the front peak offers a total unobstructed vision up stream. The universal slots on each side of the helmet give you the opportunity to install either Ear Muffs or a lamp bracket on the Hat. The 4-point suspension with the exclusive "Sure Lock II" ratchet adjustment offers the perfect fit for all types of heads. The shell offers a large printing surface in front, in the back and on the sides so that you can apply your Logo or all other type of artwork. Comes with an integrated high quality 4-point chin strap that is easily adjustable. CSA certified, Type 1 or Type 2 Class E Z94.1-05 and meets ANSI Type I or Type II Class E Z89.1.2009.

Series #	Suspension	CSA	Adjustment
HP141R	4-point, nylon	Type 1	Ratchet
HP142R	4-point, nylon	Type 2	Ratchet



Bump Cap

Low hazard Bump Cap, well ventilated and lightweight for total wearer comfort. Ideal for food industry, mechanics, truck drivers and maintenance departments. No CSA approval.

Series #	Suspension	Adjustment
HP940	4-point, plastic	Pin lock



Winter Liners

Made from quality materials and designed to fit regular or wide brim safety hats and fits the head snugly. Very warm and available in a variety of different materials and colors.



Series #	Description	Color
HPWL1	Hard Hat Winter Liner Nylon/Cotton	Black
HPWL2	Sock Type Winter Liner, Stretch Nylon	Red
HPWL3	Hard Hat Winter Liner with Face Warmer	Royal Blue



Sweat Bands & Comfort Bands

Series #	Description	Pkg
HPSB241	Comfort bands	10 per Pack
HPSB470	Terry cloth sweat bands With velcro closure	10 per pack
HPSB470I	Terry cloth sweat bands With velcro closure	1 per pack
HP65000	Foam sweat bands with elastic head strap	25 per pack



Miner's Lamp Bracket

Support for miner's lamp includes the strap to attach the cord. Installation is not included.



Series #	Description
HPMLB	Support for miner's lamp

Reflective Strips

Series #	Description	Pkg
HP1X4ORG	Dyna-Brite™ 1" x 4"Orange	16 per pack
HP1X4WHT	Dyna-Brite™ 1" x 4"White	16 per pack
HP1X4YLW	Dyna-Brite™ 1" x 4"Yellow	16 per pack
HPHH1RD	Dyna-Lite™ with rafter0.75" x 10" - Gray & Red	3 per pack
HPHH1GN	Dyna-Lite™ with rafter0.75" x 10" - Gray & Green	3 per pack
HPSS8	Dyna-Lite™1" x 8" Gray	1 per pack
HPSS24	Dyna-Lite™ (to wrap around hat)- Gray	1 per pack
HPSS83	Dyna-Lite™ 1" x 8" Gray	3 per pack
HPSS84	Dyna-Lite™ (3) 1" x 8" Gray Strips, (2) Triangles Gray	5 per pack





by Honeywell

Vendor Code: SPEPRO

Conspire Eyewear Series

- Exclusive North Signature Fit - Simple adjustment free fit for a wide range of faces
- 8-base single front with dual lenses
- Simple, lightweight 3-piece design
- Shaped nosepiece and flexible temples
- Dielectric-contains no metal parts
- Available in a variety of lens tints with both Hardcoat and Fog-Ban® Anti-Fog coatings.
- Provides 99.9% UV protection.
- Certified CSA Z94.3 and ANSI Z87.1.

Series #	Frame Color/Lens Tints	Lens Coating
XV400	Matte Clear/Clear	Anti-scratch hardcoat
XV404	Matte Clear/ I/O silver mirror	Anti-scratch hardcoat
XV401	Matte Grey/TSR Grey	Anti-scratch hardcoat
XV406	Matte Grey/TSR Grey	Fog-Ban® Anti-Fog



XV400

Genesis®

- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection
- Soft, flexible fingers adjust and conform to almost any nasal profile and reduce slippage
- Soft elastomer browguard diffuses and deflects impact
- Available with a variety of high-performance lens coating options
- Lifetime frame guarantee and economical lens replacement system
- Adjustable temple length and lens inclination
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards
- Clear, Espresso, Amber, Gold Mirror, Dark Gray, 50% Gray and SCT-Reflect 50 tints meet Mil V₀ ballistic test for impact

Series #	Frame Color/Lens Tints	Lens Coating	Temple Style
S3200	Black/Clear	Ultra-dura HC	Spatulite
S3200X	Black/Clear	Uvextreme AF	Spatulite
S3201X	Black/Espresso	Uvextreme AF	Spatulite
S3240	Vapor Blue/Clear	Ultra-dura HC	Spatulite
S3240X	Vapor Blue/Clear	Uvextreme AF	Spatulite



S3200

Tirade Series

- Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes.
- Frameless, unilens design allows for wide-field peripheral vision.
- Removable temples and standard adjustable headband included.
- 100% Non-conductive dielectric design.
- Uvextra® anti-fog coating lens.
- Meets ANSI Z87.1 and CSA Z94.3.

Series #	Frame Color/Lens Tints	Lens Coating
S4040	Gloss black/clear	Uvextra AF
S4041	Gloss black/grey	Uvextra AF
S4042	Gloss black/amber	Uvextra AF



S4040



by Honeywell

Vendor Code: SPEPRO



T5900NTKS



A703



S2160



S2161



S2170



S2171

North Adaptec

- Efficient, full wrap coverage
- Available in 3 sizes for the perfect fit
- Fully adjustable nosepiece and nose pads
- Temples adjust for inclination and width
- Quick-change lens replacement system
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV, and static
- Meets ANSI Z87.1 and certified to the requirements of CSA Z94.3 standards

Series #	Frame Color/Lens Tints	Lens Coating
T5900LTK	Translucent Black/Clear/Reg	4A
T5900LTKS	Translucent Black/Smoke/Reg	4A
T5900NTK	Translucent Black/Clear/Narrow	4A
T5900NTKS	Translucent Black/Smoke/Narrow	4A
T5900WTK	Translucent Black/Clear/Wide	4A
T5900WTKS	Translucent Black/Smoke/Wide	4A

A700 Series

- Sport temples with soft temple tip pads for comfortable fit
- Secure wrap-around design
- Polycarbonate, distortion-free, hardcoat lenses
- Soft temple tip pads for a secure fit
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87.1 and is certified to the requirements of CSA Z94.3 standards

Series #	Frame Color/Lens Tints	Lens Coating
A700	Clear/Clear	Hardcoat
A701	Gray/TSR Gray	Hardcoat
A703	Gray/Blue Mirror	Hardcoat
A704	Gray/Silver Mirror	Hardcoat
A705	Clear/Clear	Fog-Ban Anti-Fog
A706	Gray/TSR Gray	Fog-Ban Anti-Fog

Series A1500

- Stylish, sport-inspired full frame design
- Flexible temples for comfort.
- Available in 2 frame colors.
- Wide variety of lens tints.

Series #	Frame Color/Lens Tints	Lens Coating
S2160	Solid Grey/Clear	Hardcoat
S2161	Solid Grey/Grey	Hardcoat
S2170	Matte Brown/Clear	Hardcoat
S2171	Matte Brown/Grey	Hardcoat

Uvex Stealth®

- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Rx insert available*
- Easiest lens replacement system available
- Indirect ventilation system and high-performance lens coatings minimize fogging
- Quick-adjust headband
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

UVEX™

by Honeywell

Vendor Code: SPEPRO

Series #	Body Color/Lens Tints	Lens Coating	Description
S3960C	Gray Body/Clear	Uvextreme AF	Neoprene Headband
S3960CI	Gray Body/Clear	Uvextreme AF	Fabric Headband
S3960D	Gray Body/Clear	Dura-streme HC/AF	Neoprene Headband
S3961C	Gray Body/Gray	Uvextreme AF	Neoprene Headband
S39610C	Teal Body/Clear	Uvextreme AF	Neoprene Headband

Uvex Stealth® OTG

- Fits comfortably over most prescription eyewear.
- High quality elastomer body conforms to facial contours for a secure, customized, gap-free fit
- Low-profile, wrap-around style provides complete coverage designed for all-day wear
- Pivoting headband clip and wide adjustable-slide headband provide a range of adjustability (fits comfortably with hard hats)
- Ideal for impact, dust/airborne particles, chemical splash, and optical radiation (UV and welding/heat radiation)
- Available with Dura-streme® dual anti-fog/anti-scratch coating
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards

Series #	Body Color/Lens Tints	Lens Coating	Description
S3970D	Navy Body/Clear	Dura-streme HC/AF	Neoprene Headband
S3970DF	Navy Body/Clear	Dura-streme HC/AF	Fabric (Logoed)
S3971D	Navy Body/Standard Gray	Dura-streme HC/AF	Neoprene Headband
S3973D	Navy Body/Shade 3.0	Dura-streme HC/AF	Neoprene Headband
S3975D	Navy Body/Shade 5.0	Dura-streme HC/AF	Neoprene Headband

Uvex Climazone™

- Ski-inspired design for cold and extreme weather conditions
- Replaceable dual pane lens: interior lens with anti-fog coating; exterior lens with scratch resistant hardcoat
- Ventilation system minimizes fogging
- Soft face foam and wide adjustable headband
- Not for chemical splash
- Meets ANSI Z87.1-2003 standard (S390, S391, S393)
- Certified to the requirements of the CSA Z94.3 standard (S390CSA, S391CSA, S393CSA)

Series #	Body Color/Lens Tints	Lens Coating	Description
S390	Black Body/Clear	Anti-fog/Ultra-dura	Dual Pane Lens
S390CSA	Black Body/Clear	Anti-fog/Ultra-dura	Dual Pane Lens
S391	Black Body/Gray	Anti-fog/Ultra-dura	Dual Pane Lens
S391CSA	Black Body/Gray	Anti-fog/Ultra-dura	Dual Pane Lens
S393	Black Body/Amber	Anti-fog/Ultra-dura	Dual Pane Lens
S393CSA	Black Body/Amber	Anti-fog/Ultra-dura	Dual Pane Lens

Uvex Carbonvision™

- Exceptional performance in a compact, lightweight, comfortable design
- Ultra lightweight frame with flexible soft components provides both high-performance protection
- Flexible soft components adapt to your face shape and ensure a perfect fit and seal
- Low profile is ideal for wearing with disposable respirators and protective caps
- High-quality headband is available in Neoprene or Fabric and offers a comfortable fit
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard

Series #	Body Color/Lens Tints	Lens Coating	Description
S1650D	Black & Gray/Clear	Dura-streme	HC/AF Neoprene
S1651D	Black & Gray/Gray	Dura-streme	HC/AF Neoprene
S1650DF	Black & Gray/Clear	Dura-streme	HC/AF Fabric
S1651DF	Black & Gray/Gray	Dura-streme	HC/AF Fabric



S3960C



*Uvex Stealth Rx lens insert.
S3959



S3970D



S390



S1650D



by Honeywell

Vendor Code: SPEPRO



S8500



S9500



KHG4001



A8152

Uvex Bionic®

- Full shield design provides built-in chin protection and extended top-of-head coverage for enhanced protection from falling or airborne debris, impact and chemical splash
- Excellent optics provide increased visibility
- Comfortably worn with most goggles and respirators
- Lightweight, balanced, ergonomic design for extended use
- Dual position headgear provides a customizable fit
- 100% dielectric – no metal parts
- Hard hat accessory (dielectric) expands face shield use and is compatible with multiple hard hats, including North® and Fibre-Metal® brands and most other major manufacturers

Series #	Color	Description
S8500	Uncoated	Faceshield with Clear PC Visor
S8505	Uncoated	Faceshield and Hard Hat Adapter with Clear PC Visor (No Suspension)
S8510	HC/AF	Faceshield with Clear PC Visor
S8515	HC/AF	Faceshield and Hard Hat Adapter with Clear PC Visor (No Suspension)

Uvex Turboshield™

- Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear.
- Feel safer with 50% more chin coverage compared to traditional visors, without the need for bulky accessories.
- Control knobs are large and ergonomically designed for easy adjustment — even while wearing gloves.

Series #	Color	Description
S9500	Black	Turboshield Ratchet Headgear
S9510	Black	Turboshield Hard Hat Adapter
Replacement Visors		
S9550	Clear	PC Visor, Uncoated
S9555	Clear	PC Visor, Hardcoat/Anti-Fog
S9570	Grey	PC Visor, Uncoated
S9575	Grey	PC Visor, Hardcoat/Anti-Fog
S9560	UV/IR Shade 3.0	PC Visor, Uncoated
S9565	UV/IR Shade 5.0	PC Visor, Uncoated

Headgear

- Universal mounting pattern accepts a wide range of available windows
- Large crown protector offers outstanding spark and debris protection
- Available in pinlock (PHG series) and SmoothLok™ ratcheting (KHG series) headgear
- 4000 series allows for fastest possible window exchange
- 5000 series designed with protected mounting system, preventing liquid from entering behind the window

Series #	Color	Description
PHG4000	Black	Pinlock quick exchange
KHG4001	Black	SmoothLok quick exchange
PHG5000	Black	Pinlock protected mount
KHG5001	Black	SmoothLok protected mount

Replacement Windows

- Universal mounting pattern fits to a wide range of available headgear
- 2 material choices: PETG and polycarbonate
- Flat and formed windows in 8 different widths for customized protection
- 3 thicknesses of material available: 0.1 cm, 0.15 cm, 0.2 cm lets you dial-in weight and protection

Series #	Tint	Material	Dimension
A8150/40, A8150/60	Clear	PETG	20.3 cm x 39.4 cm x 0.1 cm or 0.15 cm flat
A8152/40, A8152/60	Clear	Polycarbonate	20.3 cm x 39.4 cm x 0.1 cm or 0.15 cm flat
A0150/40	Clear	PETG	25.4 cm x 39.4 cm x 0.1 cm flat
A8154	Clear	Polycarbonate	20.3 cm x 39.4 cm x 0.1 cm curved
A8154G	Green	Polycarbonate	20.3 cm x 39.4 cm x 0.1 cm curved
A8155	Clear	Polycarbonate	15.9 cm x 39.4 cm x 0.1 cm curved
A8156	Clear	Polycarbonate	20.3 cm x 39.4 cm x 0.15 cm curved



Vendor Code : WOLPEA

Steele



HT411ARG



THT416AFG

- Interchangeable temples and strap
- Adjustable no-slip Multi-Fit nosepiece
- Removable EVA foam gasket to keep out dust and debris
- Compliant with CSA Z94.307, ANSI Z87.1+2015, and Military Ballistic MCEPS GL-PD 10-12 standards
- Lenses block 99.9% of UV rays and are triple-coated in anti-scratch coating
- Available with Vapor Shield "military grade" anti-fog

Serie #	Frame color/ Lens tints	Lens Coating
HT411ARG	Black/Clear	Anti-Reflective Lens
HT411VSG	Black/Clear	Vapor Shield Lens
HT412VSG	Black/Yellow	Vapor Shield Lens
HT416VSG	Black/Smoke	Vapor Shield Lens
THT416AFG	Black/Polarized Smoke	Anti-Fog Lens

Mayon Aurora



- Durable and flexible frame
- Won't ride on the cheekbones, won't touch the eyelashes, and won't snag the hair
- Compliant with CSA Z94.3-07, ANSI Z87.1+2015, and Military Ballistic MCEPS GL-PD 10-12 standards
- Lenses block 99.9% of UV rays and are triple-coated in anti-scratch coating

Serie #	Frame color/ Lens tints	Lens Coating
HM446-A1	Black and White/Smoke	Anti-Scratch
HM456-A1	Pink and White/Smoke	Anti-Scratch
HM416-A3	Black and Plaid/Smoke	Anti-Scratch

Zorge G2

- Lightweight, durable, and flexible frame
- Soft TPR nose pads and temple arms for a comfortable, nonslip fit
- Vapor Shield "military grade" anti-fog
- Compliant with CSA Z94.3-07, ANSI Z87.1+2015, and Military Ballistic MCEPS GL-PD 10-12 standards
- Lenses block 99.9% of UV rays and are triple-coated in anti-scratch coating



Serie #	Frame color/ Lens tints	Lens Coating
DZ411VS-G2	Black/Clear	Vapor Shield Lens
DZ412VS-G2	Black/Yellow	Vapor Shield Lens
DZ413VS-G2	Black/Light Blue	Vapor Shield Lens
DZ416VS-G2	Black/Smoke	Vapor Shield Lens

Brazeau

- Durable and flexible frame
- Soft foam nose pads for comfort
- Available with Polarized lenses to increase visual clarity and reduce glare
- Compliant with CSA Z94.3-07, ANSI Z87.1+2015, and Military Ballistic MCEPS GL-PD 10-12 standards
- Lenses block 99.9% of UV rays and are triple-coated in anti-scratch coating



XB411AR



TXB446



TXB436



XB416CF

Serie #	Frame color/ Lens tints	Lens Coating
XB411AR	Black/Clear	Anti-Reflective Lens
XB416	Black/Smoke	Anti-Scratch
TXBG416	Black/Polarized Gradient Smoke	Anti-Scratch
XB416CF	Forest Camo/Smoke	Anti-Scratch
TXB436	Matte Black/Polarized smoke	Anti-Scratch
TXB446	White/Polarized smoke	Anti-Scratch



Vendor Code : WOLPEA



Tasman

- Lightweight, durable, and flexible frame
- Single-piece lens has no lower frame to obstruct sight
- Compliant with CSA Z94.3-07, ANSI Z87.1+2015, and Military Ballistic MCEPS GL-PD 10-12 standards
- Lenses block 99.9% of UV rays and are triple-coated in anti-scratch coating

Serie #	Frame color/ Lens tints	Lens Coating
XT411	Black/Clear	Anti-Scratch
XT411AR	Black/Clear	Anti-Reflective
XT416	Black/Smoke	Anti-Scratch
XT411AFG	Black/Clear	Anti-Fog Lens
XT416AFG	Black/Smoke	Anti-Fog Lens

Brazeau True North

- Durable and flexible frame with temple design
- Soft foam nose pads for comfort
- Available with Polarized lenses to increase visual clarity and reduce glare
- Compliant with CSA Z94.3-07, ANSI Z87.1+2015, and Military Ballistic MCEPS GL-PD 10-12 standards
- Lenses block 99.9% of UV rays and are triple-coated in anti-scratch coating



Serie #	Frame color/ Lens tints	Lens Coating
XB416-T1	Black and Red Mountains/ Smoke	Anti-Scratch
TXB416-T1	Black and Red Mountains/ Polarized Smoke	Anti-Scratch
XB416-T2	Black and Grey Wood Grain/Smoke	Anti-Scratch
TXB416-T2	Black and Grey Wood Grain/Polarized Smoke	Anti-Scratch
XB446-T3	White and Red Canadian Flag/Smoke	Anti-Scratch
TXB446-T3	White and Red Canadian Flag/Polarized Smoke	Anti-Scratch
XB446-T4	White and Ice Maple Leaf/ Smoke	Anti-Scratch
TXB446-T4	White and Ice Maple Leaf/ Polarized Smoke	Anti-Scratch

Robson

- Durable and flexible frame
- Soft TPR nose pads and temple arms for a comfortable, nonslip fit
- Available with Polarized lenses to increase visual clarity and reduce glare
- Available with Vapor Shield "military grade" anti-fog
- Compliant with CSA Z94.3-07, ANSI Z87.1+2015, and Military Ballistic MCEPS GL-PD 10-12 standards
- Lenses block 99.9% of UV rays and are triple-coated in anti-scratch coating



Serie #	Frame color/ Lens tints	Lens Coating
TXR415	Black/Polarized Copper	Anti-Scratch
TXRAP418	Black/Polarized Aqua Precision blue mirror	Anti-Scratch
XR411VS	Black/Clear	Vapor Shield Lens
XR416VS	Black/Smoke	Vapor Shield Lens
XR411VSG	Black/Clear	Vapor Shields Lens
XR416VSG	Black/Smoke	Vapor Shields Lens
XR411VS-AFT	Black Multi-Fit/Clear	Vapor Shields Lens
XR416VS-AFT	Black Multi-Fit/Smoke	Vapor Shields Lens
XR416CF	Forest Camo/Smoke	Anti-Scratch
XR-XL411VS	Black/Clear	Vapor Shield Lens
XR-XL416VS	Black/Smok	Vapor Shield Lens

Brazeau Vigilante



Serie #	Frame color/ Lens tints	Lens Coating
XB416-V1	Black and White/Smoke	Anti-Scratch
XB446-V2	White and Black Grunge/ Smoke	Anti-Scratch

Brazeau Velocity



Serie #	Frame color/ Lens tints	Lens Coating
XB416-C1	Black and Red Checkered Flag/Smoke	Anti-Scratch
XB446-C2	White and Black Motorcycle Engine/Smoke	Anti-Scratch

Vendor Code : BOLSAF



RUSH + CUSTOMIZATION AND CO-BRANDING

- Exceptional design
- Upper protection
- Non-slip bridge
- Anti-fog coating PLATINUM
- Co-injected ultra-flexible temples
- Two-coloured temples
- Ultimate comfort



Serie #	Available Versions
RUSHPPSI	Clear, Smoke, ESP

Your logo, your color! Free customization upon demand. Includes frame color and your logo on the lens. (Minimum order required)

CONTOUR THE INVISIBLE EYEWEAR!

- The lightest on the market
- Ultimate comfort
- Non-slip TIPGRIP temples
- Anti-fog coating
- PLATINUM
- Supplied with microfiber pouch



Serie #	Available Versions
CONTPSI	Clear, Smoke, Polarized, ESP

SILIUM + ULTRA-LIGHTWEIGHT

- Ultra lightweight frame
- Non-slip bridge
- Highly flexible temples
- Anti-fog coating
- PLATINUM
- All-round vision



Serie #	Available Versions
SILPPSI	Clear, Smoke, CSP

COBRA HD WRAP-AROUND COMFORT

- Panoramic vision
- Flip-up front/pivoting temples
- Non-slip bridge
- Anti-fog coating
- PLATINUM
- Supplied with microfiber pouch



Serie #	Available Versions
COBHDPI	Clear, Smoke, HD, Contrast

PRISM EXCELLENT VALUE

- Light and ultra comfortable
- Sporty design
- Extreme anti-fog
- High performance anti-scratch
- Supplied with adjustable cord



Serie #	Available Versions
PRIPSI	Clear, Smoke

EYE & FACE PROTECTION



Vendor Code : BOLSAF

EXTREME ANTI-FOG PERFORMANCE



Bollé offers you the most efficient anti-fog on the market, from an unmatched advanced technology mastered for over a century! Bollé's anti-fog performance consists of a unique multilayer recipe applied pressure chamber, in the worst climatic and environmental conditions. Bollé's unique anti-fog treatment, is the most advanced on the market and is 1400% more effective than military standards.

ULTIMATE COMFORT AND ADVANCED DESIGN



Employees truly embrace the Bollé Safety eyewear simply because they are extremely comfortable! Our products are light, flexible, and made of high quality materials. They fit all faces perfectly thanks to its unique ergonomic concept and advanced design. These features are the perfect incentive for the employees to wear safety glasses.

MAMBA ALL-ROUND VISION!



- Upper protection
- Non-slip bridge
- Comfortable non-slip temples
- Anti-fog coating
- Anti-scratch coating
- Supplied with microfiber pouch

Serie #

Available Versions

MAMPSI

Clear, Smoke

INCREDIBLE VISION



Over 100 years of optical superiority: Every pair of Bollé Safety eyewear delivers on high quality, distortion-free vision in light of the superior lens and advanced frame technologies. Studies show that better quality vision leads to reduced fatigue and headaches. For the purest state of vision, trust Bollé.

ULTRA DURABILITY AND QUARTZ RESISTANT



Bollé Safety revolutionary anti-scratch treatment features multiple layers of quartz applied to both surfaces of the lens. Thanks to the solid and high quality materials used in the manufacturing of our frames and lenses, Bollé Safety glasses may have an exceptional lifetime 3 times longer than others in the market. This allows savings and greatly reduces your consumption of disposable glasses!

ATOM EXTREMELY COMPACT AND COMFORTABLE



- Thermo Plastic Rubber (TPR)
- Overflow chute for liquids
- Ball-pivot
- Fits over prescription glasses
- Anti-fog coating

PLATINUM

- High performance anti-scratch

Serie #

Available Versions

ATOEDEPSI, ATOV

Clear

3M™ Fuel™ 2 Safety Eyewear

Features lenses with built-in bifocals available in three different magnification diopters. Lights mounted on each temple provide hands-free task lighting. The LED systems, includes long-life replaceable CR2032 3V battery, and provides ultra-bright beams that swivel/adjust for directional convenience. Compliance: Meets ANSI Z87.1 and CSA Z94.3 Standards



Series #	Description
11650-00000-10	Metallic Sand Frame, Red Overmold, Red Mirror Lens
11652-00000-10	Silver Colour Frame, Blue Overmold, Blue Mirror Lens
11653-00000-10	Silver Colour Frame, Blue Overmold, Clear Anti-Fog Lens
11654-00000-10	Black Rubberized Frame, Black Overmold, Grey Anti-Fog Lens

3M™ Maxim™ Safety Eyewear

Tough by design, but with a weight of less than an ounce, Maxim™ safety eyewear has the style, comfort and fit you want and features DuoForm mold processing, elastomeric browguard and temple accents. Patented dual-aspheric lens provides distortion-free vision. Compliance: Meets ANSI Z87.1 and CSA Z94.3 Standards



Series #	Description
12292-00000-20	Black Adjustable Temple, Grey Undermold 3.0 IR Lens (CSA)
13250-00000-20	Black Adjustable Temple, Clear Lens
13251-00000-20	Black Adjustable Temple, Bronze Lens
13252-00000-20	Black Adjustable Temple, Indoor/Outdoor Mirror Lens
13259-00000-20	Denim Adjustable Temple, Clear Lens

3M™ Maxim™ GT Safety Eyewear

Protective eyewear with a lightweight frame and cushioned browguard for added comfort. Metallic grey frame colour, soft black rubber accents and adjustable dual-injected temples with 3-position lens adjustment for day-long comfort. Compliance: Meets ANSI Z87.1 and CSA Z94.3 Standards



Series #	Description
14246-00000-20	Black Frame, Clear Anti-Fog Lens
14247-00000-20	Black Frame, Grey Anti-Fog Lens
14248-00000-20	Black Frame, I/O Mirror Lens

3M™ Maxim™ Plus Safety Eyewear

Wider frame fits workers with larger head sizes. Compliance: Meets ANSI Z87.1 and CSA Z94.3 Standards



Series #	Description
12282-00000-20	Blue Ice Brow/Temples, Clear DX Lens
12283-00000-20	Blue Ice Brow/Temples, Grey DX Lens

3M™ QX™ Eyewear

Vendor Code:
3MCANA



Features a curved lens for the popular athletic look and offers many options to maximize fit and comfort for virtually every worker. Three temple designs, and two nosepiece styles offer better fit for a wider selection of facial profiles. The wraparound design and seamless lens provide excellent front and side coverage, distortion-free vision, and excellent peripheral clarity. Compliance: Meets ANSI Z87.1 and CSA Z94.3 Standards. Exceeds Military Vo Test Regimen for High Velocity Impact Protection (QX 2000 and QX 3000 only)



Series #	Description
12100-10000-20	QX™ 1000 Eyewear Black Spatula Temple, Clear Lens
12101-10000-20	QX™ 1000 Eyewear Black Spatula Temple, Grey Lens
12109-10000-20	QX™ 2000 Eyewear Black Spatula Temple, Soft Nose Clear Lens
12110-10000-20	QX™ 2000 Eyewear Black Spatula Temple, Soft Nose Grey Lens
12115-10000-20	QX™ 3000 Eyewear Black Sport Grip Temple, Soft Nose Clear Lens
12128-10000-20	QX™ 1000 Eyewear, Clear Replacement Lenses

3M™ Privo™ Safety Eyewear

Sleek European inspired styling. Soft DuoForm molded nosebridge and temple tips for all day comfort. Universal fit design, available with Anti-Fog lenses. Compliance: Meets ANSI Z87.1 and CSA Z94.3 Standards



Series #	Description
12261-00000-20	Black Frame/Orange Accent Temple Tips, Clear Anti-Fog Lens
12262-00000-20	Black Frame/Orange Accent Temple Tips, Grey Anti-Fog Lens
12263-00000-20	Black Frame/Orange Accent Temple Tips, Amber Anti-Fog Lens
12264-00000-20	Black Frame/Orange Accent Temple Tips, Indoor/Outdoor Mirror Lens
12265-00000-20	Silver Frame/Red Accent Temple Tips, Clear Anti-Fog Lens
12266-00000-20	Silver Frame/Red Accent Temple Tips, Grey Anti-Fog Lens
12267-00000-20	Silver Frame/Red Accent Temple Tips, Amber Anti-Fog Lens
12268-00000-20	Silver Frame/Red Accent Temple Tips, Indoor/Outdoor Mirror Lens

3M™ Nuvo™ Eyewear and Readers

True Retro-Styling of the 1960's has been reinterpreted into the Nuvo™ Protective Eyewear. Nuvo™ Eyewear affords incredible protection in a lightweight comfortable frame with the classic look of a dual lens and soft nose piece. True Retro-Styling reminiscent of the 1960s; available in 3 bifocal magnification strengths: +1.5, +2.0, +2.5. Compliance: Meets ANSI Z87.1 and CSA Z94.3 Standards



Series #	Description
11411-00000-20	Translucent Grey Brow Grey Temple, Clear Anti-Fog Lens
11412-00000-20	Translucent Grey Brow Grey Temple, Grey Anti-Fog Lens
11518-00000-20	Tortoise Frame, Clear Anti-Fog Lens
11519-00000-20	Tortoise Frame, Indoor/Outdoor Mirror Lens
Readers	
11434-00000-20	Translucent Grey Frame, Clear Lens, +1.5 Diopter
11435-00000-20	Translucent Grey Frame, Clear Lens, +2.0 Diopter
11436-00000-20	Translucent Grey Frame, Clear Lens, +2.5 Diopter
11520-00000-20	Tortoise Frame Indoor/Outdoor Mirror Lens, +1.5 Diopter
11500-00000-20	Translucent Grey Frame, Grey Lens, +1.5 Diopter
11501-00000-20	Translucent Grey Frame, Grey Lens, +2.0 Diopter
11521-00000-20	Tortoise Frame Indoor/Outdoor Mirror Lens, +2.0 Diopter
11522-00000-20	Tortoise Frame Indoor/Outdoor Mirror Lens, +2.5 Diopter



Vendor Code: 3MCANA



3M™ SecureFit™, Protective Eyewear

Stylish, lightweight design weighs less than 1oz. Features proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear to enhance frame comfort while not compromising the security of fit across a diverse workforce.

- 3M Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes.
- Self-adjusting feature eliminates need to stock multiple frame sizes at worksites.
- Secure, snug fit keeps eyewear in place without slippage even when the person is in motion.
- Anti-fog coating helps keep lenses free of moisture in hot and humid conditions.
- Polycarbonate lenses absorb 99.9% UVA and UVB up to 380 nm and meet the requirements of CSA Z94.3 and ANSI Z87.1-2010.

Series #	Description
SF201AF-CA	Clear Lens
SF201AS-CA	Clear Lens
SF202AF-CA	Gray Lens
SF203AF-CA	Amber Lens

3M™ Headgear for Replaceable Faceshields

- Complete headgear and faceshield unit
- Meets ANSI Z87.1 and CSA Z94.3
- Made in U.S.A.

Series #	Description
82521-00000	H84 Ratchet Headgear
82501-00000	H8A Deluxe Ratchet Headgear
82502-00000	H18 Cap Mount Headgear
82516-00000	H10 Ratchet Headgear With Crown

3M™ Headgear System & Cap Mount Headgear

- Say goodbye to metal snaps, cams or bands
- Features a patented, unique system that allows window replacement in seconds
- Meets ANSI Z87.1 and CSA Z94.3
- Moulded replacement stock
- Made in U.S.A.

Series #	Description
82700-00000	W96 Clear Propionate Window
82701-00000	WP96 Clear Polycarbonate Window
82702-00000	WP96C Dark Green Polycarbonate
82525-00000	WP96B Medium Green Polycarbonate
82543-00000	WP98 Clear Polycarbonate, fits HCP8 Clear Chin Protector
82582-00000	WP96X Clear Large Polycarbonate Window

3M™ H-700 Series Hard Hats

- Comfortable 4-point Ratchet or Pinlock suspension system with height adjustment
- Low-profile, short brim design for balance, stability and upward visibility
- Vented and non-vented versions
- Meets the requirements of CSA Z94.1-05 Type 1, Class C, G and E. (Vented versions are class C only)
- Optional UVicator™ Sensor changes colour from red to white as the hard hat is exposed to UV light, alerting the wearer that it's time for a replacement
- Custom Logo available

Series #	Description	Color
H-701R	3M™ Hard Hat, 4-Point Ratchet Suspension	White
H-702R	3M™ Hard Hat, 4-Point Ratchet Suspension	Yellow
H-706R	3M™ Hard Hat, 4-Point Ratchet Suspension	Orange





Vendor Code: DSISAF



FOG FREE

Warrior EP100 Series

Great looking eyewear, highly comfortable, incomparable fit, unique design with swivel nose pad. Made to please the most demanding user. 4A coating. CSA Z94.3-7 certified by CSA Canada and meets ANSI Z87.1 requirements.

Lens Color	Grey Frame	Black Frame	Repl Lens
CLEAR	EP100MGC	EP100BC	EP103RL
SMOKE	EP100MGS	EP100BS	EP104RL
AMBER	EP100MGA	EP100BA	EP105RL
I/O MIRROR	EP100MGIO*	EP100BIO*	EP106RL*

* Mirror I/O lens are not Fog Free



Firebird EP800 Series

Wraparound lightweight, frameless spectacle one piece lens with wide soft rubber temple ends and hard nose piece. 3A coating. CSA Z94.3-7 certified by CSA Canada and meets ANSI Z87.1 requirements.

Series #	Lens Color	Frame Color
EP800C	CLEAR	CLEAR
EP800S	SMOKE	SMOKE
EP800A	AMBER	AMBER
EP800IO	I/O MIRROR	I/O MIRROR
EP800BT	BLUE TINT	BLUE TINT



Renegade EP400 Series

Trendsetting eyewear that will please the most demanding user. 3A coating. CSA Z94.3-7 certified by CSA Canada and meets ANSI Z87.1 requirements.

Lens Color	Burgundy Frame	Translucent Grey Frame
CLEAR	EP400BUC	EP400TGC
SMOKE	EP400BUS	EP400TGS
AMBER	EP400BUA	EP400TGA
I/O	EP400BUIO	EP400TGIO*
CLEAR 1.5		EP400TCGC1.5
CLEAR 2.0		EP400TCGC2.0
CLEAR 2.5		EP400TCGC2.5

SOLUS EP550 Series

Light weight one-piece polycarbonate lens. Translucent color. 3A coating. Ideal for the food industry. CSA Z94.3-07 certified by CSA Canada and meets ANSI Z87.1 requirements.



Series #	Lens Color	Frame Color
EP550C	CLEAR	SMOKE
EP550S	SMOKE	SMOKE
EP550A	AMBER	AMBER
EP550IO	I/O MIRROR	SMOKE



TECHNO EP850 series

Wraparound lightweight frameless spectacle one piece lens with soft rubber temple ends, soft nose piece for better comfort, 4A coating, CSA Z94.3-07 certified by CSA Canada and meets ANSI Z87.1 requirements.

FOG FREE

Series #	Lens Color	Frame Color
EP850C	CLEAR	CLEAR
EP850S	SMOKE	SMOKE
EP850A	AMBER	AMBER
EP850IO*	I/O MIRROR	I/O MIRROR
EP850BT	BLUE TINT	BLUE TINT

* Mirror I/O lens are not Fog Free



Spectagoggle EP900 Series

Designed to allow air to flow freely and to reduce heat with flame resistant. Foam padding forms a seal to keep out dust and airborne particles, interchangeable temple/elastic strap included with each pair. Strap has quick fit retainer for easy on/off. 4A coatings. CSA Z94.3-07 certified and meets ANSI Z87.1 requirements.

FOG FREE

Series #	Lens Color	Frame Color
EP900C	CLEAR	BLACK
EP900S	SMOKE	BLACK
EP900A	AMBER	BLACK
EP900M*	MIRROR	BLACK

* Mirror lens are not Fog Free



Vendor Code: DSISAF

The “OTG Extra” EP750 Series

A great looking OTG, over the glass spectacles. Extra large size to fit over all sizes of prescription spectacles. It offers the softest adjustable nose piece that exists, an adjustable mechanism to flip the lens up or down combined with a new, unique and highly comfortable temple system.



Series #	Frame Color	Lens Color
EP750C	BLACK	CLEAR
EP750S	BLACK	SMOKE
EP750A	BLACK	AMBER
EP750IO	BLACK	I/O MIRROR



The “Ladies Mini” EP325 Series

Made for ladies with narrow face that are looking for a tight fit cool looking spectacle.

Series #	Frame Color	Lens Color
EP325PC	PINK	CLEAR
EP325PS	PINK	SMOKE
EP325PA	PINK	AMBER
EP325PIO	PINK	I/O MIRROR
EP325GC	GREEN	CLEAR
EP325GS	GREEN	SMOKE
EP325GA	GREEN	AMBER
EP325GIO	GREEN	I/O MIRROR
EP325OC	ORANGE	CLEAR
EP325OS	ORANGE	SMOKE
EP325OA	ORANGE	AMBER
EP325OIO	ORANGE	I/O MIRROR

The “Falcon” EP810 Series

Exclusive 3 positions adjustment Flexi-Fit soft nose bridge system.



Series #	Frame Color	Lens Color
EP810C	RED & BLACK	CLEAR
EP810S	RED & BLACK	SMOKE
EP810A	RED & BLACK	AMBER
EP810IO	RED & BLACK	I/O MIRROR

The “Hawk” EP825 Series

Beautiful Base 9 Lens, “DYNA-SHIELD” anti fog coating, Flexi-Fit Adjustable nose bridge system, Dual shot temples, Lenses available in: Clear, Smoke, Amber, and I/O Mirror, CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements.



Series #	Frame Color	Lens Color
EP825C	RED & BLACK	CLEAR
EP825S	RED & BLACK	SMOKE
EP825A	RED & BLACK	AMBER
EP825IO	RED & BLACK	I/O MIRROR

The “Spider” EP875 Series

Lightweight Base 9 Wrap Around Lens, “DYNA-SHIELD” anti fog coating, Flexi-Fit Adjustable nose bridge system, Famous EZ-ON temple system, Lenses available in: Clear, Smoke, Amber, and I/O Mirror, CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements.



Series #	Frame Color	Lens Color
EP875C	RED & BLACK	CLEAR
EP875S	RED & BLACK	SMOKE
EP875A	RED & BLACK	AMBER
EP875IO	RED & BLACK	I/O MIRROR



Vendor Code: DSISAF

Headgears To Use Without Protective Cap

- Accepts a wide range of faceshield styles
- Large sparkguard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- Comes with pinlock or ratchet adjustment for quick, easy and perfect fit

Series #	Adjustment	Material
EPHG300	Pinlock	HDPE
EPHG300R	Ratchet	HDPE
EPHG400R	Ratchet	Noryl
EPHG700R	Ratchet	Noryl

Cap Mounted Headgears

- Accepts a wide range of faceshield styles
- Large sparkguard provides excellent protection
- Includes (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap.
- Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use

Series #	Description	Material
EPHG401R	Headgear	Noryl
EPHG701R	Headgear	Noryl

Faceshield Hard Hat Brackets

- Accepts a wide range of faceshield styles
- Attachment system designed to accommodate many competitors' faceshields
- Swivel system to raise or lower faceshield
- EPB101C include (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap

Series #	Description	Material
EPB101	Bracket	Plastic
EPB101C	Bracket W/EPHC01	Plastic
EPB201	Bracket	Aluminium

Cap Lock Adaptor Kit

- To attach welding helmets, headgears or brackets to a hard hat
- Fits easily onto most hard hats with slots
- Quick & Easy snap on and off feature
- Will accommodate narrow welding helmet if used with the extensions

Series #	Description
EPHC01	Cap lock adaptor kit with extension pieces
EPHC02	Cap lock blades only

Die Cut Windows - Flat

- All the visors, faceshields and windows offer the multi-fit attachment pattern (or universal fit).
- Made of PETG CO-Polyester.
- 2 thicknesses of material are available .040 in / 1.0mm and .060 in / 1.5 mm.

Series #	Size	Thickness
EP815/40	8 X 15 ½	0.040 in /1.0 mm
EP815/60	8 X 15 ½	0.060 in /1.5 mm
EP1015/40	10 X 15 ½	0.040 in /1.0 mm
EP1015/60	10 X 15 ½	0.060 in /1.5 mm
EP816/40	8 X 16 ½	0.040 in /1.0 mm
EP816/60	8 X 16 ½	0.060 in /1.5 mm
EP919/40	9 ½ X 20	0.040 in /1.0 mm
EP919/60	9 ½ X 20	0.060 in /1.5 mm
EP919PG/40	9 ½ X 20	0.040 in /1.0 mm
EP1015PG/40	10 X 15 ½	0.040 in /1.0 mm

Formed Windows

- All the visors and faceshields offer the multi-fit attachment pattern (or universal fit).
- Made of Polycarbonate material.
- 2 thicknesses of material are available .040 in/1.0mm and .060 in/ 1.5 mm.
- 2 colors of material available, Green and Clear

Series #	Size	Color	Thickness
EP815PF/40	8 X 15 ½	Clear	0.040 IN /1.0 MM
EP815PFG/40	8 X 15 ½	Green	0.040 IN /1.0 MM
EP815PF/60	8 X 15 ½	Clear	0.060 IN /1.5 MM
EP816PF/40	8 X 16 ½	Clear	0.40 IN /1.0 MM
EP816PFG/40	8 X 16 ½	Green	0.40 IN /1.0 MM
EP816PF/60	8 X 16 ½	Clear	0.060 IN /1.5 MM
EP919PF/40	9 ½ X 20	Clear	0.040 IN /1.0 MM
EP919PFG/40	9 ½ X 20	Green	0.040 IN /1.0 MM
EP919PF/60	9 ½ X 20	Clear	0.060 IN /1.5 MM



Vendor Code: MCRSAF



Exodus

5-position ratchet adjustable temples, TPR nose piece.

Series #	Frame color/Lens color
ED110	Black/Clear
ED110AF	Black/Clear anti-fog
ED112	Black/Gray
ED112AF	Black/Gray anti-fog
ED113	Black/Light blue
ED114	Black/Amber
ED119	Black/I/O Clear mirror



Klondike

Extendable spatula temples, TPR nose pad.

Series #	Frame color/Lens color
KD110	Black/Clear
KD110AF	Black/Clear anti-fog
KD112	Black/Gray
KD112AF	Black/Gray anti-fog
ED113	Black/Light blue
KD119	Black/I/O Clear mirror



Inertia

Non-slip wrap around TPR temple, TPR nose pad, dielectric (no metal parts).

Series #	Frame color/Lens color
IA110	Black/Clear
IA112	Black/Gray anti-fog



Bearkat

Black TPR temple sleeves.

Series #	Frame color/Lens color
BK110	Clear/Clear
BK110AF	Clear/Clear anti-fog
BK112	Gray/Gray
BK112AF	Gray/Gray anti-fog
BK113AF	Light blue/Light blue anti-fog



Vendor Code: MCRSAF

Rattler

Interchangeable 3-position ratcheting bayonet temples and an adjustable head band, closed foam seal.

Series #	Frame color/Lens color
RT110AF	Black/Clear anti-fog
RT112AF	Black/Gray anti-fog



HellKat

TPR nose pad, non-slip temple material.

Series #	Frame color/Lens color
HK110AF	Clear hybrid/Clear anti-fog
HK112	Smoke hybrid/Gray
HK112AF	Smoke hybrid/Gray anti-fog



Mantis

Rotating temple for compact storage, TPR nose piece, cord included

Series #	Frame color/Lens color
MT110	Black/Clear
MT110AF	Black/Clear anti-fog
MT112	Black/Gray
MT112AF	Black/Gray anti-fog



Reaper

Removable foam gasket, TPR nose pad, cord included.

Series #	Frame color/Lens color
RP210AF	Black/Clear anti-fog
RP212AF	Black/Gray anti-fog
RP218	Black/Blue diamond mirror
RP21R	Black/Fire mirror





Vendor Code : WASIPL



Temp Lite Series

Molded wrap-around lens. Extremely lightweight. High impact scratch resistant polycarbonate lens and temples. Poly carbonate lens and temples. Lens base curve 9 mm. Lens offers 99% protection from harmful ultra violet radiation. Meets CAN\CSA Z94.3\ANSI Z87.1.

Series #	Color
W1090	Clear
W1092	Grey



Temp Wraparound Frame

Molded brow guard, nose bridge with vented side shields. Lightweight frame. High impact polycarbonate lens and temples. Lens base curve 4 mm. Lens offers 99% protection from harmful ultra violet radiation. Meets CAN\CSA Z94.3\ANSI Z87.1.

Series #	Color
W10830	I.R Shade 3
W10850	I.R Shade 5



Twister Series

Low profile lightweight design. Universal nose bridge. Scratch resistant poly carbonate lens. Lens base curve 9 mm. Lens offers 99% protection from harmful ultra violet radiation. High impact protection. Meets CAN\CSA Z94.3\ANSI Z87.1. Available in different lens colors.

Series #	Color
W20800	Clear
W208051	Medium Green

Trinity Series

Adjustable ratchet temples accommodate any face shape. Extremely lightweight. Temples come with soft comfort pads. Polycarbonate scratch resistant lens with molded nose bridge. Lens base curve 10 mm. Lens offers 99% protection from harmful ultra violet radiation. High impact protection. Meets CAN\CSA Z94.3\ANSI Z87.1. Available in different lens colors.



Series #	Color
W121300	Clear

Groove Series

Lightweight wraparound frame. Ratchet temples. Advance nose pad with ridge design for increased comfort and personal adjustment. Soft padded temples for secure fit. Scratch resistant single polycarbonate lens. Lens base curve 8 mm. Lens offers 99% protection from harmful ultra violet radiation. Meets CAN\CSA Z94.3\ANSI Z87.1.



Series #	Color
W131100	Clear

Vortex Series

Wrap around sports style design. Adjustable ratchet temple. Soft grip temple. Integral molded nosepiece, brow guard and side shield. Scratch resistant polycarbonate lens. Lens base curve 8.75 mm. Lens offers 99% protection from harmful ultra violet radiation. High impact lens. Meets CAN\CSA Z94.3\ANSI Z87.1. Different colors available.



Series #	Color
W504500	Clear

Scorpions Black Frame

Polycarbonate scratch resistant lens includes molded side shield. Nylon frame with adjustable temple and molded brow guard for increased protection. Traditional design fits a wide variety of faces. Lens base curve 4 mm. Lens offers 99% protection from harmful ultra violet radiation. High impact protection. Meets CAN\CSA Z94.3\ANSI Z87.1



Series #	Color
W901130	I.R 3.0



Vendor Code: DENSATF

Series #	Description	Qty
Sentinel		
12E90801	Sentinel w/rubberized temple tips, clear lens, CSA	1
12E90806	Sentinel w/rubberized temple tips, clear Anti-Fog lens, CSA	1
12E90802	Sentinel w/rubberized temple tips, grey lens, CSA	1
12E90807	Sentinel w/rubberized temple tips, grey Anti-Fog lens, CSA	1
12E90803	Sentinel w/rubberized temple tips, amber lens, CSA	1
12E90804	Sentinel w/rubberized temple tips, blue mirrored lens, CSA	1
12E90805	Sentinel w/rubberized temple tips, indoor/outdoor mirrored lens, CSA	1
12E90809	Sentinel w/rubberized temple tips, blue lens, CSA	1
Sentinel Magnifier		
12E90815	Sentinel Bifocal w/rubberized temple tips, clear lens, +1.5 CSA	1
12E90820	Sentinel Bifocal w/rubberized temple tips, clear lens, +2.0 CSA	1
12E90825	Sentinel Bifocal w/rubberized temple tips, clear lens, +2.5 CSA	1
932 Citation Series Eyewear		
12E93201	932 Clear lens w/ratchet & adjustable temples, CSA	1
12E93202	932 Gray lens w/ratchet & adjustable temples, CSA	1
12E93203	932 Yellow lens w/ratchet & adjustable temples, CSA	1
12E93204	932 Blue Mirror lens w/ratchet & adjustable temples, CSA	1
12E93205	932 Indoor/Outdoor lens w/ratchet & adjustable temples, CSA	1
12E93206	932 Clear Anti-Fog lens w/ratchet & adjustable temples, CSA	1
ValuGard Faceshields		
12F462000	ValuGard Faceshield with swivelling ratchet suspension, CSA	1
Double Matrix		
12F483000	Double Matrix crown with ratchet suspension, CSA	1
Matrix & ValuGard Faceshield Replacement Visors		
12F485400	485400 Matrix & ValuGard Visor Clear acetate, flat – 8" X 15½", .040"	1
12F485420	485420 Matrix & ValuGard Visor Green acetate, flat – 8" X 15½", .040"	1
12F486400	486400 Matrix & ValuGard Visor Clear polyester, flat – 8" X 15½", .040"	1
12F487400	487400 Matrix & ValuGard Visor Clear polycarbonate, flat – 8" X 15½", .040"	1
Replacement Visors For Double Matrix		
12F494400	494400 Double Matrix Visor Clear acetate, flat – 7" X 16-3/4", .040"	1
12F494420	494420 Double Matrix Visor Green acetate, flat – 7" x 16-3/4", .040"	1
12F494700	494700 Double Matrix Visor Clear polycarbonate, flat – 7" x 16-3/4", .040"	1
12F494704AFHC	494704AFHC Double Matrix Visor Duo-Coat Clear polycarbonate, flat – 7" x 16-3/4", .040", Anti-Fog & Hard Coated	1
12F494800	494800 Double Matrix Visor Clear polyester, flat – 7" x 16-3/4", .040"	1



12E90801



12E90803



12E90809



12E90815



12F462000

12F483000



12E93205



12E93204



Vendor Code : PYRSAF

Ztek and Mini Ztek

Integrated nose piece. Soft, non-slip rubber temple tips provide non-binding fit. Economical wrap-around single lens provides full panoramic view. Scratch resistant polycarbonate lens provides 99% UVA/B/C protection. Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes. Different colors available.



Series #	Lens/Temples
S2510S	Clear Lens with Clear Temples
S2510ST	Clear Anti-Fog Lens with Clear Temples
S2520S	Gray Lens with Gray Temples
S2520ST	Gray Anti-Fog Lens with Gray Temples
S2510SN	Clear Lens with Clear Temples (Mini)
S2510SNT	Clear Anti-Fog Lens with Clear Temples (Mini)

Everlite

Soft nosepiece for snug fit. Semi-frame & slim co-material temple design for lightweight spectacle – 22 gm. Offers a clear panoramic view without obstruction. 8 base wraparound lens provides full front side protection. Scratch-resistant, polycarbonate lens provide 99.9% of UV protection. H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleaning without losing adhesion. H2MAX ensures maximum clarity in the most extreme temperature and humidity conditions, and it also adds a layer to the lens that is abrasion, chemical, and UV-resistant. Different colors available.



Series #	Lens/Temples
SB8610D	Clear Lens with Black Frame
SB8610DT	Clear Anti-Fog Lens with Black Frame
SB8620D	Gray Lens with Black Frame
SB8620DT	Gray Anti-Fog Lens with Black Frame

OTS

Designed to better fit today's prescription eye wear. Lightweight nylon temples adjust for length and pitch. Single lens encapsulates the eye for superb protection. Scratch resistant polycarbonate lens provides 99% UVA/B/C protection. Fits over frames up to 5 3/8" W x 1 3/4" H | 137mm x 44mm. Different colors available.



Series #	Lens/Temples
S3510SJ	Clear Lens with Black Temples
S3510STJ	Clear Anti-Fog Lens with Black Temples

Accurist

Sporty design for on and off the job. Inner foam padding is flame resistant. Built-in rubber nosepiece. Durable frame features dual-injected straightback temples. Anti-fog lenses available. Scratch resistant polycarbonate lens provides 99% UVA/B/C protection. Available in different colors.



Series #	Lens/Temples
SB8710DTP	Clear Anti-Fog Lens with Padded Black Frame
SB8715DTP	Coffee Anti-Fog Lens with Padded Black Frame

Proximity

9.5 base curve lens provides excellent side protection. Flame resistant foam padding in a lightweight spectacle – 26.3gm. Slim co-injected temples for snug, secure fit. Scratch resistant polycarbonate lens provides 99% UVA/B/C protection. Available in different colors.



Series #	Lens/Temples
SB9310ST	Clear H2X Anti-Fog Lens with Black Frame
SB9310STM	Clear H2MAX Anti-Fog Lens with Black Frame

Towelettes

For plastic, glass, and polycarbonate lenses. Safe and effective with all lens coatings. Ideal for glasses, goggles, and face shields. Anti-fog, anti-static formula.



Series #	Description
LCT100	Cleaning towelettes

Earmuff

NRR 26dB / SNR 30dB. Low Profile Design. Soft foam ear cups. Fold-away, padded headband Individually packaged.



Series #	Description
PM8010	Gray Earmuff
PM8031	Hi-Vis Lime Earmuff
PM8041	Hi-Vis Orange Earmuff

Earmuff

NRR 27dB. Dielectric. Soft foam ear cups. Fits wide variety of hard hats. Easily accessible while working. Flip down over ears to use. Flip up when not in use Individually packaged.



Series #	Description
CM6010	Gray Cap Mounted Muff



Vendor Code: 3MCANA

3M™ E-A-R™ Classic™ Earplugs

- Proven size, shape, and foam
- 3M's most popular earplug
- Corded and uncorded in a variety of individual packs
- NRR 29 dB / CSA Class AL

Series #	Description
312-1201	3M™ E-A-R™ Classic™ Uncorded Earplugs, in Poly Bag
310-1001	3M™ E-A-R™ Classic™ Uncorded Earplugs in Pillow Pack
311-1101	3M™ E-A-R™ Classic™ Corded Earplugs, in Poly Bag

3M™ E-A-R™ UltraFit™ Premolded Reusable Earplugs

- The most comfortable reusable earplug
- NRR 25 dB / CSA Class AL

Series #	Description
340-4004	3M™ E-A-R™ UltraFit™ Corded Earplugs, in Poly Bag
340-4001	3M™ E-A-R™ UltraFit™ Uncorded Earplugs, in Carrying Case
340-4002	3M™ E-A-R™ UltraFit™ Corded Earplugs, in Carrying Case
340-4003	3M™ E-A-R™ UltraFit™ Uncorded Earplugs, in Poly Bag
340-4014	3M™ E-A-R™ UltraFit™ Corded Earplugs, in Econopack



3M™ E-A-R™ Classic™ Plus Earplugs

- Highest NRR available from a NVLAP accredited lab
- Longer for deeper insertion
- NRR 33 dB / CSA Class AL

Series #	Description
310-1101	3M™ E-A-R™ Classic™ Plus Uncorded Earplugs, in Pillow Pack
311-1105	3M™ E-A-R™ Classic™ Plus Corded Earplugs, in Poly Bag

3M™ E-A-Rsoft™ FX™ Earplugs

- Patented shape to more effectively fit the ear canal
- Soft, comfortable foam
- NRR 33 dB / CSA Class AL

Series #	Description
312-1260	3M™ E-A-Rsoft™ FX™ Corded Earplugs, in Poly Bag
312-1261	3M™ E-A-Rsoft™ FX™ Uncorded Earplugs, in Poly Bag
312-1274	3M™ E-A-Rsoft™ FX™ Corded Earplugs, in Poly Bag, 100 count box



3M™ E-A-R™ Classic™ Small Earplugs

- Smaller diameter for more comfort in medium and small ear canals
- NRR 29 dB / CSA Class AL

Series #	Description
310-1103	3M™ E-A-R™ Classic™ Small Uncorded Earplugs, in Pillow Pack
311-1106	3M™ E-A-R™ Classic™ Small Corded Earplugs, in Poly Bag

3M™ E-A-Rsoft™ Yellow Neons™ Earplugs

- Highest NRR available
- Ultimate comfort
- NRR 33 dB / CSA Class AL

Series #	Description
310-1250	3M™ E-A-Rsoft™ Yellow Neons™ Uncorded Earplugs, in Pillow Pack, Regular Size
311-1250	3M™ E-A-Rsoft™ Yellow Neons™ Corded Earplugs, in Poly Bag, Regular Size
312-1250	3M™ E-A-Rsoft™ Yellow Neons™ Uncorded Earplugs, in Poly Bag Regular Size



3M™ E-A-R™ Classic™ Soft Earplugs

- Thermal Reactive Foam™ gets softer with wear
- Smaller cell structure for smoothest surface
- NRR 31 dB / CSA Class AL

Series #	Description
311-6000	3M™ E-A-R™ Classic™ Soft Uncorded
311-6001	3M™ E-A-R™ Classic™ Soft, with Cord

3M™ TaperFit™ 2/E-Z-Fit™ Earplugs

- Soft, smooth design for ultimate comfort
- TaperFit™ 2 - 32 dB / CSA Class AL
- E-Z-Fit™ - 28 dB / CSA Class AL

Series #	Description
312-1219	3M™ TaperFit™ 2 Regular Uncorded Earplugs, in Poly Bag
312-1223	3M™ TaperFit™ 2 Regular Corded, in Poly Bag
312-1208	3M™ E-Z-Fit™ Uncorded Earplugs, in Poly Bag
312-1222	3M™ E-Z-Fit™ Corded Earplugs, in Poly Bag





Vendor Code: 3MCANA

3M™ Peltor™ Optime™ 101 Series Earmuffs

- Versatile protection
- Effective protection up to extreme noise levels
- For noise levels up to 101 dBA

Series #	Description
H7A	3M™ Peltor™ Optime™ 101 Over-the-Head Earmuffs, NRR 27 dB / CSA Class A
H7B	3M™ Peltor™ Optime™ 101 Behind-the-Head Earmuffs, NRR 26 dB / CSA Class A
H7P3E	3M™ Peltor™ Optime™ 101 Cap-Mount Earmuffs, NRR 24 dB / CSA Class A

H7P3E-01 3M™ Peltor™ Optime™ Deluxe Green Helmet Attached Dielectric, NRR 24 dB / CSA Class A

3M™ 1100 Foam Earplugs

- Tapered design to conform for comfort
- NRR 29 dB / CSA Class AL

Series #	Description
1100	3M™ Uncorded Earplugs
1110	3M™ Corded Earplugs

3M™ E-A-R™ Express™ Pod Plugs™ Earplugs

- Soft, flexible grips allow for instant protection and a great fit
- NRR 25 dB / CSA Class AL

Series #	Description
321-2100	3M™ E-A-R™ Express™ Pod Plugs™ Earplugs Blue Grips, in Pillow Pack
321-2200	3M™ E-A-R™ EXPRESS™ Pod Plugs™ Earplugs Assorted Colour Grips, in Pillow Pack

3M™ Peltor™ Optime™ 105 Series Earmuffs

- The ultimate in earmuff technology
- For noise levels up to 105 dBA

Series #	Description
H10A	3M™ Peltor™ Optime™ 105 Over-the-Head Earmuff, NRR 30 dB / CSA Class AL
H10-B	3M™ Peltor™ Optime™ 105 Behind-the-Head Earmuffs, NRR 29 dB / CSA Class AL
H10P3E	3M™ Peltor™ Optime™ 105 Cap-Mount Earmuffs, NRR 27 dB / CSA Class AL

H10P3E-01 3M™ Peltor™ Optime™ 105 Cap-Mount Earmuffs, Di-Electric NRR 27 dB / CSA Class AL

3M™ Peltor™ Optime™ 95 Series Earmuffs

- Slim design for high comfort and continuous wear
- Flexible insertion tip
- For noise levels up to 95 dBA*

Series #	Description
H6A/V	3M™ Peltor™ Optime™ 95 Over-the-Head Earmuff, NRR 21 dB / CSA Class B
H6B/V	3M™ Peltor™ Optime™ 95 Behind-the-Head Earmuffs, NRR 21 dB / CSA Class B
H6F/V	3M™ Peltor™ Optime™ 95 Folding Earmuffs, NRR 21 dB / CSA Class B
H6P3E/V	3M™ Peltor™ Optime™ 95 Cap-mount Earmuffs, NRR 21 dB / CSA Class B

3M™ Peltor™ WorkTunes™ Headsets with built-in AM/FM Radio

- Audio output to earcup limited to 82 dB
- New digital radio model (WTD2600) with audio input jack for MP3 players

Series #	Description
WTD2600	3M™ Peltor™ WorkTunes™ Headset, 3.5 mm cable for external audio device NRR 26 dB / CSA Class A

3M™ Peltor™ Optime™ 98 Series Earmuffs

- Lightweight, comfortable and effective
- Universal, affordable protection
- For noise levels up to 98 dBA*

Series #	Description
H9A	3M™ Peltor™ Optime™ 98 Over-the-Head Earmuffs, NRR 25 dB / CSA Class A
H9P3E	3M™ Peltor™ Optime™ 98 Cap-Mount Earmuffs, NR 23 dB / CSA Class A

3M™ Peltor™ X Series Earmuffs

The 3M Peltor X Series earmuffs are available in headband and hard hat-attached versions. With Noise Reduction Rating (NRR) values ranging from 21 to 31 dB, the X Series makes it easier than ever to match the attenuation of the earmuff with the noise exposure of the worker. When correctly selected and worn these products help reduce exposure to hazardous levels of noise and loud sounds. The hard hat-attached models fit a wide range of industrial safety helmets including 3M H-700 Series hard hats.

- Modern, attractive low-profile design
- Lightweight
- Twin headband design for outstanding balance and comfort
- Electrically-insulated wire headband*
- Soft wide cushions help maintain a comfortable pressure around the ears
- New innovative foam earcup inserts and spacers that help improve attenuation
- New ear cushion foam technology for an effective acoustic seal and reliable protection
- Easy-to-replace cushions and inserts help keep them clean
- Hard hat-attached version fits directly to many hard hats without an adapter

*NOTE: The headband models are electrically insulated – sometimes referred to as 'dielectric'.



Vendor Code:
3MCANA



Series #	NRR	Canada Class
X1A	22 dB	A
X2A	24 dB	A
X3A	28 dB	AL
X4A	27 dB	AL
X5A	31 dB	AL

3M™ Peltor™ MT Series Industrial Headsets for use with 2-Way Radios

3M's series of Peltor™ brand of dual muff hearing protection headsets provide superior audio quality and transmit specifications enhancing communication capabilities.

- Hearing protection in high noise radio communication environments
- Easy to use and affordably priced
- Noise cancelling boom microphone
- Deep ear cuff design for all day comfort



MT7H79A

- Highest NRR available from a NVLAP accredited lab
- Longer for deeper insertion
- NRR 25 dB / CSA Class AL



MT7H79B

- In-line PTT adapter required, B129
- Neckband configuration for use under hard hats
- NRR 24 dB / CSA Class B

Push to talk adapter cable required (sold separately).



MT7H79P3E

- In-line PTT adapter required
- Guide arms for mounting into slotted hard hats
- NRR 21 dB / CSA Class B



Vendor Code : DSISAF



“Dyna-Fit” and “Dyna-Fit Detect” Earplugs

CSA A (L) Class.

ANSI/S3.19-1974.

Pre-shaped PU plugs

Noise reduction rating NNR : 32dB

Excellent noise reduction in noisy environment

High NNR, offer excellent protection

Fit perfectly to ear canal.

Easy to remove due to the embossed X at the end of the earplug

and will reduce the pressure at the end of the ear canal

Low expansion foam reduces painful pressure in the ear canal

Available with or without cord

Ideal for workplace such as : construction, industrial plant, manufacturing and other noisy worksite.

Also available for food industries, equipped with metal pieces to be detectable, and easy blue color recognition. Corded version only. (NP101CD)

200 pairs per box.

100 pairs with cord.

Part #	Size	Color
NP101	O/S	Red
NP101C	O/S	Red
NP101CD	O/S	Blue

“Dyna-Fit Lite” Earplugs

CSA A (L) Class .

ANSI/S3.19-1974.

Pre-shaped PU plugs.

Noise reduction rating NRR : 30dB

Excellent protection in noisy environment.

High NNR, offer excellent protection

Fit perfectly to ear canal.

Easy to remove due to the embossed X at the end of the earplug

and will reduce the pressure at the end of the ear canal

Lower expansion foam than “Dyna-Fit” reduces pressure pain for more sensitive persons.

Available with or without cord.

Ideal for workplace such as : construction, industrial plant, manufacturing and other noisy worksite.

200 pairs per box.

100 pairs with cord.

Part #	Size	Color
NP102	O/S	Orange
NP102C	O/S	Orange

MAX®

Superior noise-blocking performance in a single-use earplug.

- The world's most-used polyurethane foam earplug
- Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up

Series #	Cording	Packaging	NRR	Canada Class
MAX-1	Uncorded	Polybag	33	A (L)
MAX-1-D	Uncorded	Refill Box for Leight® Source 500	33	A (L)
MAX-30	Corded	Polybag	33	A (L)



by Honeywell

Vendor Code: SPEPRO



LaserLite Series

- Hi-Viz vibrant yellow/magenta color design.
- Self-adjusting foam expands to fit virtually any ear canal.
- Contoured T-shape for easy insertion and wear.
- Smooth finish, closed-cell foam prevent dirt build up.
- NRR : 32.

Series #	Cording	Packaging	NRR	Canada Class
LL-1	Uncorded	200 per box	32	A (L)
LL-30	Corded	100 per box	32	A (L)
LL-1D	Uncorded	500 per box	32	A (L)



FirmFit Series

- PVC earplug available in orange color.
- NRR : 30, Canada Class A (L)
- More comfort, more protection.

Series #	Cording	Packaging	NRR	Canada Class
FF-1	Uncorded	200 per box	30	A (L)
FF-30	Corded	100 per box	30	A (L)
FF-1-PB	Uncorded	100 per paper bag	30	A (L)
FF-30-PB	Corded	100 per paper bag	30	A (L)
FF-1-D	Uncorded	500 per box	30	A (L)
FF-LS4	Uncorded	200 per box	30	A (L)



TrustFit Pod Series

- Soft foam with dimpled tip, collapse to be gently and easily pushed in.
- Ergonomically countoured paddle fits naturally between the finger and thumb.
- Its flexible stem material gently pushes the dimpled foam into the narrowing ear canal to rest comfortably all day.

Series #	Cording	Packaging	NRR	Canada Class
TRUSTFITPOD-1	Uncorded	100 per box	28	A (L)
TRUSTFITPOD-30	Corded	100 per box	28	A (L)
TRUSTFITPOD-1-5	Uncorded	25 pack of 5 per box	28	A (L)
TRUSTFITPOD-30-5	Corded	25 pack of 5 per box	28	A (L)



SmartFit®

Revolution in personalized fit.

- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control – a single product fits almost every wearer
- Detachable cord system and HearPack® storage case

Series #	Cording	Packaging	NRR	Canada Class
SMF-30	Detachable Cord	HearPack®	25	A (L)





Vendor Code : MOLMET



6800



6900



6940



6945



6400



6405



6500



6130



6120

Pura-Fit® Foam Earplugs Uncorded, NRR 33

Highest Independently tested NRR 33, Tapered for easier insertion, Improved, softer foam for maximum comfort, Hygienically packaged in biodegradable paper pouches, Non-irritating, smooth surface, Longer length for easy fitting and removal, Look for the bright green color as a symbol of Moldex quality, 100% PVC-Free®.

Pura-Fit® Foam Earplugs Corded, NRR 33

Highest Independently tested NRR 33, Tapered for easier insertion, Improved, softer foam for maximum comfort, Hygienically packaged in biodegradable paper pouches, Non-irritating, smooth surface, Longer length for easy fitting and removal, Look for the bright green color as a symbol of Moldex quality, 100% PVC-Free®.

Glide® Foam Twist In Earplug Uncorded, NRR 30

Unique multi-curved stem rotates for a custom fit, Large handle on curved stem for easy insertion & removal, Large soft foam pod for a comfortable, snug seal, Glide Foam has the highest independently rated NRR for a no-roll earplug, Look for the bright green color as a symbol of Moldex quality, 100% PVC-Free®, like all Moldex products & packaging - for a greener alternative, Made in U.S.A.

Glide® Foam Twist In Earplug with Cord, NRR 30

Unique multi-curved stem rotates for a custom fit, Large handle on curved stem for easy insertion & removal, Large soft foam pod for a comfortable, snug seal, Cord can be attached at any desired length, Glide Foam has the highest independently rated NRR for a no-roll earplug, Look for the bright green color as a symbol of Moldex quality, 100% PVC-Free®, like all Moldex products & packaging - for a greener alternative, Made in U.S.A.

Rockets® Reusable Earplugs Uncorded, NRR 27

Independently tested NRR 27, with a new sound dampening additive, NRR 27 gives protection in most noisy environments, Easy grip handle lets earplugs easily slip into ear, Air bubble in tip provides cushioned comfort, Earplugs can be washed and reused, Pocket-Pak® carrying case provides hygienic storage of plugs between uses, except for models #6404 and #6415, Available in corded, uncorded, and corded metal detectable models, Look for the bright green color as a symbol of Moldex quality, 100% PVC-Free®.

Rockets® Reusable Earplugs Corded in Bag, NRR 27

Independently tested NRR 27, with a new sound dampening additive, NRR 27 gives protection in most noisy environments, Easy grip handle lets earplugs easily slip into ear, Air bubble in tip provides cushioned comfort, Earplugs can be washed and reused, Pocket-Pak® carrying case provides hygienic storage of plugs between uses, except for models #6404 and #6415, Available in corded, uncorded, and corded metal detectable models, Look for the bright green color as a symbol of Moldex quality, 100% PVC-Free®.

Rock Band® Banded Hearing Protector

Soft, comfortable reusable pods gently cap off the ear canal, Available in 5 exciting colors, each box comes with two of each color, Two flexible arms distribute pressure evenly for maximum comfort, Bright, fun colors appeal to the new generation of workers, NRR 22 (Under-the-Chin), 100% PVC-Free®.

MX-6 Earmuff, NRR 30

Soft cushion-ribbed open air headband for cool comfort all day long, Overmolded headband is durable for rugged wear over many shifts, Larger ear cushions allow freedom to fit almost all ears comfortably, Lightweight wire frame allows easy cup adjustment yet holds its position for lasting comfort, Cool looks and comfort to promote worker acceptance and compliance, Extra soft foam/low pressure cushions and headband are PVC-Free, Glossy surface for easy cleaning and longer wear, Independently tested NRR for protection you can count on, MX-6 features exclusive waffled cup foam for superior NRR protection.

MX-5 Earmuff, NRR 27

Soft cushion-ribbed open air headband for cool comfort all day long, Overmolded headband is durable for rugged wear over many shifts, Larger ear cushions allow freedom to fit almost all ears comfortably, Lightweight wire frame allows easy cup adjustment yet holds its position for lasting comfort, Cool looks and comfort to promote worker acceptance and compliance, Extra soft foam/low pressure cushions and headband are PVC-Free®, Glossy surface for easy cleaning and longer wear, Independently tested NRR for protection you can count on



Vendor Code : MOLMET

7000 Series Half Mask Respirator

Sleek design for modern, high-tech look and increased worker acceptance, Light weight design plus extra-wide sealing area provides all-day comfort, Low profile, compact design fits well under welding helmets and with safety glasse, Mask drops down for convenient storage around the neck or locks down for custom fit, Adjustable head cradle and curved neck buckles for extra comfort, Wide field of vision, Maintenance made simple with very few replacement parts, Available pre-assembled and also as individual components, 100% PVC-Free®



7001

9000 Series Full Face Respirator Facepiece

High-tech, streamlined design for exceptional worker acceptance, Exclusive over-molded lens offers greater field of vision, Lighter weight for superior all-day comfort, Fewer parts means less cost and easy maintenance, Stand-away head harness for easy donning and doffing, Lens stays away from flat surface when laid down to avoid scratching, Tear away lens protector included, Lens meets ANSI Z87+ for high impact requirements, 100% PVC-Free®



9000

7000/7800/9000 Series Gas/Vapour Cartridges

100% PVC-Free®, Can be used with both 7000 and 9000 series respirators.



SparkPlugs® Foam Earplugs Uncorded, NRR 33

Highest independently tested NRR, NRR 33dB, suitable for most noisy environments, Extra-soft, low-pressure foam for comfort and fit, Tapered shape for easy insertion and removal, Shaped to fit even very small ear canals, Non-irritating smooth surface, Look for the exclusive colored streaks and swirls as a symbol of Moldex quality, 100% PVC-Free®.



6604

SparkPlugs® Foam Earplugs Corded, NRR 33

Qty/Box(pairs): 100, Different colours in every package, Fun coloured to spark up hearing protection program, Tapered for easy insertion in any size ear canal, Non-irritating, smooth surface for added comfort.



6654

PlugStation® with SparkPlugs®, 500 PR

Give workers easy access to hearing protection, High visibility to increase awareness for your hearing conservation program, Clicking mechanism for easy use and dispensing, Eliminates the mess of individually bagged packaging because earplugs drop right into the palm of your hand, Each dispenser is sealed and disposable, Contains 500 Pairs of SparkPlugs® earplugs, NRR 33dB



6645

PlugStation® with SparkPlugs® Corded, 150 PR

The first corded earplug dispenser, Corded earplugs are NRR 33dB, Compliance — High visibility to increase awareness for your hearing conservation program, Convenience — Hang a PlugStation® anywhere plugs are needed, Cost Savings — Workers take one pair at a time so there are no wasteful grabbing of multiple pairs, 150 Pairs of corded SparkPlugs earplugs included in each dispenser, Earplugs made from extra-soft, lightweight PVC-Free foam for superior comfort, Convenient, quick access, and ease of use lead to higher compliance, 100% PVC-Free®



6880

SparkPlugs® Metal Detectable Foam Earplugs Corded, NRR 33

Highest independently tested NRR, NRR 33dB, suitable for most noisy environments, Extra-soft, low-pressure foam for comfort and fit, Tapered shape for easy insertion and removal, Shaped to fit even very small ear canals, Non-irritating smooth surface, Look for the exclusive colored streaks and swirls as a symbol of Moldex quality, 100% PVC-Free®



6615

PlugStation® with SparkPlugs® Metal Detectable and Corded, 150 PR

The first corded earplug dispenser, Corded earplugs are NRR 33dB, Compliance — High visibility to increase awareness for your hearing conservation program, Convenience — Hang a PlugStation® anywhere plugs are needed, Cost Savings — Workers take one pair at a time so there are no wasteful grabbing of multiple pairs, 150 Pairs of corded Metal Detectable SparkPlugs earplugs included in each dispenser, Earplugs made from extra-soft, lightweight PVC, Free foam for superior comfort, Convenient, quick access, and ease of use lead to higher compliance, 100% PVC-Free®



6881



Vendor Code : MOLMET



4200N95



4600N95



4800N95



4700N100



2200N95



2600 / 2700



2800N95



2400N95



2300N95

N95 AirWave® 2-Strap Disposable Respirator

Exclusive easy-breathing wave design, Unique waves double the filter surface area of our comparable respirator, Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside, Less resistance, better breathability*, FlexFit® design expands and contracts as you move and speak, for optimal comfort, Ideal where unvalved respirators are preferred, Less cost than valved respirators, Longer wear means less cost, Softspun® lining for increased comfort and durability, Soft foam nose cushion and contour shaped for comfort, Pinch free nose bridge, Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1, 100% PVC-Free®.

N95 AirWave® SmartStrap® Disposable Respirator

Exclusive easy-breathing wave design, Unique waves double the filter surface area of our comparable respirator, Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside, Soft, cloth SmartStrap® is both HANGABLE and ADJUSTABLE, FlexFit® design expands and contracts as you move and speak, for optimal comfort, Ideal where unvalved respirators are preferred, Less cost than valved respirators, Longer wear means less cost, Softspun® lining for increased comfort and durability, Soft foam nose cushion and contour shaped for comfort, Pinch free nose bridge, Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1, 100% PVC-Free®.

N95 + Nuisance OV AirWave® SmartStrap® Disposable Respirator

Exclusive easy-breathing wave design, Unique waves double the filter surface area of our comparable respirator, Relief from Nuisance levels of Organic Vapors, Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside, Soft, cloth SmartStrap® is both HANGABLE and ADJUSTABLE, FlexFit® design expands and contracts as you move and speak, for optimal comfort, Ideal where unvalved respirators are preferred, Less cost than valved respirators, Longer wear means less cost, Softspun® lining for increased comfort and durability, Soft foam full flange for ultimate comfortable fit, Pinch free nose bridge, Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1, 100% PVC-Free®.

N100 AirWave® SmartStrap® Disposable Respirator

Exclusive easy-breathing wave design, Less resistance, better breathability, 99.97% efficient against non-oil based particulates, FlexFit design moves easily with your face and stays in place, Dura-Mesh® shell resists collapsing in heat and humidity, Soft, cloth SmartStrap® is both HANGABLE and ADJUSTABLE, Ventex® valve lets the hot air out faster so workers breathe easier and stay cooler, Foam face cushion for added comfort and no pressure points, Softspun® lining for increased comfort and durability, Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1, Metal-free.

N95 Classic 2 -Strap Disposable Respirator

Available in three sizes to fit more workers and increase OSHA compliance, Dura-Mesh® shell resists collapsing in heat and humidity, Molded nose bridge seals easily without a metal noseband, Facepiece is naturally contoured without pressure points, Straps are securely attached so they don't break at the seal, Softspun® lining for increased comfort and durability, Soft foam nose cushion for added comfort, Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1, 100% PVC-Free®. 2600 version comes with HandyStrap®.

N95 OV + valve & 2 strap

Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL), Can be used against most welding fumes (free of oil), Exhale valve lets workers breathe easy and stay cool, Exclusive Dura-Mesh® shell resists collapsing in heat and humidity, Molded nose bridge with soft foam nose cushion increases comfort, Facepiece is naturally contoured without pressure points, Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1, 100% PVC-Free®. 2800N95 version comes with HandyStrap®.

N95 Classic 2-Strap Disposable Respirator with Valve

Available in three sizes to fit most workers in today's workplace, Exhale valve lets workers breathe easy and stay cool, Exclusive Dura-Mesh® shell resists collapsing in heat and humidity, Molded nosebridge seals easily and comfortably without a metal noseband, Facepiece is naturally contoured without pressure points, Soft, foam nose cushion for added comfort, Softspun® lining for increased comfort and durability, Suitable for most welding applications, Meets heat and flame resistance in accordance with ANSI/ISEA 110.2003 Section 7.11.1, 100% PVC-Free®. 2700 version comes with HandyStrap® and Ventex® valve.

Leightning®

Maximum protection and contemporary design.

- Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control™ technology for optimal attenuation
- Snap-in ear cushions make replacement quick and easy
- Multiple attenuation levels allow for targeted attenuation for a variety of applications

Vendor Code: SPEPRO



by Honeywell

Headband – L1, L3

- Padded foam headband delivers superb comfort with minimal pressure on the head
- Telescopic height adjustment remains fixed during use

Cap-Mounted – L1H, L3H

- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes SKU #13910039 Hard Hat Adapter for AO Safety, Bullard, Jackson, MSA, North (Adapter 3718)

Neckband – L0N, L1N, L3N

- Sleek, anatomical behind-the-neck design for use with face shields, visors, hard hats and other PPE
- Includes attached elastic headband strap for better positioning

Folding – L0F

- Convenient folding design for easy storage
- Folding Earmuff Belt Case also available

Ultraslim – L0N, L0F

- Ultraslim, lightweight earcups – ideal for lower noise levels
- L0N can be worn with welding shields, hard hats and other PPE
- L0F folds to less than 4" wide



Series #	Description	Style	NRR	Hygiene Kit
1013461	Leightning	L0F Folding	23 B	1011998
1013460	Leightning	L0N Neckband	22 B	1011998
1010922	Leightning	L1 Headband	25 B	1011998
1011991	Leightning	L1H Cap-Mounted	23 B (L)	1011998
1011994	Leightning	L1N Neckband	25 B	1011998
1010924	Leightning	L3 Headband	30 A (L)	1012000
1011993	Leightning	L3H Cap-Mounted	27 A (L)	1012000
1011996	Leightning	L3N Neckband	28 A (L)	1012000

Packaging: Individual box

From maximum attenuation to maximum value, we set the standard for noise blocking and hearing protection. Our Leightning®, Thunder®, Viking® and QM24+ series earmuffs provide a choice of features and protection ideal for many workers and environments. When you need to block noise, Howard Leight® earmuffs give you the tools to do the job right.

Our patented Air Flow Control technology™ delivers optimal attenuation across all frequencies, without increasing earcup size or weight. A patented baseplate chamber and high-tech non-woven layer manage the flow of air inside the earmuff to control how sound reaches the ear.

The result is better, more consistent overall attenuation for virtually all industrial noise environments. Air Flow Control is a standard feature on all Leightning®, Thunder®, and Viking® series earmuffs.



by Honeywell

Vendor Code: NOSAPR

Head/Eye/Face/Hearing

Specialized kits for Industry, Agriculture and Forestry
Combination Forestry Kit



Series #	Discription	Content
FK10	Deluxe Kit	1 Lateral Hard Hat A99R Summit White 1 CP5005 Plastic Bracket 1 FS01 Forestry Screen 1 Muff, Model EM7206 Intruder (27dB)
FK11	Quality Kit	1 Hard Hat A69R Yellow 1 CP5005 Plastic Bracket 1 FS01 Forestry Screen 1 Muff, Model EM1286 Stealth (24dB)
FK12	Regular Kit	1 Hard Hat A79R Orange 1 FS03 Forestry Screen 1 Muff, Model EM2266 Phantom (21dB)
FK12A	Regular Kit	1 Hard Hat A79R Orange or A29R 1 FS03/FV Forestry Screen with Sun Visor 1 Muff, Model EM2266 Phantom (21dB)
FK13	Economical Kit	1 Hard Hat A79 Red 1 FS03 Forestry Screen 1 Muff, Model EM4157 Mustang (20dB)



by Honeywell

Vendor Code: SPEPRO

Sync™ Stereo Earmuff

Play it. Safe.

- Use as passive hearing protector or as stereo earmuffs
- No volume knobs or power switches to coordinate nor batteries to replace
- Ease-of-use is enhanced by maintaining volume and power control through the external device
- Simply plug MP3 players and personal listening devices and listen
- Can be used with MP3 players, mobile phones and other personal listening devices, ideal for use at work or at home



Series #	Description	Style	NRR	Hygiene Kit
1030110	Sync Stereo	Headband	5 A	1030220



3M™ Disposable Particulate Respirators (N95)

Vendor Code: 3MCANA

Series #	Packaging	Suggested Applications	3M™ Cool Flow Valve	M Noseclip	Face-Seal	Advanced Electret Media	Carbon Filter Material	APF*
Comfort Dusty Conditions								
9210+	N95 20 each/box 12 box/case	Sweeping, sanding, grinding, sawing, bagging				X		10
8210Plus	N95 20 each/box 8 box/case	Sweeping, sanding, grinding, sawing, bagging with comfort braided headbands				X		10
8210 8110S (Sm)	N95 20 each/box 8 box/case	Sweeping, sanding, grinding, sawing, bagging, available in small 8110S				X		10
8200	N95 20 each/box 8 box/case	Sweeping, sanding, grinding, sawing, bagging				X		10
9105 9105S	N95 50 each/box 8 box/case	Sweeping, sanding, grinding, sawing, bagging				X		10
Comfort Plus								
9211+	N95 10 each/box 12 box/case	Sweeping, sanding, grinding, sawing, bagging, hot/dusty operations	X			X		10
8511	N95 10 each/box 8 box/case	Sweeping, sanding, grinding, sawing, bagging, hot/dusty operations	X	X		X		10
8210V	N95 20 each/box 8 box/case	Sweeping, sanding, grinding, sawing, bagging, available in small 8110S				X		10
8271	P95 10 each/box 8 box/case	Grinding, sanding, machining and other dusty/oily operations	X	X		X		10
8240	R95 20 each/box 8 box/case	Grinding, sanding and other dusty/oily operations				X		10
8246	R95 20 each/box 8 box/case	Glass etching, chemical processing, paper processing, brewing, aluminum smelting ¹				X	AG	10



Important

All 3M Filtering Facepieces are NIOSH approved respirators. Before using, you must determine the following:

- I. The types of contaminants for which the respirator is being selected and exposure time.
- II. The concentration level of the contaminant(s). Do not use for particle concentrations that exceed 10 times the applicable government occupational exposure limits.
- III. Whether the respirator can be properly fitted to the wearer's face. Do not use with beards, or other conditions that prevent a good seal between the face and the sealing surface of the respirator.
- IV. Before required use of filtering facepiece respirators, a written respiratory protection program must be implemented, meeting all the requirements of the authority having jurisdiction in your region and/or CSA standard Z94.4 including medical evaluation, training, and fit testing.



3M™ Disposable Particulate Respirators

Series #	Packaging	Suggested Applications	3M™ Cool Flow Valve	M Noseclip	Face-Seal	Advanced Electret Media	Carbon Filter Material	Cake Rislant Media	Adjustable Strape	Welding Web	APF*
Dusty Conditions/Nuisance Odours											
8247	R95 20 each/box 6 box/case	Foundry operations, labs, agriculture, petrochemical, undercoating ²				X	OV				10
8576	P95 10 each/box 8 box/case	Same as 8246, plus hot operations ¹	X	X		X	AG				10
8577	P95 10 each/box 8 box/case	Same as 8247, plus hot operations ²	X	X		X	OV				10
Welding and Metal Pouring											
8212	N95 10 each/box 8 box/case	Welding, metal cutting/ pouring, grinding, sanding, and other dusty/hot operations	X		X	X		X	X	X	10
8214	N95 10 each/box 8 box/case	Welding, metal cutting/ pouring, grinding, sanding, foundry, labs, petrochemical, undercoating ³	X		X	X	OV OZ	X	X	X	10
8512	N95 10 each/box 8 box/case	Welding, metal cutting/ pouring, grinding, sanding, and other dusty/hot operations	X			X		X	X	X	10
8514	N95 10 each/box 8 box/case	Welding, metal cutting/ pouring, grinding, sanding, foundry, labs, petrochemical, undercoating ³	X			X	OV OZ	X	X	X	10
8515	N95 10 each/box 8 box/case	Welding, metal cutting/ pouring, grinding, sanding, and other dusty/hot operations	X	X		X				X	10
Class 100											
8233	N100 1 each/bag 20 bag/case	Appropriate for pharmaceutical manufacturing	X	X		X			X		10
8293	P100 1 each/bag 20 bag/case	Appropriate for pharmaceutical manufacturing	X	X		X			X		10

*APF = Assigned Protection Factor.

† 3M recommended for relief against nuisance level acid gas or organic vapours. Nuisance levels are less than the applicable government occupational exposure limits.

1 3M recommended for nuisance level acid gas relief.

2 3M recommended for nuisance level organic vapour relief.

3 3M recommended for up to 10x OSHA PEL of ozone or applicable government occupational exposure limits, which ever is lowest, and nuisance level organic vapour relief.

standard Z94.4 including medical evaluation, training, and fit testing.



Vendor Code: 3MCANA

3M™ 6000 Series Half Facepiece

3M™ Half Facepiece Respirators 6000 Series, Reusable Provides Lightweight, Easy-to-use, Economical Protection

- An economical choice
- Facepiece is made from soft, lightweight thermoplastic elastomer
- Head harness assembly and spare parts available

Series #	Size
6100	Small
6200	Medium
6300	Large

3M™ 6500 Rugged, Comfortable, Low Profile

The 3M™ Rugged Comfort Half Facepiece Reusable Respirator is designed with tough and dirty worksites in mind. Stay productive and protected – the 6500 Series delivers comfort, durability and stability with a firm, lightly textured silicone face seal and strong body construction.

Series #	Size
6500	S - M - L
6500QL, Quick Latch	S - M - L

3M™ 7500 Series Half Facepiece

3M™ Half Facepiece Respirators 7500 Series, Reusable Provides Comfortable, Soft Silicone Face Seal

- Made of silicone for greater comfort and helps provide a softer feel on the face
- 3M™ Cool Flow™ Exhalation Valve for easy exhalation for cool, dry comfort; and designed to be long lasting
- Can be used in a drop down suspension by positioning the straps over the locking tabs
- Can be used with a variety of cartridges and filters that help protect against both dust and/or gas and vapour

Series #	Size
7501	Small
7502	Medium
7503	Large

3M™ 6000 Series Full Facepiece

3M™ Full Facepiece Respirators 6000 Series, Reusable

- Wide field of vision
- Lightweight design with silicone face seal enhances comfort and improves durability
- Available in four different modes; can be used with both negative and powered and supplied-air systems

Series #	Size
6700	Small
6800	Medium
6900	Large

3M™ 7800S Series Full Facepiece

- Light silicone facepiece enhances fit and improves durability
- Extra-large inhalation and exhalation valves make breathing easier
- Double-flange face seal and six adjustable straps help improve a secure fit

Series #	Size
7800S-S	Small
7800S-M	Medium
7800S-L	Large





Vendor Code: 3MCANA

3M™ Filters

Series #	Description
2071	P95 Filter For grinding, sanding, bagging and other dusty operations
2076HF	P95 Filter For aluminum smelting, glass etching, chemical manufacturing, hydrogen fluoride gas up to 10 times PEL
2078	P95 Filter For utilities operations, chemical manufacturing, aluminum smelting
2091	P100 Filter For welding, metal pouring, pharmaceuticals
2096	P100 Filter For welding, metal pouring, pharmaceuticals, utility operations, chemical manufacturing, aluminum smelting Nuisance level acid gas relief
2097	P100 Filter For welding, metal pouring, pharmaceuticals, chemical manufacturing, undercoating Nuisance level organic vapour relief
7093	P100 Filter For welding, metal pouring, pharmaceuticals, Hard Shell
7093C	P100 HF Cartridge Hydrogen Fluoride (HF) Cartridge with nuisance level organic vapour and acid gas relief, Welding, grinding, hospitals, pharmaceutical plants, abatement and mining/smelting operations
5N11	N95 Filter For use with 6000 series cartridges
5P71	P95 Filter For use with 6000 series cartridges
501	Retainer For use with 5N11 or 5P71 filters
502	Filter Adapter For use with 2000 series and 7093/7093C to respirators 5000 series and cartridges 6000 series
603	Filter Adapter For use with 5N11 or 5P71 filters and 501 filter adapters
2291	Advanced Particulate P100 Filter For mining, shipbuilding, abatement, utilities and more, NIOSH approved for environments containing certain oil and non-oil based particles
2296	Advanced Particulate P100 Filter NIOSH approved for environment containing certain oil and non-oil based particles, Nuisance level acid gas relief
2297	Advanced Particulate P100 Filter NIOSH approved for environments containing certain oil and non-oil based particles, Nuisance level organic vapour relief



2071



2076HF



2078



2091



2096



2097




7093



7093C



2296



603



5N11



5P71



2297



2291



502



501

3M™ Filters


Vendor Code: 3MCANA



Series #	Description
6001	OV Cartridge For use with certain organic vapours
6002	AG Cartridge For use with chlorine, hydrogen chlorine, and sulphur dioxide or chlorine dioxide or hydrogen sulfide
6003	OV/AG Cartridge For use with certain organic vapours, chlorine, hydrogen chloride, and sulphur dioxide or hydrogen sulfide or hydrogen fluoride
6004	AM Cartridge For use with ammonia and methylamine
6005	FORM Cartridge For use with formaldehyde and certain organic vapours
6006	MG Cartridge For use with certain organic vapours, chlorine, hydrogen chloride, chlorine dioxide, hydrogen sulfide, ammonia/ methylamine, formaldehyde or hydrogen fluoride
6009S	HG Cartridge For use with mercury vapour, chlorine gas, sulphur dioxide. End of Service Life Indicator. NEW
60921	OV/P100 Cartridge With P100 particulate filter For use with certain organic vapours
60922	AG/P100 Cartridge With P100 particulate filter For use with chlorine, hydrogen chlorine, and sulphur dioxide or chlorine dioxide or hydrogen sulfide
60923	OV/AG/P100 Cartridge With P100 particulate filter For use with certain organic vapours, chlorine, hydrogen chloride, and sulphur dioxide or hydrogen sulfide or hydrogen fluoride
60924	AMP/P100 Cartridge With P100 particulate filter For use with ammonia and methylamine
60925	FORM/P100 Cartridge With P100 particulate filter For use with formaldehyde and certain organic vapours
60926	MG/P100 Cartridge With P100 particulate filter For use with certain organic vapours, chlorine, hydrogen chloride, chlorine dioxide, hydrogen sulfide ammonia/ methylamine, formaldehyde or hydrogen fluoride
60929S	HG/P100 Cartridge For use with mercury vapour, chlorine gas, sulphur dioxide. End of Service Life Indicator. NEW



3M™ Dual Airline Tight-Fitting Facepiece Combinations



6000 Series

7800S Series

FF-400 Series

7000 Series

6000 Series



Back-Mounted Adapter Kits
SA-2000 (High Pressure)
SA-2000LP (Low Pressure)



Combination Back-Mounted Adapter Kits
SA-2100 (High Pressure)
SA-2100LP (Low Pressure)



W-9435 – 3/8" High Pressure Hose (25, 50 or 100 ft.)



W-2929 – 3/8" High Pressure Hose (25, 50 or 100 ft.)



W-3020 – 1/2" Low Pressure Hose (25, 50 or 100 ft.)

Introducing the 3M™ Versaflo™ AP-600 Series Air Filtration Panels (AFP)

Easy to Use

Air Filtration Panels are used to control the pressure of air delivered to a supplied air respirator and remove contaminants from compressed air to make it safer to breathe*. All AP-600 Series AFPs include these features:

- Air pressure regulator and gauge
- Removal of common contaminants from compressed plant air including: oil mist, particulates, water, and nuisance level organic vapours
- 100 CFM / 2830 lpm capacity
- Low pressure drop
- Easy maintenance to save time, money and effort
- Low daily operating cost
- Light Weight at < 10 Kg
- Small Size: 15.9" high x 12.8" deep x 11.8" wide



Series #	Capacity (CFM / lpm)	CO/O2 Monitor	CO Removal	Nuisance Odour Removal
AP-602	100/2830	Yes	No	Yes
AP-601	100/2830	No	No	Yes

RESPIRATORY PROTECTION



3M™ Versaflo™ TR-300 Belt-Mounted PAPR Combinations

Vendor Code:
3MCANA



TR-300 Particulate PAPR*	Filters	Batteries & Chargers
TR-305N Standard Belt & Economy Battery TR-306N High Durability Belt & High Capacity Battery	TR-3710N Particulate Filter TR-3600 Optional Prefilter, S-series H-series hoods/headcovers only TR-362 Spark Arrestor/Prefilter, M-series, L-SG only	TR-330 Economy Battery TR-332 High Capacity Battery TR-341N Single Station Battery Charger Kit TR-344N 4-Station Battery Charger Kit

* TR-600 Serie also available with OV/AG/HE cartridges.

3M™ Breathe-Easy™ Belt-Mounted PAPR Combinations



Cartridges/Filters for 520-17-00 & 520-15-00

Series #	Description
456-00-01R06	Organic Vapour (OV) (A)
456-03-01R06	Organic Vapour/Chlorine/Hydrogen Chloride/Sulfur Dioxide (OV/AG) (AE)
456-02-01R06	Chlorine/Hydrogen Chloride/Sulfur Dioxide/Formaldehyde (AG/FM) (E)
456-01-01R06	Ammonia/Methylamine (AM/MA) (K)
456-00-01R12	High Efficiency Particulate (HE) (P3)

Cartridges/Filters for 520-15-00

Series #	Description
453-00-01R06	Organic Vapour/HE (OV/HE) (AP3)
453-03-01R06	Organic Vapour/Chlorine/Hydrogen Chloride/Sulfur Dioxide /HE (OV/AG/HE) (AEP3)
453-07-01R06	Organic Vapour/Sulfur Dioxide/Hydrogen Fluoride/HE (OV/HF/AG/HE) (ALP3)
453-01-01R06	Chlorine/Hydrogen Chloride/Sulfur Dioxide/Formaldehyde/HE (AG/FM/HE) (EP3)
453-02-01R06	Ammonia/Methylamine/HE (AM/MA/HE) (KP3)

Cartridges/Filters for 520-15-00

Series #	Description
453-03-02R06	FR-57 (Approved with BE-10, BE-10BR, 6000 series, S-433, S-533, S-805, S-807)
453-03-03R06	FR-40 (Approved with 6000 only)
BE-10BR	(Approved only with AP3, AEP3, FR-57)
BE-17	(Approved only with P3, AP3, EP3, AEP3, ALP3)



by Honeywell

Vendor Code: SPEPRO

Honeywell – ONE-Fit™ NBW95 and NBW95V Molded Cup Particulate Respirators

- Exclusive design and shape that contours with the natural shape of the face
- 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols
- Strong and rigid outer shell prevents mask from collapse in high humidity or moist environments
- Contoured mask fits with the natural shape of the face, minimizing pressure points
- Molded nose bridge comfortably fits a variety of face shapes and sizes
- Dual welded head straps keep the respirator comfortably on the user's face

Series #	Size	Description
14110444 SPP	1 Size	Molded Cup, N95 Non-Valved
1410445 SPP	1 Size	Molded Cup, N95 Valved



14110444 SPP

1410445 SPP

Honeywell – SAF-T-FIT® Plus

- Nose clip is color-coded for visible size recognition
- N95, N99, P95 or P100 protection to choose from
- Molded cup design
- Low breathing resistance
- Humidity-resistant filter media
- Durable suspension straps
- Latex free

Series #	Filtration	Description	Size
14110390	N95	Boomerang Nose Seal	S-ML-XL
14110390	N95	Boomerang Nose Seal, Exhalation Valve	S-ML-XL
14110390	N95	Boomerang Nose Seal, Exhalation Valve, Nuisance OV	S-ML-XL
14110400	N99	Full Face Seal, Adjustable Straps, Exhalation Valve	S-ML-XL
14110400	P100	Full Face Seal, Adjustable Straps, Exhalation Valve	S-ML-XL



14110440

14110393

LIMITED USE RESPIRATOR

North – CFR-1

- Elastomeric face seal offers superior fit over filtering facepieces; filters are not in direct contact with the worker's face
- Cradle suspension with parking feature; mask is at the ready
- User seal check gasket for ease in performing a negative user seal check
- Exhalation valve limits build up of warm, moist exhaled breath and lessens carbon build up

Series #	Size	Description
4200S	Small	Limited Use Elastomeric Facepiece
4200M	Medium	Limited Use Elastomeric Facepiece
4200L	Large	Limited Use Elastomeric Facepiece
42N95		Replacement Filters 20 per/box



4200



by Honeywell

Vendor Code: NOSAPR



770030

Mask shown with cartridge not included.

North Premium Silicone Half Mask

- 100% Silicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Dual elasticity headstraps provide a secure and flexible fit
- Wide contoured sealing area fits a greater variety of facial types
- Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

Series #	Size	Description
770030S	Small	Premium Silicone Half Mask
770030M	Medium	Premium Silicone Half Mask
770030L	Large	Premium Silicone Half Mask

BP1002
Shown here with
7700, mask not
included



Accessory

Series #	Description
BP1002	Backpack for use with North 5500 and 7700 series; cartridges moved to the back for a lower profile to fit under welding helmets and face shields



76008A

Mask shown with cartridge not included.

North 7600 Series Full Facepiece

- 100% Silicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Wide sealing area for improved fit and ability to fit more facial types
- Nose cup provides less dead air space and channels exhaled breath
- Speech diaphragm is standard to amplify workers' conversations
- Lens offers 200° field of vision and downward view for optimal viewing area in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- Also available with welding adaptor
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

Series #	Size	Description
760008AS	Small	Premium Elastomeric Full Facepiece w/5 Point Headstrap
760008A	Medium/Large	Premium Elastomeric Full Facepiece w/5 Point Headstrap
760008ASW	Small	Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment
760008AW	Medium/Large	Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment

Vendor Code: NOSAPR



by Honeywell

North Gas and Vapor Cartridges

Series #	Description	Packaging
75SCL	Defender™ Multi-Purpose Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chlorine Dioxide, Hydrogen Fluoride)	Pair
N75001L	Organic Vapor Approved for use against Organic Vapors	Pair
N75002L	Acid Gas Cartridge Approved for use against Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chlorine Dioxide) and Formaldehyde	Pair
N75003L	Organic Vapor and Acid Gases Approved for use against Organic Vapors and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chloride Dioxide)	Pair
N75004L	Ammonia and Methylamine Approved for use against Ammonia and Methylamine	Pair



North Combination Gas and Vapor Cartridges with P100 Particulate Filters

Series #	Description	Packaging
75SCP100L	Defender™ Multi-Purpose Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates	Pair
7581P100L	Organic Vapor with P100 Approved for use against Organic Vapors and 99.97% filter efficiency for all particulate	Pair
7582P100L	Acid Gas with P100 Approved for use against Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates	Pair
7583P100L	Organic Vapor and Acid Gas with P100 Approved for use against Organic Vapors and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chloride Dioxide)	Pair
7584P100L	Ammonia and Methylamine Approved for use against Ammonia and Methylamine; and 99.97% filter efficiency for all particulates	Pair





by Honeywell

Vendor Code: NOSAPR



7580P100



75FFP100NL



75FFP100



7506N95



N750036



N750027



N750029

Particulate Filters

Series #	Description	Packaging
7580P100	P100 99.97% efficiency for all particulates	Pair
75FFP100	Pancake, Low Profile P100 Filter For use under welding helmets; 99.97% efficiency for all particulates	Pair
75FFP100NL	Pancake with Odor Relief Low Profile P100 Filter particulates, plus relief from odors caused by nuisance levels of organic vapors, acid gases and ozone	Pair
7506N95	N95 Prefilter 95% filter efficiency for non-oil based aerosol particulates	Pair
N750036	For use with 5400 Series, 5500 Series, 7600 Series and 7700 Series Respirators	Pair

Accessories

Series #	Description	Packaging
N750027	Seal Check / Filter Cover Snaps on top of prefilters to hold them in place on North cartridges or on N750015 filter holder	Each
N750029	Shower Cap For use with 7580P100 – deflects moisture during “Decon” shower, and sparks and slag during welding and grinding	Each



by Honeywell

Vendor Code: NOSAPR

North Compact Air Series 200 PAPR

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

Series #	Description	Packaging
Select your 200 Series Blower and Battery		

CA201	Compact Air 200 PAPR blower and battery assembly with backpad and nylon belt	Each
CA201D	Compact Air 200 PAPR blower and battery assembly with decon and PVC belt	Each

Select your Breathing tube		
-----------------------------------	--	--

CA127	34" (86.4 cm) straight tube for use with Primair Series loose fitting headcovers	
CA127L	40" (101.6 cm) straight tube for use with Primair Series loose fitting headcovers	
CA229	34" (86.4 cm) "Y" breathing tube, for use with North tight fitting facepieces	



CA201



Select your Cartridge Filter

Series #	Environment	Cartridge & HEPA Filter
4001	Organic Vapor	4001HE
4003	Organic Vapor/Acid Gas	4003HE
4004	Ammonia/Methylamine	4004HE
40HE	HEPA	



4001



by Honeywell

Vendor Code: NOSAPR

Primair 100 Series

- Ideal for pharmaceutical and other light duty industries, NIOSH approved with an APF of 25
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- Hoods are durable and lightweight, made from spun bond polypropylene
- PA101 is less bulky than full hoods; sealing under the chin, without covering the ears

Series #	Size	Description	Packaging
PA101S	Small	Primair 100 headgear with Primair loose fitting head cover	Each
PA101M	Medium	Primair 100 headgear with Primair loose fitting head cover	Each

Primair Plus Hoods

- Adjustable bib length or cotton neck seal; workers can customize to their liking or need
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- North Primair Plus is a full, spun bond polypropylene hood available coated and uncoated: coated hoods provide incidental protection from occasional splash
- Peel-away window is available (item # PA105) to protect the lens from splatter, extending the life of the lens

Series #	Description	Packaging
PA111	Primair 100 headgear with Primair Plus hood	Each
PA131	Hood with cotton neck assembly for Primair 100 headgear	Each
PA231E01	Hood with cotton neck assembly for Primair 200 headgear, includes Fibre-Metal E2 hard hat and carbtex cover for protection during welding and grinding	Each

Breathing Tubes for Compact Air PAPR for North Hoods and Facepieces

Series #	Description	Packaging
CA127	34" (86.4 cm) Straight Tube for North Primair Series	Each
CA127L	40" (101.6 cm) Straight Tube for North Primair Series	Each
CA229	34" (86.4 cm) Y Tube for North Half Masks and Full Facepieces	Each

North CF1000 Series

Simple – Comfortable – Easy to Use. Those key words describe the new North CF1000 Series supplied air respirator. Using the same breathing tube as the North Compact Air, this supplied air system is compatible with the complete line of North Primair Hoods. It is approved with five brands of couplers, available with a choice of nylon or PVC belt, and Comes with a muffler to dampen noise inside the hood.

- Choose either nylon or PVC belt—nylon offers the most flexibility in movement for optimal comfort; the PVC belt is ideal in decontamination applications
 - Muffler dampens noise in workers hoods for a quieter work environment with less distraction
 - Compatible with North Primair Series hoods offering a wide range of options to choose from; loose-fitting under the chin style to a hood with hard hat, and optional welding shield attachments
- Complete Assembly* includes: Belt, muffler, and breathing tube

Series #	Description	Packaging
CF1001	Assembly with 34" breathing tube and nylon belt	Each
CF1001D	Assembly with 34" breathing tube and PVC belt	Each
CF1001L	Assembly with 40" breathing tube and nylon belt	Each
CF1001DL	Assembly with 40" breathing tube and PVC belt	Each
Vortex Tube (optional)		
88600	Vortex tube for 3/8" I.D. hose (optional)	Each
88800	Vortex tube for 1/2" I.D. hose (optional)	Each



PA101



PA111



CA127



88600

Comfort-Air Series 100 Half-Mask

Piece #	Description	Size
100-S-00	Silicone Rubber Facepiece	Small
100-M-00	Silicone Rubber Facepiece	Medium
100-L-00	Silicone Rubber Facepiece	Large

Comfort-Air Series 300 Half-Mask

Piece #	Description	Size
300-SM-00	TPC Rubber Facepiece	Small/Medium
300-ML-00	TPC Rubber Facepiece	Medium/Large

Comfort-Air Series 400 Half-Mask

Piece #	Description	Size
400-SM-00	Elastomeric facepiece	Small/Medium
400-ML-00	Elastomeric facepiece	Medium/Large

Comfort-Air Series 120 Full Facepiece

Piece #	Description	Size
120-0-00	Silicone full facepiece, without inner mask	O/S
120-M-00	Silicone full facepiece, with inner mask	O/S

Comfort-Air Series 520 Full Facepiece

Piece #	Description	Size
520-0-00	Neoprene full facepiece, without inner mask	O/S
520-M-00	Neoprene full facepiece, with inner mask	O/S

Disposable Respirators

AD2 SERIES - N95 CONE SHAPED

Foam nose cushion and adjustable nose clip ensure a secure & comfortable fit. Non-Latex elastic straps do not require pre-stretching allowing for quick fitting and reduce consumption costs. Straps are ultrasonically sealed to the facepiece. No staples providing additional comfort and difficult to pull from the mask reducing consumption costs. Crushed resistant shell will not collapse in hot, humid conditions. Will maintain its shape without the need for a plastic mesh housing. An optional valve version provides enhanced breathing comfort. Available in N95 version approved for minimum 95% efficient protection against non-oil particulates. AD2N95OV offers a layer of activated carbon that filters out nuisance levels of organic vapors below PEL.



AD2N95A



AD2N95VA



AD2N95OVA

AD4 SERIES - N95 FLATFOLD

Flat-Fold N95 Disposable Respirator. Easy donning with a single, continuous strap and no staples. The large cavity provides easier, cooler breathing and allows for uninhibited speech. An optional valve version provides enhanced breathing comfort. Packaged in individually sealed bags.



AD4N95



AD4N95V

Cartridges, Filters & Combination Cartridges

# Pièces	Description	# Pièces	Description
DISKITP100	Diskit™ P100 Filter	158-DN5	N95 Filter Pad
DISKITP100OV	Diskit™ P100 OV Filter	158-DR5	R95 Filter Pad
158-T-20	Organic Vapor	14881	Retainer
158-T-21	Acid Gas & Chlorine Dioxide	159-T-61	Optional Cover
158-T-22	Ammonia, Methylamine	14880	Filter Holder
158-T-26	Acid Gas & Organic Vapor	158-T-20LP0	Organic Vapor / P100
158-T-29	Formaldehyde Cartridge	158-T-21LP0	Acid Gas & Chlorine Dioxide / P100
158-T-LP0	P100 Low Profile Filter	158-T-22LP0	Ammonia, Methylamine / P100
14879	Retainer for Pre-Filter	158-T-26LP0	Acid Gas & Organic / P100
14494	Optional Pre-Filter for P100	158-T-29LP0	Formaldehyde Cartridge / P100



DISKITP100



DISKITP100OV



158-T-20



158-T-21



158-T-22



158-T-26



158-T-29



158-T-LP0




14879



14494



158-DN5



158-DR5



14881




159-T-61



14880



158-T-20LP0




158-T-21LP0



158-T-22LP0



158-T-26LP0



158-T-29LP0



Vendor Code: DSISAF



Comfort Mask

The RP1000 Comfort Mask provides relief from nuisance levels of dusts. Ideal for protecting food from human contamination. No NIOSH approvals.

Series #	Description	Qty/Pkg
RP1000	Comfort Mask	50 / Box



Economy N95 Disposable Respirator

The RP513N95 provides basic protection from dust, mists and fumes without breaking your budget. Ideal for occasional use or light duty applications. NIOSH approved N95 for use in non-oil environments.

Series #	Description	Qty/Pkg
RP513N95	N95 Economy Disp.respirator	30 / Box



Standard N95 Disposable Respirators

The RP713N95 and RP714N95 disposable respirators are the disposable workhorse you have been looking for. Ideal when workers must wear masks for extended periods. Available with or without an exhalation valve. NIOSH approved N95 for use in non-oil environments.

Series #	Description	Qty/Pkg
RP713N95	N95 Disp. Respirator W/O Valve	20 / Box
RP714N95	N95 Disp. Respirator Wi/ Valve	10 / Box

Flatfold N95 Disposable Respirators

Portability is the key. This flatfold style respirator can fit in your pocket; stuff a stack in your duffle bag or on the top of your hard hat – always at the ready for when you need a dust mask now. They are individually wrapped to protect the respirator before use. NIOSH approved N95 for use in non-oil environments.



Series #	Description	Qty/Pkg
RP723N95	N95 Flatfold Disp. Respirator	20 / Box

Standard P95 Disposable Respirators

When you are faced with a dirty job you need a dust mask that will measure up. The RP814P95 is here to meet the challenge. NIOSH approved P95 for use in environments that contain oil based aerosols.



Series #	Description	Qty/Pkg
RP814P95	P95 Disp. Respirator With Valve	10 / Box

Deluxe P95 Disposable Respirators

This mask delivers when you require the most from your disposable respirator. The RP815P95 also provides odor relief from nuisance levels of organic vapors, acid gases and ozone. NIOSH approved P95 for use in environments that contain oil based aerosols.



Series #	Description	Qty/Pkg
RP815P95	P95 Disp. Respirator W/ Valve, Plus Odor Relief From Nuisance Level Ov, Ag And Ozone	5 / Box



Vendor Code: INDUVA

SPIREOR® Flat N95 Disposable Respirators

The SPIREOR® range of masks, a patented innovation, offers a new dimension to protection when breathing in and breathing out. SPIREOR®, designed with high-tech fibres, offers you optimal protection and unparalleled wearing comfort. Ultra-light, ergonomic, hypoallergenic, fitted with an adjustable nose piece, SPIREOR®, greatly reduces the breathing efforts required. For intensive use, for prolonged activities.

- Unrivalled respiratory comfort: valve is now useless!
- Ultra-light, soft, folded
- Intensive use, long lasting activities



Series #	Description	Qty/Pkg
WJXVN95	Flat Disposable respirator NIOSH approved class N95, individually wrapped.	Box of 25, 4 boxes/case

EOR® N95 Disposable Respirators

Hypoallergenic, soft and ultra-light (less than 6 g), the EOR® respirator offers both unique comfort and maximum hygiene (individual packaging) for the user. The EOR® respirator also ensures perfect sealing and reduced breathing effort due to its larger breathing surface. It adapts to different morphologies thanks to its adjustable nasal strip, always ensuring maximum comfort.

- Greater respiration area
- Perfect airtight seal
- Comfortable elastics, no staples
- Fits all faces
- Ultra-light weight (less than 6g)
- Preserved & Guaranteed hygiene



Series #	Description	Qty/Pkg
VRN95	Economical disposable flat fold respirator N95 individually wrapped	Box of 25,

HAND PROTECTION



Vendor Code: BOBDAL



Driver style, industrial grade cowhide. Mono-piece leather back. Elasticized wrist. Straight thumb.

Series #	Size	Color
20-1-1571	9-13	Beige



Goat Leather Glove for operator, anti cut under EN388 level 5, 20-1-1600 and 20-9-1600 (with Thinsulate) and Kevalr. 20-1-1610 no liner and 20-9-1610 with Thinsulate.

Series #	Size	Color
20-9-1610	S-XL	White
20-1-1610	S-XL	White
20-1-1600	S-XL	White
20-9-1600	S-XL	White



Leather glove with hi-viz material on back hand and reflective stripe. Goat skin leather palm for excellent dexterity and good resistance to abrasion.

Series #	Size	Color
20-1-1250	S-2XL	Orange



Industrial grade cowhide split leather, Cotton/canvas back Fleece palm lining, Patch palm, Safety cuff

Series #	Size	Color
30-1-411PP	One Size	Grey/Blue



Standard grade cowhide split leather, Cotton/canvas back Fleece palm lining, Rubberized safety cuff

Series #	Size	Color
30-1-W10ELR	Large	Grey/Yellow
30-1-W10ELW	Ladies	Grey/Yellow



Performance glove made of goat leather, excellent dexterity and resistance to abrasion. Back hand comes with thermo-plastic rubber for impact protection.

Series #	Size	Color
20-1-10695	S-2XL	Yellow



Standard grade leather, Double shirred elastic wrist Heavy pile lined

Series #	Size	Color
50-9-803PL	One Size L	Beige



Industrial grade cowhide grain leather, Cotton/canvas back Fleece palm lining, Patch palm

Series #	Size	Color
40-1-1511PP	One Size L	Beige/Yellow
40-1-281ECU	S-2XL	Beige/Yellow
40-1-300	One Size L	Beige/Yellow



Economy grade split cowhide palm.

Series #	Size	Color
30-1-LK86E	One Size	Grey



Split leather glove, double palm, extremely durable.

Series #	Size	Color
30-1-271DP	One Size	Blue/Yellow
30-1-271DP-5	One Size	



High quality goat skin for optimal comfort and resistance. Padded palm for maximum comfort and impact absorption. Soft flexible TPR backhand provides optimal impact protection. Cut resistant EN388 Level 5 Kevlar liner. 20-9-10698 insulated Thinsulate 100.

Series #	Size	Color
20-1-10698	S-2XL	Grey/Yellow
20-9-10698	S-2XL	Grey/Yellow

HAND PROTECTION



Vendor Code: GLOGLO



Taeki 5 Cut level 5 with grey, PU palm coated, knit wrist

Series #	Size	Color
GCRTN-HYS	6 to 11	Gray



Taeki 5, Black HCT nitrile palm coated, knit wrist

Series #	Size	Color
GCRTP-HYS	6 to 11	Gray/Black



HDPE cut level 3, gray PU palm coated

Series #	Size	Color
GCRPU-HYS	6 to 11	Gray



13 gauge, gray nitrile coated, knit wrist nylon glove

Series #	Size	Color
GDNF2- HYS	6 to 11	Black/Gray



Nylon knit nitrile dipped, knit wrist

Series #	Size	Color
GDLCP-HYS	7,9 ,11	Blue/Gray



Nylon knit, white PU palm, knit wrist

Series #	Size	Color
GDPUO-HYS	6 to 11	White



Nylon knit nitrile dipped, knit wrist

Series #	Size	Color
GDPC1-HYS	6 to 11	Gray/Black



NBR Nitrile, fully coated and Palm coated with safety cuff size X-large

Series #	Size	Color
GNFSC10-HYS	XL Fully Coated	Blue/Beige
GNPSC20-HYS	XL Palm Coated	Blue/Beige



Vendor Code: GLOGLO



Cowhide split leather fitters with pasted cuff, patch palm, lined palm

Series #	Size	Color
GS11662 HYS	One Size	Gray/Blue

Winter lined 40 gram thinsulate grain leather safety cuff large

Series #	Size	Color
WLTGLSC HYS	One Size	Beige/ Yellow



Winter lined pile split leather fitters glove safety cuff large

Series #	Size	Color
WLPSLSC HYS	One Size	Gray/ Green



Split cowhide leather Glove, double palm and index rubberized wrists, grade "B / C"

Series #	Size	Color
GS11880 HYS	One Size	Gray/ Blue



Winter lined 40 gram thinsulate split leather safety cuff large

Series #	Size	Color
WLTSLSC HYS	One Size	Yellow

14" Red,cow split leather welding gloves, full cotton liner, "B/C" grade

Series #	Size	Color
GW51000 HYS	One Size	Red



HAND PROTECTION



Vendor Code: GLOGLO



Winter Lined 100 grams thinsulate grain leather fitters glove safety cuff large

Series #	Size	Color
WLTGLSC100 HYS	One Size	Yellow/Beige



14" Red,cow split leather welding gloves, unlined "B/C" grade

Series #	Size	Color
GW52000 HYS	One Size	Red



Fitters, cowhide grain leather rubberized cuff lined palm "A" grade

Series #	Size	Color
GG82000 HYS	One Size	Blue/Beige



Welders glove, lined "A" grade

Series #	Size	Color
GW55000 HYS	One Size	Blue



Driver glove cow grain, lined and Unlined

Series #	Size	Color
GL620-HYS	7 TO 10 lined	Beige
GL610-HYS	7 TO 10 unlined	Beige



Cowhide fitters split leather glove lined palm and rubberized cuff

Series #	Size	Color
GS11770 HYS	One Size	Beige



TENACTIV™

Fine, bare hand feel. Nitrile palm for excellent grip. Silicone free. Fine-gauge ASTM cut-level 4 protection. High-strength fiber is incorporated in a way that it cannot come through to the hand for total comfort and extended glove life. TenActiv™ gloves feature lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis

Series #	Size	Color
S18TAFGN	5 - 11	Black



EMERALD®

Truly unsurpassed dexterity in a ANSI level-A6 cut-resistant glove. Blend of composite filament fiber and stainless steel. Reformulated nitrile palm for better grip along with great comfort and dexterity. Extremely high ANSI level-3 abrasion resistance. Unparalleled ANSI level 5 puncture resistance.

Series #	Size	Color
S10NXFN	5 - 11	Black



DEXTERITY®

Lightweight, barehand feel for optimal dexterity. ASTM cut-level 3 protection. Foam nitrile palm coating for good grip. High tactility; perfect for delicate precision work. Made with cut-resistant Kevlar® fiber.

Series #	Size	Color
S18KGFN	5 - 11	Beige



DEXTERITY®

Composite filament fiber blend; ASTM cut-level 2. Foam nitrile palm coating for better grip. High abrasion resistance (ASTM level-3) along with great comfort and dexterity.

Series #	Size	Color
S13NGFN	5 - 11	Black

TENACTIV™

TenActiv™ gloves feature lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis. ANSI cut-level A3 protection. ANSI abrasion-level 3 protection; 3000 cycles (ANSI/ISEA 105-2000). Snug fitting, breathable, and flexible gloves are ergonomically shaped. Nitrile-coating is foamed to increase your grip in oil. Nitrile withstands oils and solvents, making these styles ideal for workers handling sharp glass or oily sheet metal. Factored™ to enhance longevity of coating even after washing and long wear.

Series #	Size	Color
S13TAFNT	5 - 11	Grey

DEXTERITY®

Lightweight, barehand feel for optimal dexterity. ANSI cut-level A3 protection. Polyurethane palm coating for good grip. High tactility; perfect for delicate precision work. Made with cut-resistant Kevlar® fiber.

Series #	Size	Color
S18KGPU	5 - 11	Beige

TENACTIV™

High-strength CF* fiber; no itching or poking through the hand. Lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis. Polyurethane-coating is non-shedding; ideal for applications where contamination is of concern. * Composite filament.

Series #	Size	Color
STAFGPU	5 - 12	Grey

DEXTERITY®

Engineered glove body provides ASTM cut-level 4; 1510 grams of protection 16%. Arc-flash testing placed these gloves at level 2, with a rating of ATPV = 9.2 cal/cm2. Flex 80-8. 13 Flame-resistant neoprene palm coating for better grip. ESD (electrostatic dissipating) carbon filament to impart anti-static properties

# Pièces	Grandeur	Couleur
S13FRNE	5 - 11	Gris



Vendor Code : SUPGLO





Vendor Code : SUPGLO

DEXTERITY®

Offers abrasion and puncture resistance. 100% cotton seamless knit shell. Great comfort and dexterity. Made in Canada

Series #	Size	Color
S15NT	5 - 11	Blue

SURE GRIP®

100% Kevlar® 7 gauge, PVC palm, Reversible and machine washable, Cut resistance : 1250 gr.

Series #	Size	Color
SKMD	XS - XL	Yellow

SPWWH®

Knit from a high tech yarn which is a combination of a stainless steel core wrapped with HPPE for exceptional cut resistance. Good abrasion resistance with great comfort and dexterity. Machine washable. Ambidextrous design.

Series #	Size	Color
SPWWH	XS - XL	White

SUPERIOR TOUCH®

S13DY: HPPE glove body gives greater cut resistance. ASTM cut-level 2 protection. Elasticized cuff. High dexterity and flexibility.

S13DYD: HPPE glove body gives greater cut resistance. Elasticized cuff. High dexterity and flexibility.

Series #	Size	Color
S13DY	XXS - 3XL	White
*S13DYD	XS - 3XL	White

SUPERIOR TOUCH®

HPPE glove body gives greater cut resistance. ASTM cut-level 2 protection. Elasticized cuff. High dexterity and flexibility

Series #	Size	Color
S13DYGD	XXS - 3XL	Grey

SURE KNIT®

Seamless knit, anti-static nylon/carbon yarn. High degree of static dissipation. Excellent comfort and dexterity. Knitwrist cuff.

Series #	Size	Color
STNCF	S - XL	White

CONTENDER™

Composite filament 7 gauge, Cut resistance : 1843 gr.

Series #	Size	Color
SPGRK2D6	S - 2XL	Yellow

SURE KNIT®

S13GDSTL: Gloves are a blend of Dyneema® and stainless steel, and offer ASTM cut-level 4. Fine 13-gauge knit reduces hand fatigue for all-day comfort and great touch sensitivity. Treated with AlphaSan®, a silver-based antimicrobial agent that prevents and impedes bacterial growth. Gloves stay fresh and odor-free. Anti-microbial agent does not impart any taste to food being handled.

S13GDSTD: Gloves are a blend of Dyneema® and stainless steel. Fine 13-gauge knit reduces hand fatigue for all-day comfort and great touch sensitivity. Treated with AlphaSan®, a silver-based antimicrobial agent that prevents and impedes bacterial growth. Gloves stay fresh and odor-free. Anti-microbial agent does not impart any taste to food being handled. PVC dotted palms for better grip.

Series #	Size	Color
S13GDSTL	XXS - 2XL	Grey
S13GDSTD	XXS - 2XL	Grey



Vendor Code : SUPGLO

DRAGON™



Heat protection of up to 600°F (320°C). 100% wool terry liner for added protection. 12" length. Superior cut resistance gloves are ideal for handling sharp or rough metal objects. Elasticized wrist for snug fit and enhanced protection.

Series #	Size	Color
K835KP	O/S	Yellow

DRAGON™

Protects against thermal burn (Dry heat only). Heat protection of up to 608°F (320°C). Outer layer will not combust or melt on contact with hot objects. Ambidextrous.

Series #	Size	Color
PBI83518	O/S	Brown



COOL GRIP®



Kevlar®/carbon fiber blend is impervious to flame, heat. Glove-within-a-glove design traps air for excellent protection against thermal contact. A 100% wool knit terry liner traps air for added insulation. Great dexterity and comfort for a glove with this much heat protection. Heat protection of up to 608°F (320°C).

Series #	Size	Color
SKX-W	S - XL	Grey

CONTENDER™

Terry knit contains composite filament fiber for incredible abrasion and cut protection. High abrasion resistance ensures cut resistance stays true for the life of the glove. Terry loops enhance cut resistance. Longer knit-wrist cuffs are snug for stay-in-place comfort. Cotton in blend absorbs surface oils/grease to increase grip on metal surfaces.

Series #	Size	Color
TRFGK	S - XL	Grey



COOL GRIP®



Kevlar®/carbon fiber blend is impervious to flame, heat. Glove-within-a-glove design traps air for excellent protection against thermal contact. A 100% wool knit terry liner traps air for added insulation. Great dexterity and comfort for a glove with this much heat protection. Heat protection of up to 608°F (320°C).

Series #	Size	Color
SKX-W4	S - XL	Grey

ACTION™

Protects hands from thermal heat between 400°F and 600° F (200°C and 315°C). Kevlar® string-knit glove body will not drip or melt when exposed to open flame. Silicone/Kevlar®-blend Temperbloc™ palms are highly durable, provide amazing wet/dry grip.

Series #	Size	Color
SKSCTB	S - XL	Grey



DRAGON™



Protects against thermal burn (Dry heat only). Heat protection of up to 608°F (320°C). Outer layer will not combust or melt on contact with hot objects. Ambidextrous.

Series #	Size	Color
PBI83514	O/S	Brown

COOL GRIP®

High heat protection up to 260°C or 500°F. Designed specifically for the plastic-injection molding industry. ANSI cut-level A4 protection. Glove-within-a-glove design traps air, insulates better, longer. Good dexterity and comfort for a dual-purpose heat-resistant glove.

Series #	Size	Color
SPGRK/A	M - XL	Yellow





Vendor Code : SUPGLO



KPW

CUTBAN™

Double-layer high-tenacity filament-yarn sleeves are both durable and comfortable. Sleeves provide ASTM cut-level 2 protection. Nine lengths, four available with optional thumbholes for stay-in-place comfort. Fully launderable (no bleach).

Series #	Size	Color
KPW	9", 12", 14", 18", 22"	Black
*KPWTH	12", 14", 18", 22"	Black



KKWC

SUPERIOR®

Double-layer Kevlar® stockinettes are comfortable. Flame resistant: Kevlar® will not drip or melt around open flame. Eight lengths, five available with optional thumbholes for stay-in-place comfort. Fully launderable (no bleach).

Series #	Size	Color
KKWC	6", 9", 10", 12", 14", 18", 22"	Yellow
*KKWCTH	10", 12", 14", 18", 22"	Yellow



CONTENDER™

ASTM cut-level 4 protection. Flame retardant and abrasion resistant. Elasticized STAYz-UP™ armbands hold sleeves in place for full arm coverage. Fully washable.

Series #	Size	Color
KBKB1T	14", 18", 22"	Black
KBKB1TH	14", 18", 22"	Black



CONTENDER™

Soft, comfortable knit provides a snug fit that conforms to your arm contours for stay-in-place comfort. Good resistance to spark, flame and heat; sleeves will not support combustion.

Series #	Size	Color
KAWC	10", 12", 14", 18", 22"	Yellow
KAWCTH	O/S	Yellow



Vendor Code : SUPGLO

TENACTIV™



High-strength fiber is incorporated in a way that it cannot come through to the hand for total comfort and extended glove life. TenActiv™ gloves feature lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis. Nitrile-coating is foamed to increase your grip in oil by displacing oil on surfaces. Nitrile withstands oils and solvents, making these styles ideal for workers handling sharp glass or oily sheet metal.

Series #	Size	Color
STAFGFNT	5 -12	Grey

TENACTIV™

TenActiv™ gloves feature lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis. Snug fitting, breathable, and flexible gloves are ergonomically shaped. Polyurethane-coating offers a high coefficient of friction that is non-shedding.



Series #	Size	Color
S13TAGPU	5 -12	Grey

TENACTIV™



Made with high-strength TenActiv™ yarn that is stronger than steel on an equal weight basis. Hi-viz knit shell increases worker visibility on the job. Polyurethane palm coating for great tactile sensitivity and non-shedding glove surface. Lint-free shell for contaminant-free work.

Series #	Size	Color
STAGHVPU	6 -12	Yellow

TENACTIV™

High-tech multi-purpose glove offers good grip, antistatic properties and cut resistance. Fine gauge for great dexterity and touch sensitivity. Non-shedding polyurethane palm coating.



Series #	Size	Color
S13TAPUCF	7 - 10	Yellow

TENACTIV™

Made with high-strength TenActiv™ yarn that is stronger than steel on an equal weight basis. PU coated for great tactile sensitivity and non-shedding glove surface. Lint-free shell for contaminant-free work. ASTM cut-level 2



Series #	Size	Color
STAHVPU	5 - 12	Yellow

TENACTIV™



High-strength fiber is incorporated in a way that it cannot come through to the hand for total comfort and extended glove life. TenActiv™ gloves feature lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis. Nitrile-coating is foamed to increase your grip in oil by displacing oil on surfaces, while the thermo plastic rubber (TPR) backing reduces back-of-hand injuries and increases impact protection, all without impeding flexibility or dexterity.

Series #	Size	Color
STAFGFNVB	6 -12	Black

TENACTIV™

Leather thumb patch to reduce wear in critical area. High-tenacity composite yarn construction that is designed to meet a range of applications, all at a great price. High-strength fiber is incorporated in a way that it cannot come through to the hand for total comfort and extended glove life. TenActiv™ gloves feature lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis. Polyurethane coating offers a high coefficient of friction that is non-shedding, making them ideal for any application where contamination is of concern.



Series #	Size	Color
STAGPULTC	7 - 12	Grey



Vendor Code : SUPGLO

DEXTERITY®

Dependable grip, excellent flexibility and a comfortable ergonomic shape. Puncture-resistant latex coating. Lined with two layers of Punkban™. Makes a great general-purpose work glove. ASTM F2878* 6.73 newtons of puncture protection (hypodermic needle).

Series #	Size	Color
S10LXPB	6 -10	Grey

ENDURA®

Goat-grain leather is treated with Oilbloc™ for unbeatable oil resistance. Goatskin is exceptionally tough and abrasion resistant with a high strength-to-weight ratio. Driver style slips on easily and has elastic backs for snug fit.

Series #	Size	Color
378GOB	S - 3XL	Orange



CLUTCH GEAR®

Sure Grip® PVC palm, With Punkban™, Hi viz lime green, Cut resistance : 2600 grammes, 7,83 newtons (palm) 4,47 newtons (back) perforation resistance : ASTM F2878,

Series #	Size	Color
MXHV2PB	S - XL	Green

ENDURA®

Padded palm for vibration dampening. TPR anti-impact backing. High tensile-strength goatskin provides outstanding abrasion resistance. Water and oil repellent.

Series #	Size	Color
378GKVS	S - XXL	Yellow



SUPERIOR®

Our unique Punkban™ material is highly durable for superb forearm protection. Sleeves provide ASTM puncture-level 4 protection. Protects against cut, abrasion and puncture. Adjustable Velcro® closure. ASTM F2878 7.35 newtons of puncture protection.

Series #	Size	Color
SLPB9TH	O/S	Green

ENDURA®

Made with select heavyweight 3-1/2 oz grain horsehide leather. Excellent water, oil, and stain-repellent properties. Performance thumb/palm patch. Retro-reflective silver strips for greater night-time visibility. Sewn with Kevlar® thread for extra seam strength.

Series #	Size	Color
365DLX6	S - XXL	White



ENDURA®

High tensile-strength goatskin provides outstanding abrasion resistance. Keystone thumb for better durability and comfort.

Series #	Size	Color
378GKTA	XS - 3XL	White

CLUTCH GEAR®

Specially placed thermo-plastic rubber pads at back of hand protect against knocks without creating stiffness. PVC Sure Grip® palm patches provide excellent grip, and are cushioned for comfort. Lined with Punkban™. ASTM F2878 4.62 newtons of puncture protection.

Series #	Size	Color
MXVSBPB	S - XXL	Green





Vendor Code : SUPGLO



ENDURA®

Goatskin is incredibly durable and tough, while still maintaining the highest tensile strength. Our supple goatskin leather makes for an excellent choice in TIG welding gloves for the best mobility possible. Wide fitting Canadian-style gauntlet cuff.

Series #	Size	Color
370CTIG	S - XXL	White

ENDURA®

High tensile strength goatskin provides outstanding abrasion resistance. Leather is treated with Oilbloc™ for exceptional oil and water repellency. ANSI level A5 cut resistance, thanks to a full Kevlar® and composite filament fiber lining. ANSI level 4 puncture resistance. Anti-impact thermo-plastic foam rubber (TP patches at the back of the hand. Lined with 3M™ C100 and G200 Thinsulate™ for warmth up to -10°C / 14°F.



Series #	Size	Color
375KGTVB	S - XXL	Orange

ENDURA®

Hand portion of glove is lined with cut-and-sewn fine-gauge Kevlar® interlock knit for a precise fit that won't interfere with touch sensitivity. Goatskin is incredibly durable and tough, while still maintaining the highest tensile strength. Fully Kevlar® sewn throughout for heat resistance and seam integrity. Wide-fitting split-cowgrain gauntlet cuffs are gusseted for easier donning. Heat protection of up to 176°F (80°C).



Series #	Size	Color
370GFKL	M - XXL	White

ENDURA®

High tensile strength goatskin provides outstanding abrasion resistance. Glove is cut-resistant thanks to a full Kevlar® and composite filament fiber lining. Anti-impact thermo-plastic foam rubber (TPR) patches at the back of the hand.



Series #	Size	Color
375KGVV	S - XXL	Orange

ENDURA®

High tensile-strength goatskin provides outstanding abrasion resistance. ASTM cut-level 4 thanks to blended Kevlar®/composite filament fiber lining. Extended gauntlet cuff for more protection. Lining is cut and sewn for a no-bunch custom fit. Wing thumb for better durability and comfort.



Series #	Size	Color
399GKGL5	S - 3XL	White

ENDURA®

Rugged, durable cowhide is top-quality, select shoulder-split. Wide thumb strap for extra durability. Fully lined for better heat resistance. All critical seams welt protected. Kevlar® sewn throughout for seam integrity, resistance to sparks. Rugged gauntlet cuffs for full forearm protection against sparks, heat and abrasion.



Series #	Size	Color
505BUWS	O/S	Blue

ENDURA®

High tensile-strength goatskin provides outstanding abrasion resistance. ASTM cut-level 4 thanks to blended Kevlar®/composite filament fiber lining. Extended gauntlet cuff for more protection. Lining is cut and sewn for a no-bunch custom fit. Wing thumb for better durability and comfort. Thinsulate™ lining for great warmth without bulk.



Series #	Size	Color
399GKGT5	S - 3XL	White

ENDURA®

Chrome-tanned leather for rugged durability. Lining has been upgraded to a silver reflective, dual density, non-woven felt. Strapped thumbs, 4" gauntlet cuffs. Kevlar® sewn throughout with all critical seams welt-protected.



Series #	Size	Color
685BFI	O/S	Orange



Vendor Code : SUPGLO



DEXTERITY®

Polyester knit is really lightweight and breathable, wicking moisture away from hands. Double-layer microfinish-grip foam latex palms for excellent wet dry grip. High-viz lime green color lets you be seen and be safe. Excellent flexibility and a comfortable ergonomic shape. Snug fitting and shaped to the hand for all-day comfort.

Series #	Size	Color
S13HVLX	6 -11	Green

DEXTERITY®

Black color of both knit and palm coating is optimal for hiding dirt and stains. Longer wear is promoted when glove stays nice looking. Nylon knit is really lightweight and breathable, wicking moisture away from hands. Tough, crinkle-grip latex palm performs well in both wet and dry conditions. Snug fitting and shaped to the hand for all-day comfort.



Series #	Size	Color
S13BKLX	6 -11	Black

DEXTERITY®

Nitrile stands up extremely well to oils, fuels, and some organic solvents. Good abrasion and puncture resistance. Lint-free, fine-gauge nylon knit is soft, flexible, hard-wearing. Grey/black color combo hides dirt and stains for longer wear. Ergonomic hand shape reduces fatigue. Uncoated backs for breathability.



Series #	Size	Color
SN15NT	6 -10	Black

DEXTERITY®

Knit shell 13 gauge, seamless, 100% nylon, microporous nitrile palm.



Series #	Size	Color
SN13PNT	6 -11	Grey

SUPERIOR TOUCH®

Fine-gauge polyester is highly touch-sensitive and non-linting. Polyurethane coating provides great grip and low-particulate shed. Great for fine assembly and where contamination is a concern. Excellent value for a glove of this quality. Snug fitting for all day comfort and dexterity.



Series #	Size	Color
S13WPPU	6 -11	White

SUPERIOR TOUCH®

Fine-gauge polyester is highly touch-sensitive and non-linting. Polyurethane coating provides great grip and low-particulate shed. Great for fine assembly and where contamination is a concern. Excellent value for a glove of this quality. Snug fitting for all day comfort and dexterity.



Series #	Size	Color
S13GPPU	6 - 11	Grey

SUPERIOR TOUCH®

Fine-gauge nylon is highly touch-sensitive, and non-linting. Polyurethane coating provides great grip, also low-particulate shedding. Great for fine assembly. Snug fitting for all day comfort and dexterity.



Series #	Size	Color
S13BKPUQ	5 - 11	Black

DEXTERITY®

Excellent bare-hand feel. Silicone-free for automotive industry. Wear and abrasion resistance of PVC is comparable to nitrile, but glue and adhesives will not adhere to it. Fine-gauge nylon provides touch sensitivity, yet is hard-wearing. PVC coating is foamed for increased wet/oily grip. Laundering: use cold water, tumble dry at low or no heat; no bleach.



Series #	Size	Color
S13BPVC	6 - 11	Grey

DEXTERITY®

Excellent grip in light oil. ASTM puncture-level 2. 100% nylon seamless-knit shell is fast-drying and moisture-wicking. Unsurpassed comfort and dexterity. TPR backing for back-of-hand impact protection.



Series #	Size	Color
S13BFNVB	S - XXL	Black

CLUTCH GEAR®

TPR backing for impact protection, Foam padded and cushioned palm. High-viz green. ASTM Puncture Level 3. ASTM Abrasion Level 3.



Series #	Size	Color
SHVPNTVB	S - XXL	Green



Vendor Code : SUPGLO

DEXTERITY®

Warm and dry for jobs involving wintry/wet conditions. PVC coating with micropores for optimal flexibility in cold/sub-zero temperatures. Palm coat provides an excellent grip, wet or dry. Fleece lining is soft and warm. Quick-drying and lightweight, for all-day comfort. Good dexterity for a glove this warm and water-resistant.

Series #	Size	Color
SNTAPVC	M - XXL	Red

ENDURA®

Leather horse flower heavy 1.4 mm, Treaty with Waterstop™, silver reflective bands, detachable wool lining, all seams are Kevlar®.

Series #	Size	Color
361DLXWL	M - XL	White

ENDURA®

Assortment of specially selected and positioned Thinsulate™ materials to provide exceptional warmth while maintaining mobility. Knitwrist turtleneck cuff extension helps lock in warmth. Goat-grain leather is treated with Oilbloc™ for unbeatable oil resistance. Waterstop™ treated leather for excellent water, oil, and stain-repellent properties. High tensile strength goatskin provides outstanding abrasion resistance. Driver style slips on easily and has elastic backs for snug fit.

Series #	Size	Color
378GOBDTK	XS - 3XL	Orange

ENDURA®

Goat-grain leather is treated with Oilbloc™ for unbeatable oil resistance. Goatskin is exceptionally tough and abrasion resistant with a high strength-to-weight ratio. Winter version features 100-gram Thinsulate™ lining for excellent warmth without the bulk. Driver style slips on easily and has elastic backs for snug fit.

Series #	Size	Color
378GOBTL	S - XXL	Orange

SNOW FORCE™

Deluxe, waterproof and windproof winter glove. Clarino® palm for flexibility and long wear. Anti-slip PVC palm patches in critical palm and fingertip areas. Assortment of specially selected and positioned Thinsulate™ materials to provide exceptional warmth up to -45° C / -49° F while maintaining mobility. Porelle™ Ski-Dri2™ waterproof, breathable inserts that lock out water and wind. Kevlar®/steel knuckle patch for protection against hard knocks.

Series #	Size	Color
SNOWD388V	M - XL	Black

SNOW FORCE™

Deluxe, black, calfskin mitts are designed for cold Canadian arctic winters. Easily removable Temperloc lining which velcros out of place for easy drying. 6.5" long double layer nylon gauntlet cuffs that are extra wide to fit over snowmobile suit or parka cuffs. Removable BOA pile wiper/cheek warmer.

Series #	Size	Color
SNOWD200L	O/S	Black

CLUTCH GEAR®

Exo-Tekt water-repellant micro-suede palms are supple, flexible, strong and breathable. Light, breathable forchette inserts (between fingers) for better flexibility and comfort. Reinforced thumb crotch for better wear. Fully fleece lined. It also features special waterproof Enprotex® lining for stay-dry comfort. Stretch-nylon backs feature Neoprene padding across knuckles to protect against knocks and abrasion. Velcro closures and wide elastic wrists keep gloves snugly in place.

Series #	Size	Color
MXBUFL	XS - XXL	Blue

NORTH SEA™

100% Nitrile. Ultrasoft and flexible. Textured surface for superior wet/dry grip. Knitwrist turtleneck cuff. Fully lined.

Series #	Size	Color
N230FLK	S - XL	Blue



Vendor Code : SUPGLO



KEEPKLEEN®

Contains no natural rubber proteins that may cause allergies. Nitrile is the best choice for tear and puncture resistance. Excellent grip. Powder-free for sensitive skin, and no natural rubber proteins that may cause allergies. Excellent touch sensitivity; ergonomically shaped to reduce hand fatigue. Beaded cuffs help prevent roll back. CFIA approved for food handling.

Series #	Size	Color
RDCNPF	XS - XL	Blue



KEEPKLEEN®

Contains no natural rubber proteins that may cause allergies. Specifications and physical properties comply with ASTM D3578-95, EN455-1, EN455-2. Beaded cuff for easier donning. Thicker nitrile provides greater strength and puncture protection. CFIA-approved for food handling. Available in powder-free for sensitive skin.

Series #	Size	Color
RDN	S - XL	Blue



KEEPKLEEN®

Contains no natural rubber proteins that may cause allergies. Specifications and physical properties comply with ASTM D3578-95, EN455-1, EN455-2. Beaded cuff for easier donning. Thicker nitrile provides greater strength and puncture protection. CFIA-approved for food handling. Available in powder-free for sensitive skin.

Series #	Size	Color
RDNPF	XS - 2XL	Blue



KEEPKLEEN®

Contains no natural rubber proteins that may cause allergies. Nitrile is the best choice for tear and puncture resistance. Ambidextrous. Powder-free for sensitive skin. Excellent touch sensitivity; ergonomically shaped to reduce hand fatigue. Beaded cuffs help prevent roll back.

Series #	Size	Color
RDNBLPF	XS - 2XL	Black

KEEPKLEEN®

Contains no natural rubber proteins that may cause allergies. Extra-soft to the touch, great stretch, and powder-free for sensitive skin. Specifications and physical properties comply with ASTM D3578-95, EN455-1, EN455-2. Beaded cuff for easier donning. Ambidextrous.



Series #	Size	Color
RDNPKEF	S - XL	Pink

KEEPKLEEN®

Contains no natural rubber proteins that may cause allergies. Beaded cuff for easier donning. Thicker nitrile provides greater strength and puncture protection. CFIA-approved for food handling. Ambidextrous.



Series #	Size	Color
RD8NPF	S - XXL	Blue

KEEPKLEEN®

Powder-free 8 mil. black nitrile, 12inch, Ambidextrous, Rolled edge.



Series #	Size	Color
RD8NPF12	S - XL	Black

KEEPKLEEN®

Ambidextrous. Beaded cuff helps prevent roll back and provide added strength and easier donning. Textured finish on palm and fingers provides exceptional wet and dry grip. Manufactured under ISO 9001:2000 Quality Management System. Exceed current ASTM D 3578-01 standard for critical defects (AQL 2.5). Superior Glove AQL for critical defects is 1.5. Comply with US FDA 1000ml water-tight test and ASTM D 5151.



Series #	Size	Color
RD15LPF	S - XL	Blue

KEEPKLEEN®

Excellent touch-sensitivity and comfort. Latex-free, no allergy-related concerns. CFIA approved which makes them perfect for food handling.



Series #	Size	Color
RDVEPF	S - XL	White



Vendor Code: BESGLO



Showa 7166

Nitrile on cotton jersey liner, Full coat safety cuff, smooth finish, blue

Series #	Size	Color
7166	S - L	Blue

961



Showa 960/961

Breathable PVC on seamless cotton knit liner
960 Slip on style, yellow, textured
961 Knit wrist style, yellow, textured

Series #	Size	Color
960	S - XL	Yellow
961	S - XL	Yellow

Showa 310

Seamless natural rubber glove, green
Palm coated knit wrist, textured

Series #	Size	Color
310	XS - XL	Green



Showa 282

Polyurethane coating on nylon liner, 11.8" (30) cm gauntlet, blue, roughy

Series #	Size	Color
282	M - XXL	Blue



Showa 4500

Nitrile coated nylon liner, Palm coat, knit wrist, green, smooth.

Series #	Size	Color
4500	S-XXL	Blue



Showa 377

Nitrile coated nylon liner
Full coat, knit wrist, black on blue, smooth

Series #	Size	Color
377	S - 2XL	Black/Blue



Showa 306

Natural rubber glove, 13-Gauge Nylon/ Polyester Liner, Fully coated natural rubber, blue w/black palm

Series #	Size	Color
306	S-XXL	Blue





Vendor Code: BESGLO



Showa 6780R

Premium neoprene
12" (30 cm), wrinkle, black

Series #	Size	Color
6780R	L	Black

Show 6780

Premium neoprene
12" (30 cm), black, smooth finish

Series #	Size	Color
6780	L	Black



Showa 4550

Sponge nitrile, seamless nylon liner,
Palm coat, knit wrist, grey, smooth.

Series #	Size	Color
4550	S-XXL	Black, Grey

Showa 380

Nitrile coated lint free nylon liner, Palm
coat, knit wrist, black on blue, waffle grip.

Series #	Size	Color
380	S - XL	Blue



Showa 541

Polyurethane palm coating, ANSI cut
level 2, 13 gauge HPPE polyethylene knit
liner, black

Series #	Size	Color
541	S - XXL	Black



Showa 772

Nitrile, totally liquid proof on seamless
knitted liner 26" lined, yellow, rough finish

Series #	Size	Color
772		Yellow



Showa 814

High grade PVC with jersey liner
14" (36 cm) gauntlet, green, rough

Series #	Size	Color
814	L - XL	Green



Vendor Code: GROBBH



Nitrile Foam Coated

Series #	Size	Color
05-1180	C7-C10	Black

HORIZON™

Grey Split Cowhide, Style, Rigid Cuff, Cotton Back

Series #	Size	Color
01-0399B	one size	Blue/Grey

HORIZON™



Latex foam Coated Palm,
Orange Nylon Backing

Series #	Size	Color
05-1144	S/M - L/XL	Orange

HORIZON™

Leather Palm Style, Split Leather Back & 4" Cuff

Series #	Size	Color
06-0394	M-XL	Grey

HORIZON™



Heavy Duty Work, Hd Rubber Coated Palm

Series #	Size	Color
75-8124B	S-XL	Blue

HORIZON™

Leather Style, Yellow Cotton Back, Rigid Cuff

Series #	Size	Color
02-1360R	S-XL	Yellow

HORIZON™



Leather, Cotton Back, Foam & Fleece Lined

Series #	Size	Color
01-0492-FMFL1		Blue/Grey

HORIZON™

Grain Cowhide Leather, Cotton Back,
C100 Thinsulate Lined

Series #	Size	Color
02-360R-THIN	L & XL	Black/White

HORIZON™



Dexterity Style, Polar Lining, 3/4 Rubber Coating

Series #	Size	Color
75-1145	S/M - L - XL	Black

HORIZON™

All cowhide Driver style

Series #	Size	Color
08-0378	S-XL	Beige

HORIZON™



HAND PROTECTION



Vendor Code: GROBBH



Level 3 Cut Resistant Style, P.U. Coated Palm

Series #	Size	Color
05-1257	M-XL	Grey

HORIZON™

String Knit Style, Varied Job Usage & Applications

Series #	Size	Color
04-0661	S-XL	White

HORIZON™



Level 3 Cut Resistant Style, nitrile satin finish Coated Palm

Series #	Size	Color
B5-1162TR	M-XL	Grey

TERRA

String Knit Style, With PVC Dots On The Palm

Series #	Size	Color
79-2457	M-XL	Orange

HORIZON™



14" Green PVC Coated Style, Light Fleece Comfort Lining

Series #	Size	Color
05-4056-G14B		Green

HORIZON™

Synthetic leather woman glove with anti-vibration palm, spandex back.

Series #	Size	Color
78-9304	XS-M-L	Black

HORIZON™



Rubber Coated Style, Rigid Cuff

Series #	Size	Color
05-R26YPC		Beige

HORIZON™

Cow leather, double leather palm, KEVLAR, 7.5 cm cuff with reflective band.

Series #	Size	Color
06-3934	S-M-L-XL	White

HORIZON™



12" Hivis Orange PVC Style, Foam Lining

Series #	Size	Color
75-8360-FR		Orange

HORIZON™





Vendor Code: GANTER

Hand Cream

Hand cream for workers. 8 essential ingredients to 8 desired benefits : restorative, moisturizing, protective, non irritating, deodorant, natural, astringent, absorbent.



Piece #	Size	Color
08801	100ml	-

Chemical Resistant Gloves

Green PVC glove. Double thickness. Cotton jersey lining. Palm rough finish, length 35 cm (14 "), Flexibility, grip and dexterity.



Piece #	Size	Color
S018	10	Green

Handling Precision Gloves

Light Nylon knit glove coated with a black hypoallergenic nitrile rubber. Provides an excellent grip and dexterity.



Piece #	Size	Color
S003	S - XXL	Grey

Chemical Resistant Gloves

PVC&NBR tripe dipping ,13G seam-less cotton liner,palm rough finish,Oil resistant,super soft .30 cm.



Piece #	Size	Color
S019	8 - 11	Blue

Handling Precision Gloves

Microfiber nylon knit glove coated with a Micro foam water PU 18 Gages. Extra thin to offer extra dexterity with an excellent grip. Norms EN388 : 2111.



Piece #	Size	Color
S09	6 - 11	Blue

Multi-Purpose Work Gloves

Driver glove goatskin palm and cotton back. Excellent dexterity and suppleness.



Piece #	Size	Color
S417HYM	M - XL	Light Grey

Multi-Purpose Work Gloves

Polyester glove. Palm and fingers coated with latex. Excellent grip and resistance.



Piece #	Size	Color
S02Y	8 - 11	Green and Yellow

Multi-Purpose Work Gloves

Driver glove all goatskin, highly resistant. Keystone Thumb.



Piece #	Size	Color
S1005G	M - XXL	Light Grey



Vendor Code: GANTER

CUT Resistant Gloves

Seamless knitted glove (gauge 13) in 100% high density polyethylene filament with elastane. Grey CLEAN PU coating on palm and fingertips. Elastic wrist. **Anti-cut level 3.** Norms EN388 : 4343.



Piece #	Size	Color
POWERFIT	6 - 12	Grey

CUT Resistant Gloves

A lightweight, Dyneema and fiberglass knitted, cut-resistant, punctures, tears and abrasion. Palm and fingers coated with black Nitrile/rubber (NBR). **Anti-cut level 5.** Norms EN388 : 4543.



Piece #	Size	Color
S005	XS - XXL	Grey

Cold Resistant Gloves

15 gauges knit nylon lined. Palm nitrile foam coated. Cold resistant with high dexterity.



Piece #	Size	Color
S008	M - XXL	Grey

CUT Resistant Gloves

Filament knitted glove 100% Textra @ stainless steel / elastane. CLEAN PU coating on the palm and fingertips. **Cut resistant level TDM 5**, dexterity, grip and durability. *New. Norms EN388 : 4543.



Piece #	Size	Color
STEELGRIP	8 - 11	Grey

Cold Resistant Gloves

Polyester knit glove with terry cloth fleece liner and black micro foam latex palm coating.



Piece #	Size	Color
S02DM	7 - 11	Black

Cold Resistant Gloves

Seamless Thermolite knit liner, ambidextrous, wrist fit



Piece #	Size	Color
3C-K5P4	S - XL	White

Cold Resistant Gloves

Triple PVC & NBR dipped, 10G Acrylic fleece liner, 30 cm, Cold and abrasion resistant, extremely comfortable. Very good dexterity. Norms EN374-AJKL et EN388-3232.



Piece #	Size	Color
S022	8 - 11	Blue

Welding Gloves

All goatskin glove. Split leather cuff 4". Pearl color. TIG welder glove. Supple with great dexterity.

Piece #	Size	Color
S9TGG	M - XL	Cream



Vendor Code: GANTER

Cold and Heat Resistant Gloves

Fireproof knit liner Kermel/Viscose FR and Thermolite. Moisture repellent, heat, fire and cold resistant, insulating, wrist fit, seamless

Piece #	Size	Color
2C-K12P5	S - XL	Grey

Welding Gloves

All split tan deer leather glove. Split leather cuff 4". TIG welder glove. Very supple and great dexterity.

Piece #	Size	Color
S9TDS	M - XL	Brown

Heat Resistant Gloves

Heat resistant glove treated cow split leather, Lined with 100% wool fleece Norms EN407-42314X.

Piece #	Size	Color
ANT/D/P15	10 - 11	Orange

Welding Gloves

Buffalo leather palm, split leather back, water and grease resistant. Split leather cuff 4". Pearl color. TIG-MIG welder glove. Supple with great dexterity

Piece #	Size	Color
S202CS	8 - 11	Brown

Welding Gloves

Cow leather palm, split leather back, Cuff 5" with velcro, Welder-assembler glove, flexible

Piece #	Size	Color
S418CSV-5	M - XL	Light Grey

Welding Gloves

Natural cow split leather Glove. Lined with knitted cut resistant seamless. Stitching thread 100% para-aramid. Split leather cuff of 12.5 cm. **Cut resistant level 5**

Piece #	Size	Color
GT350/DA	10	Light Grey



Vendor Code: LATOPL



Cut Resistance Level 3

White HPPE Knitwrist. Palm-Coated with white polyurethane. HPPE liner for excellent dexterity and cut resistance. Yarn molds naturally to reduce hand fatigue. Polyurethane coating provides a sure grip in dry & light oil applications. APPLICATIONS : Assembly areas for use when handling metal components. Glass handling and installation. Small parts stamping. Forming, machining and bending of small parts.

Series #	Size	Color
005-12-500	6 - 11	White



Cut Resistance Level 3

Salt & Pepper HPPE. Palm-Coated with Grey Polyurethane. HPPE liner for excellent dexterity and cut resistance. Yarn molds naturally to reduce hand fatigue. Polyurethane coating provides a sure grip in dry & light oil applications. APPLICATIONS : Assembly areas for use when handling metal components. Glass handling and installation. Small parts stamping. Forming, machining and bending of small parts.

Series #	Size	Color
005-12-600	7 - 10	Salt and Pepper



Cut Resistance Level 3

HPPE Palm Coated with Black Nitrile. HPPE liner for excellent dexterity and cut resistance. Yarn molds naturally to reduce hand fatigue. Nitrile coating provides a sure grip in dry & light oil applications. APPLICATIONS : Assembly areas for use when handling metal components. Glass handling and installation. Small parts stamping. Forming, machining and bending of small parts.

Series #	Size	Color
005-12-700	6 - 11	Salt and Pepper

Dexterity Glove

Lightweight and sensitive supported nitrile finish. Seamless nylon interlock liner for ergonomic fit. High degree of flexibility and durability with optimum dexterity. Ventilated back to keep hands cool in warm conditions, an ideal alternative to PVC gloves. N110-FF nitrile foam coating for enhanced grip on oily surfaces. APPLICATIONS : Automotive assembly. Handling small parts (especially where oil is present).



Series #	Size	Color
005-N110-I	7 - 10	Grey and White
005-N110-BK	7 - 10	Black
005-N110-BKFF	7 - 10	Black

Dexterity Glove

Soft PVC Chemical Gloves. Full PVC coat glove keeps hands safe from chemical splashes. Neoprene cuff for ease of donning and doffing. Brushed terry liner for a soft hand feel and warmth. Strong combination of abrasion, liquid repellence, and dry grip. Superior flexibility and dexterity. APPLICATIONS : Cold storage. Unheated warehouses. Yard and field work. Freight handling.



Series #	Size	Color
014-7K35BOA		Yellow

Samurai

Provides excellent thermal protection. Superior flexibility and dexterity. Uncoated back allows for air circulation to keep hands drier. Ergonomically designed for unmatched fit and comfort. APPLICATIONS : Fish industry. Cold storage. Winter transportation. Unheated warehouses. Yard and field work. Freight handling.



Series #	Size	Color
014-SH88	S - XL	Black
014-SV88	S - XL	Black and green
014-SPU88	S - XL	Black



Leather Glove

One-Piece Leather Palm, Standard Grade. Split leather palm wears longer and provides extra protection over standard cotton gloves. Stiff rubberized safety cuff provides extra protection around wrists. APPLICATIONS : Food handling and processing. Janitorial. Agriculture. Light duty maintenance. Electronics. Inspection.

Series #	Size	Color
015-02530U/IE	M - XL	Beige



Leather Glove

Spandex Liner, Sticky Silicone Tread Pattern Palm. Pre-curved fingers for best fit. Specially processed black silicone tread for non-slip/sticky grip. Spandex back with neoprene knuckle strap and silver reflective strip. Terry cloth "brow wipe" on back of thumb. Reinforced rubber-Tec thumb crotch. Neoprene cuff with pull-patch. APPLICATIONS: Automotive. Assembly. Construction. Material handling. Truck drivers. Agriculture.

Series #	Size	Color
015-SG	S - XL	Black and Green



Leather Glove

Cowhide Grain Leather, Pile Lined. Pile lining provides insulation from the cold without the bulk of foam and fleece. APPLICATIONS : Farm equipment. Truck drivers. Construction. Ranching. Industrial.

Series #	Size	Color
018-2531PL	O/S	Yellow



Dexterity Glove

Cowhide Grain Leather, Thinsulate Liner 100g. Lightweight Thinsulate liner provides warmth and absorbs moisture. APPLICATIONS : Farm equipment. Truck drivers. Construction. Ranching. Industrial.

Series #	Size	Color
018-2531THBU	O/S	Blue and Beige
018-2531THEQ	O/S	Blue and Beige



Vendor Code: LATOPL

Vini Glove

Vinyl Nitrile Combination, Smooth Finish. Combines the value of a vinyl glove with the tensile strength of a nitrile glove. Industrial Grade (AQL 4.0). APPLICATIONS : Food processing and handling. Laboratory analysis/technical work. Quality control. Electronics assembly. Light duty maintenance and cleanup.



Series #	Size	Color
007-77700VNPf	S - XL	Blue

Workman Glove

Nitrile, Smooth Finish. Unique blue blush colour. Industrial Grade (AQL 4.0). APPLICATIONS : Food processing and handling. Laboratory analysis/technical work. Quality control. Electronics assembly. Light duty maintenance and cleanup.



Series #	Size	Color
007-77700WM	S - XL	Cobalt Blue

Tactical Plus Glove

Black Nitrile, Textured Fingertips. Latex-free. Enhanced tensile strength versus latex or vinyl. Easy to pull on rolled cuff. Medical / Examination Grade (AQL 1.5). APPLICATIONS : Automotive. Manufacturing. Maintenance and clean up. Intricate parts handling. Laboratory analysis/technical work. Food processing and handling.



Series #	Size	Color
007-77700BKPF	S - XL	Black

HAND PROTECTION



Vendor Code: BOBDAL



High performance 13 gauge polyethylene fiber shell, cut resistant EN388 Level 5. Foam nitrile finish compatible for touch screens.

Series #	Size	Color
99-1-9778	7 - 11	Black



18 gauge Kevlar shell cut resistant EN388 Level 5. Foam nitrile finish for a superior grip: wet, dry or slightly oily.

Series #	Size	Color
99-1-9774	7 - 11	Yellow/Black



18 gauge High Performance Polyethylene shell cut resistant EN388 Level 5. Polyurethane finish for an excellent grip.

Series #	Size	Color
99-1-9770	7 - 11	Grey



Seamless Dyneema® knit for comfort and cut resistance, Polyurethane coated palm for flexibility and breathability, EN388 Cut level 3, CFIA approved for food contact

Series #	Size	Color
99-1-9754	7-10	Grey/Black



Seamless Dyneema® knit for comfort and cut resistance, Polyurethane coated palm for flexibility and breathability, EN388 Cut level 5, Machine washable

Series #	Size	Color
99-1-9757	6-10	White



Cut resistant EN388 Level 5 13 gauge HPPE exterior shell. Nitrile foam coating for a strong grip and resists oils and grease. Padded palm for maximum comfort and impact absorption. Soft flexible TPR backhand provides optimal impact protection. 99-9-9790 insulated for cold weather use.

Series #	Size	Color
99-1-9790	6 - 11	Grey/Yellow
99-9-9790	6 - 11	Grey/Yellow



Seamless knit nylon shell offers excellent comfort and dexterity, Nitrile foam coating provides a strong grip and resists oils and grease, Treated with Actifresh® to kill bacteria, CFIA approved for food contact

Series #	Size	Color
99-1-9800	6-11	Grey



Flexible HPTTM coating resists punctures and abrasion, Seamless nylon knit liner is exceptionally comfortable, lightweight and breathable, Treated with Actifresh® to kill bacteria, CFIA approved for food contact

Series #	Size	Color
99-1-9860	7-11	Black/Grey



Polyurethane coating provides excellent wet, dry and light oil grip, Ultralight fashion grade nylon shell for second skin sensitivity CFIA approved for food contact

Series #	Size	Color
99-1-9865	7-10	Blue/Black



Flexible HPTTM coating resists punctures and abrasion, Two-layer insulated terry liner, Seamless knit construction, Treated with Actifresh® to kill bacteria, CFIA approved for food contact

Series #	Size	Color
99-9-265	7-12	Black/Grey



Split leather cowhide for durability and resistance. Backside in stretchable, light, breathable fabric.

Series #	Size	Color
20-1-1200	S-2XL	Blue/Grey

Grain leather goatskin palm provides excellent comfort and durability, Lightweight, breathable 4-way stretch fabric back, Foam padded palm for vibration resistance and tool use, Neoprene knuckle provides excellent flexibility and comfort, Elastic wrist with velcro closure for a secure fit



Series #	Size	Color
20-1-1214	S-2XL	Beige/Black



Synthetic leather palm combined with breathable 4-way stretch fabric, Reinforced double palm with gel-packs for vibration absorption, Neoprene knuckle provides excellent flexibility and comfort, Velcro wrist closure with gore for extra protection and secure fit

Series #	Size	Color
20-1-10605B	S-2XL	Black/Black
20-1-10605N	S-2XL	Black/Blue
20-1-10605Y	S-2XL	Black/Yellow
20-1-10605R	S-2XL	Black/Red

20-1-10605B

20-1-10605N

20-1-10605Y

20-1-10605R

Synthetic leather palm, Lightweight, breathable 4-way stretch fabric back, Neoprene knuckle provides excellent flexibility and comfort, Velcro wrist closure with gore for extra protection and secure fit



20-1-10603

Series #	Size	Color
20-1-10603B	S-XL	Black/Black
20-1-10603N	S-XL	Black/Blue
20-1-10603Y	S-XL	Black/Yellow
20-1-10603R	S-XL	Black/Red

20-1-10603N

20-1-10603Y

20-1-10603R





Vendor Code: MCRSAF

Memphis Orange Kevlar®

13 gauge High visibility orange Dupont Kevlar® shell, nitrile foam coating on palm and fingers, touch screen friendly, ANSI cut level 4.

Series #	Size
9178NFO	S - XXL

Predator

Cow grain leather palm with foam pad, brown 2-way spandex fabric back, re-inforced thumb crotch, hook and loop closure with ID pad, tire tread TPR on back of hand, synthetic leather fourchettes.

Series #	Size
PD2903	M - XXL



Memphis Orange Kevlar® Black Dupont™ Kevlar®

13 gauge shell, nitrile foam coating, touch screen friendly, ANSI cut level 4.

Series #	Size
9178NF	XS - XXL

Forceflex®-Kevlar®

Palm w/EVA padding, injection molded TPR padding on the back of hand and fingers, neoprene slip-on cuff w/side flex panels, Reflexite micro-prismatic retro-reflective material on both sides of cuff. #HV200 : Insulated (40 gram Thinsulate®) with pocket in the cuff for heat pack.

Series #	Size
HV100	M - XXXL
HV200	M - XXXL



Black Dupont™ Kevlar®

Sleeve-18", thumb slot, ANSI cut level 3.

Series #	Size
9178T	XS - XXL



Safety Gloves

White premium grain poat palm, limited flammability hi-vis lime spandex back, black TPR cage on back of hand and fingers, 3" neoprene cuff with reflective square on inner wrist.

Series #	Size
970	



Memphis UltraTech HPT®

Blue nylon shell, black HPT coating on palm and fingers, CE score 4131.

Series #	Size
9699	M - XXL

UltraTech® Pro BNF

13 gauge gray nylon shell with black BNF (breathable nitrile foam) coating on palm and fingers.

Series #	Size
W9610P	S - XL



Memphis Foam Nitrile

Gray nylon shell, 13 gauge, black foam nitrile coated palm and fingers, CE score 4121.

Series #	Size
9673	S - XL

UltraTech® Pro BNF

13 gauge black polyester shell, black PU coated palm and fingertips.

Series #	Size
96699	XS - XXL



Vendor Code: MCRSAF



Memphis Cut Pro™

13 gauge salt and pepper HPPE shell, black polyurethane coated palm and fingers, CE score 4343, ANSI cut score 2.

Series #	Size
92723PU	XS - XXL

93860



Memphis Hero™

7 gauge (#93860 and #93861) or 13 gauge (#93840) regular weight Kevlar®/Stainless Steel/Nylon shell (#93860 and #93861), Spandex shell (#93840), Leather palm (#93861) ANSI cut level 4.

Series #	Size
93860	XS - XL
93840	XS - XL
93861	S - XXL

93840



93861



Safety Glove

7 gauge 100% Dupont™ Kevlar® fibers, plain shell, regular weight, ANSI cut level 2.

Series #	Size
9370	S - XL



Safety Sleeve

Kevlar® 10" plain sleeve, no thumb slot, ANSI cut level 3.

Series #	Size
9371E	O/S



Safety Sleeve

Kevlar® 18" sleeve with thumb slot, 100% Kevlar®. ANSI cut level 3.

Series #	Size
9378T	O/S

Safety Glove

Economy grade, unlined cowhide driver, straight thumb, shirred elastic back.

Series #	Size
3202	S - XXL



Safety Glove

Black grain pigskin on palm and fingertips, Hi-Vis orange mesh back with lime retro-reflective material, knit wrist, wing thumb, insulated (Thermosock lined®).

Series #	Size
34411	S - XL



Safety Glove

Economy patch palm, 2.5" rubberized safety cuff, knuckle strap, wing thumb, fleece palm lining, canvas back.

Series #	Size
1931	L



Big Jake®

A+ side leather, sewn with Kevlar®, 8 oz. jersey palm lining, 2.75" safety cuff, knuckle strap, canvas back, CE score 4243.

Series #	Size
1700	S - XXL



Safety Glove

Industry grain leather, 2.5" rubberized safety cuff, canvas back, knuckle strap, fleece palm lining.

Series #	Size
1930	S - XL





Vendor Code: MECWEA



THE ORIGINAL® Glove

Flexible thermal plastic rubber wrist closure increases flexibility and adds protection and a secure fit. Clarino synthetic leather meets two-way stretch spandex for the ultimate in comfort and dexterity. Multi purpose, automotive maintenance and repair, equipment operation

Series #	Size	Color
MG-02	S - 2XL	Red
MG-03	S - 2XL	Blue
MG-05	XXXS - 3XL	Black



THE M-PACT® Glove

Impact Guard™ index finger replaces molded TPR for more dexterity when using hand tools. High impact PORON® XRD is used to absorb more shock and vibration than ever before. Automotive maintenance and repair, equipment operations, home improvement, towing and transportation.

Series #	Size	Color
MPT-03	S - 2XL	Blue
MPT-51	S - 2XL	Black/Yellow
MPT-52	S - 2XL	Black/Red
MPT-58	S - 2XL	Black



SAFETY M-PACT® Glove

Extended knuckle guard design continues coverage to fingertips for excellent pinch point protection. Anatomically patterned EVA foam palm panels for anti-vibration and hi-viz colouration adds increased safety. Safety operations, maintenance and repair, heavy equipment operation.

Series #	Size	Color
SMP-91	S - 2XL	Hi-Viz Yellow
SMP-99	S - 2XL	Hi-Viz Orange

SAFETY M-PACT® ORHD Glove

Top of hand foam padding with integrated rubber molded exoskeleton extended from fingertip to wrist. Dual layer rubberized grip and synthetic leather palm with EVA foam heel pad for excellent anti-vibration. Oil rig/refinery work, safety operations, towing & transportation, heavy equipment operation.

Series #	Size	Color
SHD-91	S - 2XL	Black/Hiviz Yellow



M-PACT® 2 Glove

Accordion design with dense EVA foam padding reduces impact. Rubberized grip panels on thumb, fingertip and palm improve control. Automotive, heavy construction, oil & gas exploration, mining, logging, towing & transportation.

Series #	Size	Color
MP2-02	S - 2XL	Red
MP2-03	S - 2XL	Blue
MP2-05	S - 2XL	Black



SAFETY FASTFIT® Glove

Day-Glow two-way stretch Spandex offers excellent visibility in low or no light conditions. Reflective strip panel across top of hand for added visibility and easy on/off cuff. Safety operations, maintenance, auto repair, assembly, manufacturing.

Series #	Size	Color
SFF-91	S - 2XL	Hi-Viz Yellow
SFF-99	S - 2XL	Hi-Viz Orange





Vendor Code: YOUNGLO

Anti-Vibe XT

Reduces vibration. Featuring strategically placed 5.0mm memory foam throughout the palm and thumb, along with a 360° wrist wrap to relieve tension in the hand, arm, and joints. Non-slip reinforcement for grip and protection in critical wear areas.

Pneumatic Tools / Outdoor Power Equipment / Arbor / Landscape / Construction / DOT / Industrial / Machine Operation

Series #	Size	Color
03-3200-78	S- 2XL	Grey

General Utility Lined With Kevlar®

Youngstown's original Kevlar® lined performance work glove. Features non-slip reinforcement, and a cut-resistant liner made of DuPont Kevlar® fiber. Rates cut performance level 3 on ANSI/ISEA 105-2005 standard. Extremely durable. Very popular.

Construction / Utilities / Utility 'Underground' / Industrial / Military / Arbor / Landscape / HVAC / Farm & Ranch / Recycling / Refinery / Basically it's good for nearly everything!

Series #	Size	Color
05-3080-70	S- 2XL	Grey

Leather Utility Plus

An arc rated (20.8 cal/cm²; HRC 2), high quality goat-skin glove. The ergonomic, 3D glove pattern promotes superior dexterity and durability. 4" safety cuff for increased wrist protection.

Utilities / Linemen / Oil & Gas / Telecommunications / CATV / Industrial / Electrical / Ground Work / Pole Climbing / Racking / Thermography / Switching

Series #	Size	Color
11-3245-60	S- 2XL	Brown

FR Waterproof Leather Utility

100% waterproof. Cut resistant level 2 on ANSI/ISEA 105-2005 standard ; Flame resistant ASTM F2302 & D6413 standard. Arc rated : 50 cal/cm2 (HRC4)

Series #	Size	Color
11-3285-60	S- 2XL	Brown

Mechanics Plus

A comfortable, high-dexterity performance work glove. Washable. Featuring a terry cloth thumb for wiping away sweat and debris, adjustable velcro closure with ID tag, and a one layer synthetic suede palm with comfortable palm padding.

Auto / Industrial / DIY / Construction / Plumbing / Machine Operation

Series #	Size	Color
06-3020-60	S- 2XL	Blue

General Utility Plus

Youngstown's #1 glove. All-purpose & abrasion resistant. Featuring non-slip palm coverage for increased durability and grip, non-slip saddle protects critical wear areas, plus a comfortable and supportive neoprene cuff with adjustable velcro closure. Also available in high-visibility, safety lime version.

Construction / Industrial / Arbor / Electrical / DIY / Farm & Ranch / Landscape / Rugged Applications

Series #	Size	Color
03-3060-80	S- 2XL	Black

Carpenter Plus

Dexterity equals safety. Featuring shortened fingers and thumb for true fingertip dexterity. Ideal for handling nails, screws, wires, and other small items. Directional top of hand wicks away heat & moisture.

Auto / Electrical / Carpentry / Framing / Construction / Fishing / Woodwork

Series #	Size	Color
03-3110-80	S- 2XL	Grey

The Titan

A high visibility, heavy duty performance glove. Features TPR smash and pinch protection throughout the top of glove. Reflective 3M Scotchlite™ on knuckle. Also available with Kevlar®, cut level 3 ANSI/ISEA 105-2005 standard. (09-9083-10)

Series #	Size	Color
09-9060-10	S- 2XL	Green
09-9083-10	S - 2XL	Green



Vendor Code: IMPPRO

Anti-Impact Glove



IMPACTO® Gel Work Glove. Terry cloth back and thumb. Spandex back. Black leather palm. Gel padding in the palm and index finger. Wrist tab with hook and loop closure. Material handling, general work glove. Provides abrasion and impact protection.

Series #	Size	Color
400-00	S - XL	Black, Blue, Grey

Anti-Vibration AVPRO

IMPACTO® Anti-Vibration Mechanic's style Glove. Full finger style provides maximum hand protection. Padded with patented foam technology in the palm, fingers, thumb and thumb/web area to help prevent Hand-Arm Vibration syndrome (HAVS) and White Finger Disease. Meets ANSI 10819 standard. Non-slip textured palm with elasticized back. Elastic wrist with adjustable hook and loop closure.



Series #	Size	Color
AV759030	M	Black
AV759040	L	Black
AV759050	XL	Black



Anti-Impact Glove

IMPACTO® Anti-Impact Half Finger Glove. Nylon Lycra® back with soft pearl leather palm. Impact absorbing Viscolas® padding in the palm. Adjustable hook and loop wrist closure. Provides protection from impact and shock.

Series #	Size	Color
401-30	S - XL	Black, White

Anti-Vibration Air Glove

IMPACTO® Anti-Vibration Mechanic's style Air Glove®. Full finger style provides maximum hand protection. Helps prevent Hand-Arm Vibration syndrome (HAVS) and White Finger Disease. Utilizes patented Air Glove® technology in the palm, fingers and thumb. Meets AV standard 10819. Synthetic leather with mesh back, anti-slip palm patches, adjustable hook/loop wrist closure.



Series #	Size	Color
BG408	M - XL	Black

Anti-Impact Glove Liner

IMPACTO® Anti-Impact Glove Liner. Fingerless four-way stretch polycotton Lycra glove liner. Contoured Viscolas® padding in the palm. Recommended to be worn under work glove. Provides impact and vibration protection.



Series #	Size	Color
501-00	S - XL	Blue

Anti-Impact Glove With Wrist Support

IMPACTO® Ergotech Glove with wrist support. Made of Nylon Lycra Spandex with black suede leather patch. Half finger provides finger dexterity. Sorbothane palm padding protects from impact and vibration. Elastic wrist support protects from repetitive strain injuries.



Series #	Size	Color
ER509	S - XL	Blue, Black

Anti-Vibration Carpal Tunnel Glove



IMPACTO® Carpal Tunnel Glove. Full finger for optimum hand protection. Utilizes patented Shock-Tek technology. Durable all cowhide leather. Unique channel over the carpal tunnel keeps pressure off the median nerve. Visco-elastic polymer padding, precision. Protects from impact and vibration.

Series #	Size	Color
ST5010	M - XL	Yellow



Vendor Code: IMPPRO

Anti-Vibration Glove

IMPACTO® BLACKMAXX Vibration Reducing Glove. Offers a cost effective solution for vibration protection. Nylon/cotton knit seamless material ensures stretch and breathability. Coated with "pods" of lightweight cellular Chloroprene. Uses encapsulated air to cushion and dampen vibration giving the user optimum dexterity with a lightweight feel.



Series #	Size	Color
4731	M	Black, White
4732	L	Black, White
4733	XL	Black, White

IMPACTO® BLACKMAXX Touch

4746	M	Black
4747	L	Black
4748	XL	Black



Anti-Vibration Anti-Slash Glove

IMPACTO® BLACKMAXX BLADE Vibration Reducing Glove. Made of 60% KEVLAR® and 40% cotton seamless knit material (7 gauge liner) to incorporate excellent Protection from slash injuries. Coated with "pods" of lightweight cellular Chloroprene. Uses encapsulated air to cushion and dampen vibration giving the user optimum dexterity with a lightweight feel.



Series #	Size	Color
4740	M	Yellow,Black
4741	L	Yellow,Black
4742	XL	Yellow,Black

BlackMaxxPro Glove

IMPACTO® BLACKMAXX Vibration Reducing Glove. Offers a cost effective solution for vibration protection. Nylon/cotton knit seamless material ensures stretch and breathability. Coated with "pods" of lightweight cellular Chloroprene. Uses encapsulated air to protect from impact and vibration. Meets ISO 10819 standard.



Series #	Size	Color
4737	M	Black
4738	L	Black
4739	XL	Black

Oil And Water Resistant Glove

IMPACTO® DRYRIGGER Oil and Water Resistant Gloves. Help prevent hairline fractures, bruising and pinched fingers; protect the hand and fingers from impact and abrasion; designed to ensure excellent dexterity, fit and comfort. Heavy duty TPR on back of the hand, across the knuckles and fingers protects against bruises & bumps. Hi-vis laminated back fabric and Ultra Suede palm repels oil & water. Under layer of PVC nitrile offers an extra barrier of protection in oily conditions. Silicone dots on the palm & fingertips provide excellent grip. KEVLAR thumb web. Neoprene wrist.



Series #	Size	Color
WGRIGG	S- 3XL	Black, Yellow



Vendor Code: IMPPRO

Hard Shell Kneepad

IMPACTO® Hard Shell Kneepads. Ribbed flat kneeling surface. Premium molded foam is toxin free. Breathable Coolmax® inner lining. Dual elastic straps with hook and loop closure. Replacement straps available, #825-STRAPS. Made with 100% PVC-Free materials. Protects from abrasion and cumulative trauma.

Series #	Size	Color
825-00	One size	Black

Steel Toe Cap

IMPACTO® TURBOTOE Steel Toe Cap. Protects the toe area from accidental impact, crushing or stubbing. Made of flexible, pliable PVC. Treads under sole to prevent slipping and help liquid flow away from the foot. Perfect for visitors and temporary workers. Certified Satra CE and CSA certified. Steel toe complies with Impact and Compression Resistance, 75lb Rating; ASTM F2412-11/F2413-11.

Series #	Size	Color
TTCSA	XS-XXXL	Match size

Fire Retardant Kneepad

IMPACTO® Heavy-Duty Kneepads. Made with premium molded foam. Breathable Coolmax® inner lining. Single, replaceable elastic strap with hook and loop closure. Made with 100% PVC-Free materials for a clean environment. Replacement straps available. Protects from abrasion and cumulative trauma.

Series #	Size	Color
840-00	One size	Black

ENERGYSOCK

IMPACTO® NRG SOCK PR ENERGY COMPRESSION SOCKS, ANTIFATIGUE, MEDIUM GRADE 15-20MMHG, SHOE MEN 7.5-10

Series #	Size	Color
NRG SOCK	M-XL	Black, Red

Kneepad Gel

IMPACTO® Gel kneepads. Honeycomb GEL padding. Sewn-on cover helps prevent debris from entering. Patented co-polymer raised cover. Unique inner elastic sleeves help keep kneepad in place. Adjustable dual straps with hook and loop closures. Protects from abrasion and cumulative trauma. 100% PVC free.

Series #	Size	Color
864-00	One size	Black, Clear

Wrist Support

IMPACTO® Thermo Wrap wrist support. Designed to help prevent wrist Repetitive Strain Injuries (RSI) such as Carpal Tunnel Syndrome (CTS) or Tendonitis. Natural heat therapy aids in the prevention, treatment and rehabilitation of sports injuries, arthritic conditions. Loops over thumb with adjustable hook and loop closure.

Series #	Size	Color
TS226	XS/S, M, L/XL	Charcoal

Anti-Fatigue Insole

IMPACTO® Anti-Fatigue Aisol Insoles. Open-cell structure engineered for greater resiliency, breathability and reducing heat build up. Top layer provides constant cushioning and even distribution of weight to protect pressure points. Protects from fatigue and pain in the legs, knees, back and feet. Used with closed shoes and boots.

Series #	Size	Color
ASMOLD	A,B,C/E,D/F,G,H	green, grey

Anti-Fatigue Insole

IMPACTO® Ultra Work Sport Insole. Molded, cupped heel and molded arch for stability along with Sorbothane inserts. Works well with athletic shoes, work shoes and boots. Antibacterial soft fabric cover wicks away moisture. Ergonomically designed to provide cushioned support and shock absorbing comfort. Versatile, lightweight insoles provide arch support, comfort and shock protection. Help protect against back and knee pain and foot injuries such as plantar fasciitis.

Series #	Size	Color
ERINWRK	A,B,C/E,D/F,G	Blue, Orange

Impacto MAT5000

IMPACTO® Mat. Heavy resilient closed-cell 1" foam kneeling mat with built-in convenient handle. Designed for severe kneeling conditions such as steel, concrete, gravel, grating, wet surfaces, dirt and mud. Standing mat also available with same technology.

Series #	Size	Color
MAT5000	4x6in	Black
MAT5020	16x28in	Black
MAT5030	18x36in	Black

Sizing A:W5-6.5, B:W7-8.5, C/E:M7-8.5,W9-10.5 D/F: M9-10.5, W11-12.5, G:M11-12.5, H:M13-14

ProFlex® Certified Lightweight Anti-Vibration Glove



Unique chloroprene rubber palm pad combined with lightweight, breathable cotton/nylon knit. ANSI S2.73/ISO 10819.

Serie #	Size
16453	Medium
16454	Large
16455	X Large



Vendor Code: ERGODY

ProFlex® Heavy-Duty Utility Gloves



Superior protection for the skilled professional. Padded palm with Tena-Grip™ reinforcement. Neoprene knuckle pad.

Serie #	Size
17042	Small
17043	Medium
17044	Large
17045	X Large
17046	XX Large

ProFlex® Standard Utility Gloves



All-purpose protection, dexterity and comfort. Durable synthetic leather palm with reinforced thumb saddle wear area. Breathable poly mesh construction.

Serie #	Size
17172	Small
17173	Medium
17174	Large
17175	X Large
17176	XX Large

ProFlex® 817 Thermal Utility Gloves



40g 3M™ Thinsulate™ insulation. Double reinforced synthetic leather palm. Padded spandex back and neoprene knuckle pad. Low-profile hook and loop closure with pull-on tab. Terry thumb brow wipe.

Serie #	Size
17352	Small
17353	Medium
17354	Large
17355	X Large
17356	XX Large

ProFlex® 817WP Thermal Waterproof Utility Gloves



40g 3M™ Thinsulate™ insulation. Water and windproof, breathable insert liner. Double-reinforced synthetic leather palm. Padded spandex back and neoprene knuckle pad. Low-profile hook and loop closure with pull-on tab. Terry thumb brow wipe.

Serie #	Size
17372	Small
17373	Medium
17374	Large
17375	X Large
16336	XX Large

ProFlex® Nitrile-Dipped Dorsal Impact-Reducing Gloves

Patented dorsal protection with the exceptional gripping ability of a foam nitrile palm.



Serie #	Size
17002	Small
17003	Medium
17004	Large
17005	X Large
17006	XX Large

ProFlex® Cut-Resistant Nitrile-Dipped DIR Gloves

Patented dorsal protection on a cut-resistant HPPE seamless knit glove with super-durable gripping sandy foam nitrile palm.



Serie #	Size
17092	Small
17093	Medium
17094	Large
17095	X Large
17096	XX Large



Vendor Code: DSISAF



GRIPPAZ series 246 : 24 cm x 6 mil

Ambidextrous powderless nitrile gloves available in black or orange. In boxes of 50 gloves (99-1-6000B or 99-1-6100B) or in hang bags of 10 gloves (99-1-6000P or 99-1-6100P). Front and back scaled grip. 100% Nitrile – no latex. Good chemical resistance. Excellent grip: dry, wet or slightly oily, Ideal for the automotive trade, manufacturing, agriculture or general use.

Series #	Size	Color
99-1-6000B	S - XXL	Black
99-1-6000P	S - XXL	Black



GRIPPAZ series246 : 24 cm x 6 mil

Ambidextrous powderless Nitrile gloves available in black or orange. In boxes of 50 gloves (99-1-6000B or 99-1-6100B) or in hang bags of 10 gloves (99-1-6000P or 99-1-6100P). Front and back scaled grip. 100% Nitrile – no latex. Good chemical resistance. Excellent grip: dry, wet or slightly oily, Ideal for the automotive trade, manufacturing, agriculture or general use.

Series #	Size	Color
99-1-6100B	S - XXL	Orange
99-1-6100P	S - XXL	Orange



GRIPPAZ series246 : 24 cm x 6 mil

Ambidextrous powderless nitrile gloves. In boxes of 50 gloves Front and back scaled grip. 100% Nitrile – no latex. Good chemical resistance. Excellent grip: dry, wet or slightly oily, Ideal for the automotive trade, manufacturing, agriculture or general use.

Series #	Size	Color
99-1-6200B	S - XXL	Blue



Vendor Code: BESGLO



N-Dex Plus

Class 2 Medical
100% Nitrile gloves (blue),
Powder free,
8 mil, 9.5"(24cm) rolled cuff

Series #	Size	Color
8005PF	S - XL	Blue

Nitri-Care

4-mil thick, 9.5" long,
100% Nitrile,
powder free,
Class II Medical device,
rolled cuff

Series #	Size	Color
3005PF	S - XL	Blue



N-Dex Original

Biodegradable
100% nitrile gloves (green),
Powder free,
4 mil, 9.5" (24 cm) rolled cuff

Series #	Size	Color
6110PF	XS - XXL	Green

Nitri-Solve

Unsupported 100% Chlorinated nitrile
Flock lined, 13" (33 cm), 15 mil, green, bisque

Series #	Size	Color
730	XS - 2XL	Green



N-Dex Original

4-mil thick, 9.5" long,
100% Nitrile,
accelerator free,
powder free,
Class II Medical device,
rolled cuff

Series #	Size	Color
7005	XS - XL	Blue

Nitri-Solve

100% nitrile
15-mil thick
13" (33 cm) long
Chlorinated

Series #	Size	Color
737	XS - 2XL	Green



NightHawk

4-mil thick, 9.5" long,
100% Nitrile disposable glove,
accelerator free,
powder free,
rolled cuff

Series #	Size	Color
7700PFT	S - XL	Black

HAND PROTECTION AND OTHERS



Vendor Code : RONDIS

Univet 553Z Safety Glasses



Patented temples facilitate wearing with hearing protection, Light and handy, weighs only 19 g, Flexible and shaped temples for optimal comfort, Meets or exceeds CAN/CSA Z94.3-07. Packaging: 10 glasses per box.

Series #	Style
553Z.01.00.00	Clear/Anti-Fog
553Z.01.02.05	G15/Anti-Fog

Univet 6X3 Safety Goggles



Panoramic lens can be worn over prescription glasses, Facial support compatible with half masks, Additional face shield available, Double anti-fog & anti-scratch protection, Meets or exceeds CAN/CSA Z94.3-07. Packaging: 5 goggles per box or 20 face shields per box.

Series #	Style
6X3.00.00.00	Clear Goggles UDC
6X3F.01.00	Light Smoke Face Shield

easy breezy

Bouffant Caps



Non-woven polypropylene with latex free elastic band, Breathable material for maximum comfort, Available in a variety of colours for HACCP compliance. Packaging: 1000 bouffants per case.

Series #	Color	Size
170-18	White	18", 21", 24"
170G-18	Green	18", 21", 24"
170B-18	Blue	18", 21", 24"
170Y-18	Yellow	18", 21", 24"
170R-18	Red	18", 21", 24"

Sentron™ Nitrile Disposable Gloves, 6 mil



Highly resistant to hydrocarbon oils, fats, detergents and solvents, Superior strength and elasticity, 100% powder free and latex free, Colour: Black. Packaging: 1000 gloves per case or *900 gloves per case

Series #	Size
962	S-XXL

Nitech® Nitech® Disposable Gloves, 5mil

Patented blend of premium quality synthetic materials, Available with EDT (Easy Donning Technology) that facilitates donning of gloves in moist and wet environment, 100% powder free and latex free, Colour: Blue. Packaging: 1000 gloves per case or *900 gloves per case



Series #	Size
365	S
375	M
385	L
395	XL
395XX	*XXL

PVC CoPolymer Gloves

Softest PVC gloves in the market, Wet / dry / light oil grip, Heavy-duty chemical resistance, Available in cotton interlock liner or fleece lined for cold protection up to -30°C, Colour: Blue. Packaging: 72 pairs per case.

Integra



Series #	Lining	Size
79-325-08	Cotton Interlock	M
79-455-08	Fleece Liner	M
79-325-09	Cotton Interlock	L
79-455-09	Fleece Liner	L
79-325-10	Cotton Interlock	XL
79-455-10	Fleece Liner	XL
79-325-11	Cotton Interlock	XXL
79-455-11	Fleece Liner	XXL



Polypropylene Coverall

With Hood, Elastic Wrist & Ankle, Zipper Closure, Dry particulate protection, Lightweight, breathable, and comfortable. Packaging: 25 coveralls per case.

COVERME™



Series #	Color	Size
44-140	White	M-3XL
44-145	Blue	M-3XL

Neoprene Apron

Made with 20 mil neoprene for excellent strength and durability, Good fluid / chemical / solvent resistance, Colour: Yellow. Packaging: 12 aprons per case

COVERME™



Series #	Size
42-374	One size

Grease Monkey

Black nitrile, powder-free, 5 mil thickness, 9.5" rolled cuff, CFIA approved, 100 gloves/dispenser.

Series #	Size	Color
5554PF	M - XXL	Black



Vendor Code: WATGLO



Grease Monkey

Black heavyweight nitrile, powder-free, 8 mil thickness, 11" rolled cuff, CFIA approved, 50 gloves/dispenser.

Series #	Size	Color
5555PF	M - XXL	Black



Monkey Wrench

Black heavyweight nitrile, powder-free, 8 mil thickness, sure-grip textured pattern, 50 gloves/dispenser.

Series #	Size	Color
5558PF	M - XXL	Black



Monkey Wrench

Orange heavyweight nitrile, powder-free, 6 mil thickness, 9.5" rolled cuff, sure-grip textured pattern, 50 gloves/dispenser.

Series #	Size	Color
5557PF	M - XXL	Orange





Vendor Code: WATGLO



Yardbird

Microfibre palm, spandex back, palm patches, thumb saddle, terry brow wipe, "Be safe, be seen" with hi-vis reflective fingertips, slip-on style cuff with secure Velcro® closure.

Series #	Size	Color
1095	M - XL	Black



Shank

Microfibre palm with palm patches, spandex and air-flow mesh back, texturized PVC thumb saddle, heavy duty rubber on fingers, thumb and knuckle bar, "Be safe, be seen" with hi-vis orange and reflective fingertips, slip-on style neoprene cuff.

Series #	Size	Color
1010	S - XXL	Orange



Hardtime

Microfibre palm, sure-grip PVC palm and thumb saddle, spandex back, heavy duty rubber on knuckle bar, fingers and thumb, rubber pulse protector / ID tag, "Be safe, be seen" with hi-vis orange and reflective fingertips, snug-fitting shirred elastic wrist with slip-on style cuff.

Series #	Size	Color
1033	M - XL	Orange

Breakdown

Cut Level 5, Ax Suede Deuce microfibre palm and hooded fingertips, aramid fibre, silicone printed palm, spandex back, texturized PVC thumb saddle, heavy duty rubber on knuckle bar, fingers and thumb, neoprene cuff with secure Velcro® closure.



Series #	Size	Color
1051	S - XXL	Black

Prospect

Split cowhide leather, cotton jersey shell, flame resistant heavy duty rubber on knuckle bar, reinforced welted seams, wing thumb, stitched with Kevlar® thread, gauntlet style cuff.



Series #	Size	Color
2711	M - XL	Black

Hot Road

Full-grain goatskin leather, flame resistant heavy duty rubber on knuckle bar, pulse protection, welted seams, wing thumb, stitched with Kevlar® thread, 4.5" gauntlet style cuff



Series #	Size	Color
2713	M - XL	Black

Full Patch

Split cowhide leather back with smooth full-grain deerskin leather palm, cowhide leather back patch, flame resistant heavy duty rubber on knuckle bar, welted seams, straight thumb, stitched with Kevlar® thread, 5" gauntlet style cuff with leather gore.



Series #	Size	Color
2714	M - XL	Black/Brown



Fire Brand

Split cowhide leather, cotton fleece lining, gunn cut design with wing thumb, reinforced welted seams, stitched with Kevlar® thread, gauntlet style cuff.

Series #	Size	Color
9238	O/S	Red



Tigger

Split deerskin leather, clute cut design with straight thumb, leather reinforced thumb saddle and pulse protector, stitched with Kevlar® thread, gauntlet style cuff with leather gore, unlined.

Series #	Size	Color
2755	S - XL	Brown



Blue Steel

Split cowhide leather, cotton fleece lining, gunn cut design with wing thumb, reinforced welted seams, gauntlet style cuff.

Series #	Size	Color
2759	O/S	Blue



Gridlock

Ultimate needlestick, cut and puncture resistance, 4/8 Alycore configuration, heavy duty microfibre palm, palm patches, snug-fitting shirred elastic wrist, slip-on style cuff 034ALY24 - 2/4 Configuration.

Series #	Size	Color
034ALY48	M - XL	Black



Stealth Danger Zone

13gg P-aramid/modacrylic/steel/spandex shell, 3/4 nitrile foam coating, snug-fitting elastic knit wrist, ANSI A5.

Series #	Size	Color
911	M - XL	Black



Vendor Code: WATGLO

Stealth Desert Storm

Kevlar® seamless knit shell, ultra strong nitrile coating, snug-fitting wrist, ANSI A2.

Series #	Size	Color
352	S - XXL	Yellow



Stealth Dynamo !

HPPE fibre seamless knit shell, sure-grip foam nitrile coating with textured finish, snug-fitting knit wrist, CFIA approved, ANSI A2.

Series #	Size	Color
353	S - XXL	Grey/Black



Stealth Dog Fight

HPPE fibre seamless knit shell, "Be safe, be seen" with hi-vis safety yellow, sandy nitrile coating, ergonomically formed, extended snug-fitting knit wrist, ANSI A4.

Series #	Size	Color
357	S - XXL	Grey/Yellow



Stealth Stinger

15gg fine gauge HPPE/nylon/glass/Lycra seamless knit shell, polyurethane coating, snug-fitting knit wrist, ANSI A2.

Series #	Size	Color
359	M - XXL	Blue/Black





Vendor Code: BOBDAL



Welder glove standard grade leather with 5" split leather cuff. 2" cuff 60-1-1274-2.

Series #	Size	Color
60-1-1274	10 -12	Beige/Grey
60-1-1274-2	10 -12	Beige/Grey



Split leather welder glove. Full lined for more comfort and protection.

Series #	Size	Color
60-1-7803B	One size L	Blue
60-1-7803P	One size L	Pearl



1-finger style welder mitt. Standard grade leather for comfort and durability. Full lined for more comfort and protection. Welted thumb and finger tips.

Series #	Size	Color
60-1-7805P	One size L	Grey



Series #	Size	Color
60-1-1949-L	One size L	Black/White



Premium grade leather for comfort and durability. Backhand lined for added heat protection. Welted thumb and finger tips. Safety cuff for extra length and wrist protection.

Series #	Size	Color
64-1-888	One size L	Tan/Grey
64-1-888W	Women	Tan/Grey

Anti Cut Series WE300

- HPPE Grey Shell
- Grey PU palm
- ANSI Cut level 3
- 13 gauge

Series #	Size	Color
WE300	S - XXL	Grey

Winter Glove

- Nitrile foam palm
- Excellent dexterity in cold conditions
- Excellent grip in damp, oily or greasy conditions

Series #	Size	Color
NF11HD	S - XXL	Blue
NF35	S - XXL	Green

Stainless Steel Mesh Metal Glove

- Design for food industries
- Made of stainless steel won't rust
- Available with 3 and 5 fingers.

Series #	Size	Color
A515D	S - L	Metal

North Grip N®

PVC Coated Gloves

- PVC N-Tread coating has non-skid grip and outstanding abrasion resistance
- Seamless design does not chafe or tear, excellent dexterity
- Reversible PVC coating provides excellent grip and durability
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing

Series #	Size	Color
K511	Men's (M), Ladies' (S)	Natural, blue "N", reversible

Workeasy®

Value, Lightweight Dipped Gloves

- Economical without sacrificing quality
- 13 gauge lightweight polyester liners offer comfort and great tactile sensitivity
- Style # WE50 features an 18 gauge nylon liner for the ultimate tactile sensitivity and protects against incidental nicks and abrasions
- Soft, thin and flexible polyurethane or nitrile palm coatings

Series #	Size	Color
WE50	S-XL	gray thin-coat polyurethane
WE110	S-XXL	Black polyester liner w/black nitrile



by Honeywell

Vendor Code: NOSAPR



WE300



NF35



NF11HD



A515D



K511



WE50

WE110

PROTECTIVE CLOTHING



Vendor Code: CODET1

Low Rise Fit Work Pant

7.5 oz. Twill, 65% polyester, 35% cotton.

Long life dye. Permanent press. Brass zipper and Hook & eye front closure. 2 reinforced front pockets. 2 back welt pockets with loop and button closure on left side. High resistance thread. Bar-tacked at all stress points. Home wash. Made in Canada

Piece #	Size	Color
2947	28-60	Navy

Available in: nay, grn, cha, brn ,tan, blk, whi

Snap Work Shirt

6 oz. Twill, 65% polyester, 100% cotton

Banded collar with pelon & stays. Placket front with snap closure. 2 front chest pockets with flap and snap closure. Pencil division on both pockets. Cuffs with button closure Double back yoke. High resistance thread. Bar-tacked at all stress points. Also available with short sleeves #237. Home wash. Made in Canada

Piece #	Size	Color
247	(REG) S - 5XL (TALL) M - 5XL	Navy

Available in: nay, grn, cha, brn ,tan, blk



Regular Fit Work Pant

7.5 oz. Twill, 65% polyester, 35% cotton.

Long life dye. Permanent press. Brass zipper and Hook & eye front closure. 2 reinforced front pockets. 2 back welt pockets with loop and button closure on left side. High resistance thread. Bar-tacked at all stress points. Home wash. Made in Canada

Piece #	Size	Color
1947	28-64	Green

Available in: nay, grn, cha, brn ,tan, blk, whi

Button Up Work Shirt

6 oz. Twill, 65% polyester fiber, 35% cotton

Banded collar with pelon & stays. Placket front with button closure. 2 front chest pockets with flap and button closure. Pencil division on both pockets. Cuffs with button closure. Double back yoke. High resistance thread. Bar-tacked at all stress points. Also available with short sleeves #137. Home wash. Made in USA

Piece #	Size	Color
247	(REG) S - 5XL (TALL) M - 5XL	Navy

Available in: nay, grn, cha, brn ,tan, blk



Cargo Work Pant

8.75 oz. Heavy Duty Twill, 65% polyester, 35% cotton.

Long life dye. Permanent press. Brass zipper & button front closure. 2 reinforced front pockets. 2 back welt pockets with loop and button closure on left side. 2 large side pleated cargo pockets with flap and concealed button closure. High resistance thread. Bar-tacked at all stress points. Home wash. Made in Canada.

Piece #	Size	Color
3239	28-60	Black

Available in: nay, blk, cha, kaki

Deluxe Coverall with Reflective Material

7.5 oz. Twill, 65% polyester, 35% cotton

2 front chest pockets. Right front chest pocket has flap and snap closure. 2 slash pockets at waist. Side openings at waist. Snap closure on collar. Two-way zipper front & leg closure. Cuff with concealed snap closure. 2 large back pockets. Tool pocket on right leg. Hammer loop on left leg. Telescopic back. Bar-tacked at all stress points. Elastic on each side of waistband. 3M™ Scotchlite™ Reflective Material #9920 3/4" Silver Center Stitched Over 2 1/4" Fluorescent Lime-Yellow Grosgrain Material. Reflective Material Emplacement: two vertical strips on front, "X" on back, a horizontal strip around each leg and arm. Industrial wash. Made in Canada

Piece #	Size	Color
439BF	(REG) 36 - 60 (TALL) 38 - 60	Orange

Available in: nay, org



Colors

n a y , g r n , c h a , b r n , t a n , b l k , w h i , o r g



Vendor Code: CODET1



Low Rise Fit Work Pant

9 oz Westex UltraSoft®. Twill, 88% cotton, 12% nylon.

2 front slash pockets. 2 back welt pockets. Left back pocket has button closure. Concealed Nomex® taped brass zipper. Hook and eye front closure. 7 belt loops. Low rise. Permanent press. Bar-tacked at all stress point. DUAL-HAZARD: NFPA 70E / CSA Z462 / NFPA 2112. ARC RATED 12.4 cal/cm2. Category 2. Industrial wash. Made in Canada.

Piece #	Size	Color
2947US9	(REG) 28-60 (Inseam) 30-36 & unfinished	Navy

Available in: navy



Work Pant Regular Fit

9 oz Westex UltraSoft®. Twill, 88% cotton, 12% nylon.

2 front slash pockets. 2 back welt pockets. Left back pocket has button closure. Concealed Nomex® taped brass zipper and button front closure. Fits at waist. Relax seat & thighs. 7 belt loops. Bar-tacked at all stress point. Permanent press. DUAL-HAZARD: NFPA 70E / CSA Z462 / NFPA 2112. ARC RATED 12.4 cal/cm2. Category 2. Industrial wash. Made in Canada.

Piece #	Size	Color
TX1431US9	(REG) 28-60 (Inseam) unfinished	Navy

Available in: navy, kaki

Dress Shirt

7 oz Westex UltraSoft®. Twill, 88% cotton, 12% nylon.

Placket front with button closure. Button down collar. 2 front chest pockets with flap and button closure. Pencil division on both pockets. Double back yoke. Bar-tacked at all stress points. Cuffs with button closure. DUAL HAZARD: NFPA 70E / CSA Z462 / NFPA 2112. ARC RATED 8.7 cal/cm2. Category 2. Industrial Wash. Made in USA.

Piece #	Size	Color
TX1431US9	(REG) S - 5XL (TALL) M - 5XL	Kaki

Available in: navy, kaki, lbi, blr, red, ora, cha, grn

Food Processing Shirt

7 oz. Westex UltraSoft® Twill, 88% cotton, 12% nylon

No pockets. Concealed snap front and cuff closure. Banded collar with stays. Double back yoke. Bar-tacked at all stress points. Regular fit. NFPA 70E / CSA Z462. ARC RATED 8.7 cal/cm2. Category 2. Industrial Wash. Made in Canada.



Piece #	Size	Color
105SUS7	(REG) S - 5XL (TALL) M - 5XL	Navy

Available in: navy

n a y , g r n , c h a , b r n , t a n , b l k , w h i , o r g



Unlined Work Coverall with reflective material

9 oz. Westex UltraSoft® Twill, 88% cotton, 12% nylon

2 front chest pockets. Left front chest pocket has flap and concealed snap closure. Pencil division on left chest pocket. 2 slash pockets at waist. Side openings at waist with concealed snap closure. 2 large double stitched back pockets. Left back pocket has concealed snap closure. Tool pocket on right leg. YKK® #5 Concealed Nomex® taped two-way brass zipper and snap front closure. YKK® Nickel plated brass snaps. Cuff with concealed snap closure (All snaps are covered with material). Telescopic back. Bar-tacked at all stress points. Industrial Wash. This Scotchlite™ pattern meets the requirements of CSA Z96 Class 1 / Level FR. NFPA 70E / CSA Z462 / NFPA 2112. ARC RATED 12.4 cal/cm2. Category 2. Made in Canada.



Piece #	Size	Color
105SUS7	(REG) S - 5XL (TALL) M - 5XL	Navy

Available in: navy, org, blr

Flashtrap vented coverall with reflective material

7 oz. Westex UltraSoft® Twill, 88% cotton, 12% nylon

Concealed Nomex® taped two-way zipper & snap front closure. 2 Front chest pockets with flap and concealed snap closure. Side openings at waist with concealed snap closure. 2 Slash pockets at waist. 2 Large double stitched back pockets. Left back pocket has concealed snap closure. Double stitched on waistband. Concealed snap closure at wrist. Bar-tacked at all stress points. Telescopic back. Features Patent Pending specially designed Vented Traps located vertically along each side of the back and horizontally at the back of each knee. The fashion in which the Vented Traps are constructed includes a layer of folded FR fabric combined with an interior layer of FR mesh that is 100% Modacrylic. This design does not expose your skin. Industrial Wash. This Scotchlite™ pattern meets the requirements of CSA Z96 Class 1/Level FR. NFPA 70E / CSA Z462 / NFPA 2112. ARC RATED 8.7 cal/cm2. Category 2. Industrial Wash. Made in Canada.



Piece #	Size	Color
1155US7	(REG) S - 5XL (TALL) M - 5XL	Grey

Available in: navy, kaki, gry, blr, ora



Vendor Code: JARIMP

Ultra-Cool, Ultra-Breathable Safety T-Shirt

Ultra-breathable and moisture-wicking CoolPass® fabric. Cool and breathable zebra-style reflective tape. CSA Z96-09 Class 2 Level 2. UPF 50+ UV protection. Reflective patch on each sleeve Rib V-neck.



Series #	Size	Color
V1052150	S - 4XL	Hi-Viz Orange
V1052160	XS - 4XL	Hi-Viz Yellow
V1052250	S - 4XL	Hi-Viz Orange
V1052260	XS - 4XL	Hi-Viz Yellow

Waterproof/Breathable Hi-Viz Parka

Waterproof/Breathable 5000 mm/ 5000 g/m2. Premium 300 denier oxford polyester. CSA Z96-09 Class 2 Level 2 3M® Scotchlite™ reflective tape. Taped and heat sealed seams, waterproof pit zippers, detachable, adjustable drawstring hood, folds into fleece lined collar. Radio phone clip straps, 3 waterproof zip pockets: 2 chest, 1 sleeve, 2 large front zip cargo pockets. Inner placket cell phone pocket, inside zip pocket, adjustable drawstring waist and hem. Embroidery access zipper, two-way front zipper with brass snap placket. Comfort fleece collar and chin guard.



Series #	Size	Color
5200	S - 4XL	Orange
5201	XS - 4XL	Yellow/Green

Safety Poly/Cotton Coverall

65% polyester 35% cotton, 7 oz (230 GSM). CSA Z96-15 Class 1 Level 2. StarTech™ reflective tape. 22" boot access brass zippers. 2-way heavy-duty brass zipper. Adjustable snap wrists. 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool. 2 pass-through pockets. Action back and elastic waist.



Series #	Size	Color
V2020680	36-60 Reg	Navy
V202068T	40-60 Tall	Navy

Hi-Viz Lightweight Safety Jacket

150 denier PU coated polyester. 100% waterproof and windproof, CSA Z96-09 Class 2 Level 2 (Class 3 when worn combined with 5595/5597). 3M Scotchlite™ reflective tape, taped and heat sealed seams. liberal sizing. Multiple front and back vents. Fully mesh lined, adjustable wrists, 2 large front cargo pockets. Detachable and adjustable hood, folds into comfort fleece collar. Full front zipper with storm flap closure.



Series #	Size	Color
5594	XS - 5XL	Orange
5596	XS - 5XL	Yellow/Green

Hi-Viz Lightweight Safety Pant

150 denier PU coated polyester. 100% waterproof and windproof, CSA Z96-09 Class 2 Level 2 (Class 3 when worn combined with 5594/5596). 3M Scotchlite™ reflective tape, taped and heat sealed seams. liberal sizing. Elastic suspenders with quick-release clips. Boot access zippers with adjustable ankles. Fly access



Series #	Size	Color
5595	XS-5XL	Orange
5597	XS-5XL	Yellow/Green

Hi-viz Safety Vest with Snaps

Polyester mesh. CSA Z96-15 Class 2 Level 2. StarTech™ reflective tape. ID pocket. Snap button front. 5 point tear-away. Extra-comfortable tear-away chest panels. 2 flap pockets with hook and loop closure. 1 cell phone pocket on left chest. 3 pen slots on right chest D ring access slot.



Series #	Size	Color
V1021950	S - 5XL	Hi-Viz Orange
V1021960	S - 5XL	Hi-Viz Yellow

Hood

Series #	Size	Color
D8125HYG	Fit-All	Yellow/Green
D8125HJO	Fit-All	Orange

Hi-Viz Zipper Front Safety Vest

3.5 oz (120 GSM) tricot polyester. CSA Z96-15 Class 2 Level 2. StarTech™ reflective tape. Zipper front. 2 radiophone clip straps. 2 flap pockets with hook and loop closure. 1 cell phone pocket on left chest. 3 pen slots on right chest



Series #	Size	Color
V1022150	S - 5XL	Hi-Viz Orange
V1022160	S - 5XL	Hi-Viz Yellow



Vendor Code: JARIMP



Hi-Viz Reversible Fleece Lined Vest

300 denier oxford polyester, CSA Z96-09 Class 2 Level 2, 3M Scotchlite™ reflective tape. Reversible black fleece inner, Long back weather-protective tail, Cell phone pocket. Full front reversible zipper, Invisible embroidery access zipper, 2 zipper pockets and 2 slash pockets

Series #	Size	Color
6698	S - 3XL	Orange
6699	S - 3XL	Yellow/Green



Quilted Cotton Duck Safety Parka

100% cotton duck canvas, CSA Z96-09 Class 1 Level 2. Combined-performance retroreflective tape, brass zipper plus snaps closure, 5 storage pockets: 4 front, 1 inside chest. Drawstring waist and storm cuffs, button-on drawstring hood, 6 oz poly filling



Series #	Size	Color
V206038A	S - 4XL	Navy
V206037A	XS - 4XL	Black
V206035A	S - 4XL	Orange
V2060270	Hood O/S	Black
V2060280	Hood O/S	Navy
V2060250	Hood O/S	Orange



Quilted Duck Cotton Safety Overall

100% cotton duck canvas, CSA Z96-09 Class 1 Level 2, Combined-performance retroreflective tape. 2-way brass zipper closure. Adjustable elastic suspenders, 4 storage pockets: 2 front, 2 back. Elastic foot straps, Hip-to ankle brass zipper on each side, Hammer loop, Reinforced knees, 6 oz poly filling

Series #	Size	Color
5536	S - 4XL	Navy
5536BK	XS - 4XL	Black
5538	S - 4XL	Orange

Hi-Viz 100% Waterproof 6-In-1 Parka

300 denier PU coated oxford polyester, 5021BB – Inner and outer jackets CSA Z96-09 Class 2 Level 2 (Class 3 when worn combined with 5041BB), 5025 – Inner and outer jackets CSA Z96-09 Class 1 Level 2, 3M Scotchlite™ reflective tape. 100% waterproof and windproof all seams taped and heat sealed.



Series #	Size	Color
5021BB	XS - 5XL	Yellow/Green
5025	XS - 5XL	Black
5020BB	XS - 5XL	Orange

Hi-Viz 100% Waterproof Parka

450 denier oxford polyester with PU backing, CSA Z96-09 Class 2 Level 2 (Class 3 when worn combined with 5576 or 5578). 3M Scotchlite™ reflective tape, Optional 3-in-1 zip-in 6924 fleece liner (sold separately). 100% waterproof and windproof, Fully mesh lined, taped and heat sealed seams, two front pockets. Full front zipper with snap closure storm flap, detachable snap hood, Storm cuffs.



Series #	Size	Color
V1110250	S - 4XL	Orange
V1110660	XS - 4XL	Yellow/Green

Hi-Viz Polyester Fleece Hoodie

Premium polyester fleece, CSA Z96-09 Class 2 Level 2 (Class 3 when worn combined with 5576 or 5578). 3M Scotchlite™ reflective tape, zips into inner zipper on 5575 parka to make 3-in-1 jacket (sold separately). Detachable drawstring hood, elastic wrists and hem, two front slash pockets. Full front zipper, 2 radio phone clip straps.



Series #	Size	Color
6924	S - 5XL	Orange
6925	XS - 5XL	Yellow/Green
6925BK	S - 5XL	Black



Vendor Code: DISEUG



Duck cotton insulated parka with reflective stripes

Reflective stripes at the waist, at the back, at the chest and at the arms. Pre-shrunk 100% duck cotton 12 oz - firm hand. Insulated with 8 oz, 100% polyester, interlined with polar fleece facing. Water repellent. Removable hood made of pre-shrunk 100% duck cotton 12 oz - firm hand, insulated with 8 oz 100% polyester, interlined with polar fleece facing. Hood adjustment with drawstring. Hood adjustment inside the collar with elastic and loops with rustproof snaps closure. Insulated collar with flap and rustproof snaps. Long sleeves. Elastic cuffs. Two chest pockets with flap and hidden rustproof snaps closure. Two waist cargo pockets with flap and hidden rustproof snaps closure. Two slash pockets under the waist cargo pockets. One inside chest pocket. Two way brass zipper closure on the front with flap and hidden rustproof snaps closure. Adjustable waistband with drawstring. Knit elastic waistband at the back. High resistance thread. Reinforced at all points of strain. Compliant with CSA Z96-09 class 1 level 2. Becomes class 2 when worn as a suit. Compliant with ANSI / ISEA 107-2004.

Series #	Size	Color
70-510R	S - 5XL	Navy



Duck cotton insulated bib pants with zipper on the legs

Reflective stripes at the waist, at the back and at the legs. Pre-shrunk 100% duck cotton 12 oz - firm hand. Fabric insulated with 8 oz, 100% polyester, interlined with 100% nylon facing. Water repellent. Heavy duty suspenders adjustable with buckles. Two front pockets with flap and hidden rustproof snaps closure. Two large riveted rear pockets. Two way brass zipper closure on the front with flap and hidden rustproof snaps closure. Two way brass zipper closure on each leg with flap and hidden rustproof snaps closure. Knit elastic waistband at the back. Elastic foot stir-up. High resistance thread. Reinforced at all points of strain. Compliant with CSA Z96-09 class 1 level 2. Becomes class 2 when worn as a suit. Compliant with ANSI / ISEA 107-2004.

Series #	Size	Color
70-350R	S - 5XL	Navy

Unlined coverall with zipper on the legs

Reflective stripes at the waist, at the back, at the chest, at the arms and at the legs. Pre-shrunk 65% polyester - 35% cotton, 7 ¾ oz, procured. Permanent press. Two front chest pockets (The right pocket has a pencil slot and the left pocket has a flap and a rustproof snap button). Two swing pockets at the waist. Two rear pockets. One tool pocket on right leg. Two side openings. Long sleeves. Two rustproof snaps closure on collar. Two way brass zipper closure. Double stitch on waist band. High resistance thread. Reinforced at all points of strain.

Series #	Size	Color
70-301R	36 - 60 Regular	Navy
70-301RO	36 - 60 Regular	Orange Fluorescent





Vendor Code: DISEUG

Orange insulated coverall with zipper on the legs

Reflective stripes at the waist, at the back, at the chest, at the arms and at the legs. Pre-shrunk 65% polyester - 35% cotton, 9 1/2 oz, precured. Fabric insulated with 6 oz 100% polyester, interlined with 100% nylon facing. Treated with Teflon (DuPont) (Stain resistant and water repellent). Permanent press. Two front chest pockets (The right pocket has a pencil slot). Two swing pockets at the waist. Two rear pockets. Two side openings. Long sleeves. Two rustproof snaps closure on collar. Two way brass zipper closure. Double stitch on waistband. High resistance thread. Reinforced at all points of strain. Compliant with CSA Z96-09 class 3 level 2 and ANSI / ISEA 207 level 2.

Series #	Size	Color
70-311R	S - 5XL Regular	Navy
70-311RO	S - 5XL Regular	Orange Fluorescent
70-311ROT	L - 3XL Tall	Orange Fluorescent
70-311RT	L - 3XL Tall	Navy



Unlined Coverall with Reflective Stripes

Reflective stripes at the waist, at the back, at the chest, at the arms and at the legs. Double sewing on silver reflective stripe and on the yellow band. Pre-shrunk 65% polyester - 35% cotton, 7 3/4 oz, precured. Stain resistant. Permanent press. Two front chest pockets (The right pocket has a pencil slot and the left pocket has a flap and a rustproof snap button). Two swing pockets at the waist. Two rear pockets. One tool pocket on the right leg. Two side openings. Long sleeves. Two rustproof snap closure on the collar. Two way brass zipper closure. Double thickness of fabric at the waistband. High resistance thread. Reinforced at all points of strain.

CSA approved Z96-15 class 1 level 2. Compliant with ANSI / ISEA 107-2010 level 2.

Series #	Size	Color
70-305R4	36 - 60	Navy
70-305RT4	36 - 60	Navy



PROTECTIVE CLOTHING



Vendor Code: MCRSAF



Rain Suit

3 piece yellow suit, .35mm PVC on Polyester fabric, jacket with detachable hood, bib pants with fly, take-up snaps at ankles.

Series #	Size
2003	M - X5



Disposable Coverall

Fortress-disposable white coverall with elastic sleeves and ankles, attached hood, breathable anti-static material, premium protection for CE type 4, 5 and 6.

Series #	Size
RCF56P	M - X4



Coverall FR Stripes

Navy Blue Non-Insulated Flame Resistant deluxe coverall with X on back, ASTM F1506-08 Electric Arc Protection Standard, NFPA 70E-2012 Hazard Risk Category HRC2, Max Comfort™ 9oz. 88% cotton/12% nylon FR twill fabric, sewn with Aramid thread, FR yellow reflective tape.

Series #	Size
DC4B	Regular and Tall



Face Shield/Head Gear

Head gear with integrated face shield. Ratchet action adjustment with terry-cloth sweatband.

Series #	Color
104	Clear
105	Gray

Bomber Jacket

CSA, Class 2 4-in-1 polyester bomber plus jacket, zip-out fleece liner, detachable zip-off outer sleeves, roll-up hood, 2" silver reflective material, fluorescent lime.

Series #	Size
CBMRL	L - X4



Insulated Bomber Jacket

CSA, Class 2, bomber style insulated jacket, zipper front closure covered by snap storm fly, roll-up hood, 2" silver reflective material trimmed in fluorescent orange, jacket is fluorescent lime.

Series #	Size
WCBMRL	L - X4



Traffic Vest

CSA, Class 2, Tear-Away, 100% polyester mesh vest with hook and loop closures on side, shoulders and front. 2" silver reflective material, D-ring access slot on back, fluorescent lime or orange.

Series #	Size
CS2ML	M - X4
CS2MO	M - X5



Traffic Vest

CSA, Class 2, 100% polyester mesh safety vest with zipper front closure, 2" silver reflective material trimmed in fluorescent orange, D-ring access slot on back, fluorescent lime.

Series #	Size
WCCS2L	M - X4





Vendor Code: GROBBH



Freezer Jacket

Hi-Vis Band - 100% Polyester, 3 oz polyester insulation. Also available in hi-vis yellow and hi-vis orange.

Serie #	Size	Color
11-6505BK	S - XXXL	Black



BLAST Quilted Flannel Shirt

100% cotton flannel shell with polyester taffeta lining. Oxford reinforced shoulders, elbows, cuffs and tail. 2 chest pockets with flap and snap closure. 3 piece lined, removable hood. TERRA® brand embossed snaps. Locker loop inside back neck line.

Serie #	Size	Color
101203CGRN	M - XXL	Gray



Parka BOLT

100% polyester «Oxford» shell. Seam sealed and waterproof. 200 grams of polyfill insulation. Knitted storm cuff. Multi-pocket exterior design with inside storage. YKK metal zipper with storm flap. Reflective print on chest and back yoke

Series #	Size	Color
100306BK	M - TTG	Noir

Security Jacket TERRA

Hi-Vis TERRA jacket 7 in 1, waterproof polyester & polyurethane with seam sealed, CSA-Z96-15 Class 2 level 2 and ANSI/ISEA-107-2015 type R Class 3

Serie #	Size	Color
11-6501-YL	S - XXXL	Yellow
11-6501-OR	S - XXXL	Orange



Parka SPEED

10 ounce, 100% cotton canvas with Oxford accents, Quilted polyester lining, Gusseted back and shoulders for ease of movement. Reflective piping. Tail on back of jacket for extra coverage. Polar fleece lined removable hood with draw cord. Inside knit rib cuff. YKK metal zipper with hidden storm flap.

Serie #	Size	Color
100303BK	S - XXXL	Black



Quilted Flannel Shirt TERRA

10 ounce, 100% cotton canvas, 100% polyester, quilted lining. YKK metal zipper with inside storm flap. Pocket corners are reinforced with branded rivets for more durability. Front flap pocket for cell phone. High density TERRA® label on pocket flap. Inside pocket.

Serie #	Size	Color
100320CH	M - XXL	Gray



IMPULSE Lined Canvas Work Pant

10 ounce, 100% cotton canvas. Polar fleece lining. Gusseted crotch for ease of movement. Multi-compartment cargo pockets. Anti-slip waist band. Reflective piping and reinforced cuff.

Serie #	Size	Color
100109GY	32 - 42 Reg	Gray
100109GYT	32 - 42 long	Gray





Vendor Code: ERGODY

N-Ferno® Fleece Balaclava



Stretch fleece keeps head and neck comfortable.

Serie #	Color
16821	Black
16829	Lime

N-Ferno® Wind-proof Hinged Balaclava



Stretchable fleece with wind-resistant fabric covering the nose and neck for the ultimate in winter protection and comfort.

Serie #	Color
16823	Black
16833	Camo

N-Ferno® Hand and Toe Warming Packs



Self-contained packs add heat anywhere when exposed to air. Warms up to 8 hours.

Serie #	Description
16990	Hand
16992	Toe

N-Ferno® Full Foot Warming Pads



Self-contained packs for footwear add heat anywhere when exposed to air. Warms up to 7 hours.

Serie #	Size
16995	L/XL

TREX™ Ice Traction Device

One piece Ice Traction Device, delivers tenacious grip and stability for shoes and boots.



Serie #	Size
16753	Medium
16754	Large
16755	X Large
16756	XX Large

N-Ferno® Extreme Balaclava with Hot Rox™

Technologically advanced high-performance cold weather mask combats the damaging effects of cold air, controls moisture to keep your face dry and keep you warm.



Serie #	Color
16971	Black

N-Ferno® Classic Trapper Hat^{MC}

Old school style meets tenacious warmth.



Serie #	Size
16843	S/M
16845	L/XL

N-Ferno® Nomex Balaclava

Stretchable nomex fleece keeps head and neck comfortable while providing FR protection.



Serie #	Color
16825	Black



Vendor Code: CODET1

Unlined Lab Coat

9 Oz. Westex™ Ultra Soft®

88% cotton / 12% nylon. Shirt collar. Hidden snaps front closure. 4 front pockets (pencil division on left chest pocket). Side venting openings. Telescopic back for comfort.
Arc Rating ATPV 12.4 calories/cm2
Hazard Risk Category 2
Care: Industrial Wash

Series #	Size	Color
167US9	S-5XL	Navy

Available in: nay, kak, blk

Winter Artic Parka

7 Oz. Westex™ Ultra Soft®

88 % Cotton / 12 % nylon. 12 oz. Modaquit® lining. Heavy-duty, two-way concealed Nomex taped brass zipper front closure. Storm flap with hidden snap over front zipper closure. Snap on hood MCAPUS7. Left chest inside pocket with concealed snap flap closure. 2 large bottom patch pockets with hidden snap flaps closure and hand warmer. Inside wind-breaker snow belt at waist. Nomex tricot inside cuffs. Velcro tab adjustment on wrist. Pencil pocket on left sleeve. Elastic waist on back for more comfort.

HV tape details: 2" bright yellow trim with center stitched 3m™ scotchlite™ reflective material fr tap 3/4 fr #8940 silver

Reflective tape (fire trim-x®): reflective tape 2 vertical in front, horizontal on arms and all around waist, "x" on back.

Arc Rating ATPV 37.2 calories/cm2

Hazard Risk Category 3

Care: Industrial Wash

Series #	Size	Color
M305US7	S-5XL Reg	Navy

M305US7T M-5XL Tall Navy

Available in: nay, blk

Insulated Winter EV Bib Overall

7 Oz. Westex™ Ultra Soft®

88 % Cotton / 12 % nylon. 12 oz. Modaquit® lining. Elastic shoulder straps with adjustable plastic release buckles. 1 left chest pocket with pencil division. Heavy-duty, two-way concealed Nomex taped zipper front and legs closure. Storm flap with hidden snap over front and legs zipper closure. Wind-breaker snow flap on bottom of each leg. 2 large bottom patch pockets with hidden snap flap closure. Quadruple stitched waistband with elastic on back for more comfort.

EV tape details: 2" bright yellow trim with center stitched 3m™ scotchlite™ reflective material fr tap 3/4 fr #8940 silver reflective tape (fire trim-x®): Reflective tape horizontal on legs.

Arc Rating ATPV 37.2 calories/cm2

Hazard Risk Category 3

Care: Industrial Wash

Series #	Size	Color
M905US7	S-5XL Reg	Royal Blue

M905US7T M-5XL Tall Royal Blue

Available in: nay, blk

Low Rise Pant

9 Oz. Westex™ Ultra Soft®

88 % Cotton / 12 % nylon. Trim line fit. Regular seat and thighs. Plain front. Hook & eye closure on waistband. Waistband lined same color as pants. wide belt loops. Nomex taped brass zipper fly closure. Fly constructed like jeans. 2 front quarter-top pockets. Watch pocket. 2 back welt pocket. Loop on left back pocket with button closure.

ATPV 12.4 cal./cm2

Hazard Risk Category 2

Care: Industrial Wash

Series #	Size	Color
2947US9	28-60	Navy

Available in: nay

Also available with reflective tape

Industrial Work HV Shirt

7 Oz. Westex™ Ultra Soft®

88% Cotton 12% nylon. Regular fit. Shirt collar (no band). Hemmed front with button closure. 1 piece top stitch cuff with button closure. Double back yoke.

Hv tape details: 2" bright yellow trim with center stitched 3m™ Scotchlite™ reflective material fr tap 3/4 fr #8940 silver reflective tape (fire trim-x®): reflective tape 2 vertical in front, Horizontal on arms and all around waist, "x" on back.

CSA-Z96 Class 1 / Level FR

Arc Rating ATPV 8.7 calories/cm2

Hazard Risk Category 2

Care: Industrial Wash

Series #	Size	Color
235US7	S-5XL Reg	Orange

235US7T M-5XL Tall Orange

Available in: nay, blk, org

Also available with reflective tape

Unlined Work HV Coverall

9 Oz. Westex™ Ultra Soft®

88 % Cotton / 12 % nylon. 2 hidden snaps front closure on collar. Two-way concealed nomex taped brass zipper front closure. 2 double stitched large chest pockets with flap & hidden snap closure (pencil division on left pocket). 1 snap at waistband on front closure. 2 slash inside front pockets at waist. 1 piece cuff with 2 hidden snap closure. Side vent openings with hidden snap closure. 2 double stitched large back pockets (hidden snap closure on left side). Tool pocket on right leg. Telescopic back for comfort.

HV tape details: 2" bright yellow trim with center stitched 3m™ scotchlite™ reflective material fr tap 3/4 fr.

CSA-Z96 Class 1 / Level FR

Arc Rating ATPV 12.4 calories/cm2

Hazard Risk Category 2

Care: Industrial Wash

Series #	Size	Color
1325US9	S-5XL Reg	Royal Blue

1325US9T M-5XL Tall Royal Blue

Available in: nay, blk, org

Also available with reflective tape

Colors

nay, grn, cha, brn, tan, blk, whi, org



PROTECTIVE CLOTHING



Vendor Code: JARIMP

Flame Resistant Cotton Safety Coverall

100% cotton, FR treated. Meets CGSB 155.20, 2000, thermal Protective Performance (TPP) value: with the spacer 11 / contact test 8.2, CSA Z96-09 Class 1 Level 2, ATPV 9.5 cal/cm2 (Arc Thermal Protective Value), HRC 2 (Hazard/Risk Category). FR combined-performance retroreflective tape, 2-way brass zipper, 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool, 2 pass-through pockets. Action back and elastic waist, adjustable wrists and ankles.

Series #	Size	Color
5558A	36-66 Reg	Royal Blue
5558AT	40-66 Tall	Royal Blue
5555	36-60 Reg	Orange
5555T	40-60 Tall	Orange
5558BK	36-66 Reg	Black
5558BKT	40-66 Tall	Black
5558BW	Women's S-2XL	Black

Flame Resistant Quilted Cotton Safety Parka

100% cotton, FR treated. Meets CGSB 155.20, 2000, thermal Protective Performance (TPP) value: with the spacer 11 / contact test 8.2, CSA Z96-09 Class 1 Level 2 when worn combined with 5524A, ATPV (Arc Thermal Protective Value) – value to come, HRC (Hazard/Risk Category) – value to come, FR combined-performance retroreflective tape. Brass zipper plus snap closure storm flap, 5 storage pockets: 2 chest, 2 front, 1 inside chest. Drawstring waist and storm cuffs.

Series #	Size	Color
V2560210	S - 5XL	Royal Blue
V2560250	S - 4XL	Orange
V2560271	S - 5XL	Black
V2561170	Hood O/S	Black
V2561140	Hood O/S	Royal Blue
V2561150	Hood O/S	Orange

Flame Resistant Quilted Cotton Safety Overall

100% cotton, FR treated. Meets CGSB 155.20, 2000, thermal Protective Performance (TPP) value: with the spacer 11 / contact test 8.2, CSA Z96-09 Class 1 Level 2 when worn combined with 5523A, ATPV (Arc Thermal Protective Value) – value to come, HRC (Hazard/Risk Category) – value to come. FR combined-performance retroreflective tape. Brass zipper, 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool, adjustable elastic suspenders and elastic waist, 3/4 zipper plus snaps on each side, hammer loop.

Series #	Size	Color
5524A	S - 5XL	Royal Blue
5534A	S - 3XL	Orange
5524BK	S - 5XL	Black

Flame Resistant Zip Style Heavyweight Safety Hoodie

100% FR treated preshrunk cotton. Meets CGSB 155.20, 2000, thermal Protective Performance (TPP) value: with the spacer 12 / contact test 10.5, CSA Z96-09 Class 1 Level 2, ATPV 23 cal/cm2 (Arc Thermal Protective Value), HRC 2 (Hazard/Risk Category). FR combined-performance retroreflective tape, two front pouch pockets. Full brass zipper, removable snap hood. New liberal sizing.

Series #	Size	Color
337SF	XS - 7XL	Black
338SF	XS - 5XL	Orange

PU Stretch Hi-Viz Flame Resistant Rain Jacket

FR treated 100% polyurethane/poly. Meets CGSB 155.20, 2000, CSA Z96-09 Class 2 Level 2 (Class 3 when combined with 5893). Oil and chemical resistant, 100% waterproof and windproof. Lightweight and tough 4-way stretch PU, FR combined-performance retroreflective tape. Heat welded seams, extra-large removable hood. Full front zipper with snap closure storm front.

Series #	Size	Color
5892	XS - 7XL	Orange
5894	XS - 4XL	Yellow/Green
5894BK	S - 5XL	Black

PU Stretch Hi-Viz Flame Resistant Rain Bib Pant

FR treated 100% polyurethane/poly. Meets CGSB 155.20, 2000, CSA Z96-09 Class 3 Level 2 when combined with 5892. Oil and chemical resistant, 100% waterproof and windproof. Lightweight and tough 4-way stretch PU, FR combined-performance retroreflective tape. Heat welded seams, heavy-duty suspenders with quick-release clips, adjustable waist with snaps.

Series #	Size	Color
5893	XS - 7XL	Orange
5895	XS - 4XL	Yellow/Green
5895BK	S - 5XL	Black

Flame Resistant Long-Sleeved T-Shirt

100% FR treated preshrunk cotton. Meets CGSB 155.20, 2000, thermal Protective Performance (TPP) value: with the spacer 7.2 / contact test, CSA Z96-09 Class 1 Level 2, ATPV 9.0 cal/cm2 (Arc Thermal Protective Value), HRC 2 (Hazard/Risk Category). FR combined-performance retroreflective tape, self fabric crew neck. Chest pocket.

Series #	Size	Color
339SF	S - 5XL	Orange
340SF	S - 5XL	Black





Vendor Code: JARIMP

Hi-Viz Safety Tear-Away Vest

Tricot polyester interlock, CSA Z96-09 Class 2 Level 2, Startech™ bands reflective tape 5 point tear-away 4 sealed pockets. Radio phone clip strap, D ring access slot. Adjustable 1 size up at front.

Series#	Size	Color
6930	S/M, L/XL, 2XL/3XL, 4XL/5XL	Orange
6931	S/M, L/XL, 2XL/3XL, 4XL/5XL	Yellow/Green

Hi-Viz Safety Vest

Polyester tricot interlock, 131/134 – CSA Z96-09 Class 2 Level 2, 135 – CSA Z96-09 Class 1 Level 2, 3M Scotchlite™ reflective tape, ID pocket with pen holders, cell phone pocket, 3 storage pockets. 2 radio phone clip straps, adjustable 1 size up at sides.

Series#	Size	Color
131	S/M, L/XL, 2XL/3XL, 4XL/5XL	Yellow/Green
134	S/M, L/XL, 2XL/3XL, 4XL/5XL	Orange
135	S/M, L/XL, 2XL/3XL, 4XL/5XL	Black

Hi-Viz Safety Tear-Away Mesh Back Vest

Tricot polyester interlock front. Full mesh back panel, zipper front with tear-away on left side. CSA Z96-09 Class 2 Level 2, 5 point tear-away, 4 sealed pockets, 2 radio phone clip straps, D ring access slot.

Series #	Size	Color
6935	XS - 4XL	Orange
6936	XS - 4XL	Yellow/Green

Hi-Viz Safety Sash

Premium 2" elastic, adjustable elastic waist band and chest straps, 3M Scotchlite™ reflective tape, 4 point tear-away. Quick-release waist buckle

Series #	Size	Color
5592	Fit-All	Yellow/Green
5591	Fit-All	Orange

Birdseye Safety T-Shirt

Soft birdseye moisture-wicking polyester, Short sleeve. 6990/6991 – CSA Z96-09 Class 2 Level 2, 6992 – CSA Z96-09 Class 1 Level 2, Long sleeve. 6995/6996 – CSA Z96-09 Class 2 Level 2, 6997 – CSA Z96-09 Class 1 Level 2, Combined-performance retroreflective tape, Rib crew neck, Chest pocket with hook and loop closure, Radio phone clip strap.

Series #	Size	Color
6990	S - 5XL	Orange
6991	S - 5XL	Yellow/Green
6992	S - 5XL	Black
6995	S - 5XL	Orange
6996	S - 5XL	Yellow/Green
6997	S - 5XL	Black

Hi-Viz Breathable Traffic Control Safety Jacket

3.5 oz (120 GSM) tricot polyester. CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands). Meets Transports Québec P4.34.1 (Road Work Signage). StarTech™ reflective tape with orange tricot trim in between bands. Full front zipper with hook and loop placket. Invisible underarm zippers. Chest pocket with pen slot on right side. Shoulder and chest radiophone clip strap on each side. ID pockets.

Series #	Size	Color
V1190160	XS - 4XL	Yellow/Green
V1190260	XS - 4XL	Yellow/Green
V1190360	XS - 4XL	Yellow/Green
V1190460	XS - 4XL	Yellow/Green

Hi-Viz Tear-away Mesh Vest

Polyester mesh. CSA Z96-09 Class 2 Level 2. StarTech™ reflective tape. 5 point tear-away. D ring access slot. Adjustable 1 size up at front. 597P - Packed in hangable bag.

Series #	Size	Color
V1030550	XS -5XL	Orange
V1030650	S - 5XL	Orange

Hi-Viz CSA 4" Wide Adjustable Safety Sash

Hi-viz polyester tricot double-layered backing fabric. 2" sewn-on StarTech™ reflective tape. CSA Z96-15 Class 1 Level 2. Lightweight packable design. Adjustable hook and loop closure on chest. Adjustable belt on waist. 5491/5493 (tall) - 2" longer and 6-7" wider.

Series #	Size	Color
V1040350	One Size	Orange
V1040450	One Size Tall	Orange
V1040360	One Size	Yellow
V1040460	One Size Tall	Yellow



PROTECTIVE CLOTHING



Vendor Code : APPSOL



7^{oz} Electrician ArcFlash Coverall

Serie #	Size	Color
40AF70US	36S-62T	Orange

Disposable Coverall with Grey Strips

Serie #	Size	Color
40DC60PP	M-3XL	Orange



10^{oz} Welder Fireproof Coverall

Serie #	Size	Color
40WD	S Reg-6XL Tall	Navy
	S Reg-6XL Tall	Orange

Isolated and Fireproof Winter Parka with Inner Windproof Membrane

Serie #	Size	Color
50C190US	S-4XL	Orange



60C/40C Work Coverall with 4 inch strips

Serie #	Size	Color
40C375CPOR	38R-60T	Navy
40C375CPOR	38R-60T	Orange

Isolated and Fireproof Winter Bib Pants with Inner Windproof Membrane

Serie #	Size	Color
62DX90US	S-4XL	Orange





Vendor Code : APPSOL



**7oz cal 2 Electrician
ArcFlash coverall
with reflective strips**

Serie #	Size	Color
40AF70US	36-62	Orange



T-Shirt with Reflective Strips

Serie #	Color	Size
72S2	Orange	S-3XL



**Luxury Fleece Jacket
Hoodie Style with
detachable hood
and 4 inch Strips**

Serie #	Size	Color
7400-BGK3556	S-5XL	Orange



Rain Jacket and Pants

Serie #	Description
4503JFO	Orange Rain Jacket ArcFlash HRC2
4501TFO	Orange Rain Pants ArcFlash HRC2



BK402

**FR/HRC2
ArcFlash T-Shirt
with Reflective Strips**

Serie #	Color	Size
74EX64PD	Orange	S-6XL



**Traffic Vest
with Reflective Strips**

Serie #	Description
BK101	Orange Vest
BK100	Polyester Orange Vest
BK402	Surveyor Vest Available in Orange, Black and Yellow



BK101



Vendor Code: JARIMP



Element FR™ PVC 3-Piece Suit

13 oz/yd² PVC on polyester. Material and all components meet CGSB 155.20, 2000 Type 3. R85 - CSA Z96 striping package featuring retroreflective striping. R85 - Jacket is CSA Z96-09 Class 2 Level 2, jacket and pants are Class 3 when worn together. Oil resistant. Extremely durable and comfortable. Remains flexible in cold conditions. Permanently welded seams. Good tear and snag resistance. Generous styling fits over work clothes JACKET: Dolman sleeve design. Stand-up collar with durable snaps to attach hood. Concealed nylon snap front closure. Inner storm flap. Two snap adjustments at cuffs. Unique wideweld cuff design for added durability HOOD: Fits easily over hard hat. Attaches to jacket with plastic snaps. Detachable to prevent entanglement while working. Drawstring with cord locks for best fit PANT: Single bib design. Double-layer top for durability. Elastic waist back. Adjustable elastic suspenders with spreader bar and nylon slides provide support and comfort. Two snap adjustments at cuffs for best fit. Unique wideweld cuff design for added durability. Roomy legs to easily put on boots.

Series #	Size	Color
V2243650	S - 4XL	Orange
V2243950	S - 4XL	Orange Hi-Viz Stripes

FR-Tech™ Flame Resistant Surveyor's Vest

Flame resistance and comfort combined. FR-Tech™ 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM). Material and all components meet CGSB 155.20, 2000 - must be worn with an FR/arc rated sleeved garment. Thermal Protective Performance (TPP) value: with the spacer 9.4 / contact test 5.8. CSA Z96-09 Class 1 Level 2 and Class 1 Level FR. Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15. StarTech™ FR reflective tape, Prote[®] hi-viz reflective trim. ATPV 14 cal/cm² (Arc Thermal Protective Value). ARC 2 Arc Rating Category. Flame resistance guaranteed for the life of the garment. Suitable for industrial wash. Metal snap front, radiophone clip strap and pocket. Multiple front pockets including cell phone pockets, 4 inner pockets, big back pouch with zipper opening. D-ring access slot and hanger loop. Reinforced shoulder seam, herringbone contrast binding.



Series #	Size	Color
V2540340	S - 4XL	Red
V2540370	S - 4XL	Black
V2540380	S - 4XL	Blue

FR-TECH™ FR Safety Coverall

FR-Tech™ 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM). Material and all components meet CGSB 155.20, 2000. Thermal Protective Performance (TPP) value: with the spacer 9.4 / contact test 5.8. CSA Z96-09 Class 1 Level 2 and Class 1 Level FR. Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15. Meets NFPA 2112-2012. ATPV 14 cal/cm² (Arc Thermal Protective Value). ARC 2 Arc Rating Category. Double-stitched StarTech™ FR reflective tape, Protex[®] hi-viz reflective trim. Sewn with inherently FR thread. Flame resistance guaranteed for the life of the garment. Suitable for industrial wash. Radiophone clip strap. Gas detection mesh front pocket. 2-way FR brass zipper. 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool. 2 pass-through pockets. Adjustable wrists and ankles. Action back and elastic waist.



Series #	Size	Color
V2540180	36 - 66	Royal Blue
V254018T	40T - 66T	Royal Blue
V2540150	36 - 66	Orange
V254015T	40T - 66T	Orange

UTILI-GARD® FR Jacket

V2449320 - 8 oz/yd² PVC on Dupont™ Nomex®/Kevlar®. V2449560 and V2449650 - 10 oz/yd² PVC on Dupont™ Nomex®/Kevlar®. Meets CGSB 155.20, 2000 Type 3. Meets CSA Z96-09/ANSI 107 Class 2 Level 2 high-visibility safety apparel standards, CSA Class 3 when worn with Utili-Gard® pants. Meets ASTM F1891-06 Standard Specification for Arc and Flame Resistant Rainwear, NFPA 70E-12 and CSA Z462-12. V2449320 - ATPV 12.9 cal/cm², EBTAS 41.2 cal/cm², HAF 80%. V2449560 - ATPV 14 cal/cm², EBTAS 42.6 cal/cm², HAF 84.6%. V2449650 - ATPV 10.8 cal/cm², EBTAS 47.6 cal/cm², HAF 82.2%. StarTech™ FR reflective tape. Dolman sleeve design for ease of movement. FR brass zipper. Outer storm flap with top to bottom FR hook and loop closure. Inner storm flap for reduced heat transmission. Form-fitting collar has pouch for detachable hood with FR hook and loop closure. Hood sold separately. Tab style FR hook and loop cuff adjustments. Vented back. FR elastic drawstring on inner bottom hem to prevent arc exposure.



Series #	Size	Color
V2449320	XS - 4XL	International Orange
V2449560	M - 2XL	Yellow
V2449650	M - 2XL	Orange

Vendor Code: LATOPL



Crew Neck Short Sleeve Tee

Crew-neck and short sleeves. Front chest pocket. 100% polyester bird's eye knit fabric is comfortable against the skin and wicks away moisture and perspiration. Retroreflective tape in 4" contrast fluorescent configuration

Series #	Size	Color
022-CBECSA	S - 4XL	Orange
022-CBECSALY	S - 4XL	Lime
022-CBECSABK	S - 4XL	Black



Safety Softshell Rain Jacket

360 g/m2 soft shell fabric, bonded to a soft fleece, 100% polyester. Water-resistant and breathable. Full length heavy-duty front zip with inside storm flap and chafe-free chin guard. Adjustable velcro cuffs and elastic hem cinch. Two lower loss-proof pockets with snaps. Detachable snap-off shaped hood.

Series #	Size	Color
023-EN147OR	M - 3XL	Orange
023-EN147LY	M - 3XL	Lime
023-EN147BK	M - 3XL	Black



Mesh, Sized, 5-Point Tear-away

100% polyester mesh body. Four front storage pockets. Extra strong edging tape. D-ring access slot and radio clips. Retroreflective tape in 4" contrast fluorescent configuration.

Series #	Size	Color
022-TV5PKTA	S/M - L/XL - 2XL/3XL	Orange
022-TV6PKTA	S/M - L/XL - 2XL/3XL	Lime

4 in 1 Safety Parka

Fluorescent 100% polyester ripstop fabric, polyurethane coated. Tear-resistant, waterproof (5000 mm) and windproof, featuring fully seam-sealed construction. Mesh lined with inner pockets. Four large front cargo pockets with velcro closure. Heavy-duty two-way front zip with snap closure storm flap. 3-piece snap-off hood with drawstring. Clear ID pocket pulls out of upper right front chest pocket. Zippers inside jacket at neck and chest for easy embroidery access

Series #	Size	Color
024-EN705ROR	S - 4XL	Orange
024-EN705RLY	S - 4XL	Lime



Rain Jacket with Hood, 450 Deniers

100% polyester oxford, polyurethane coated. Mesh lining with inside pockets. Water and wind-proof fabric, fully seam sealed. Full-length, two-way, heavy-duty front zip with spring-loaded snap closure storm flap. Adjustable velcro at cuff. Two lower loss-proof pockets. Detachable snap-off hood, rib-knit storm cuffs.

Series #	Size	Color
023-HVRSJORT	M - 3XL	Orange/Black
023-HVRSJLYT	M - 3XL	Lime/Black



Safety Rain Overall, 450 Deniers

100% polyester oxford, polyurethane coated. 100% polyester lining. Water and wind-proof fabric. Fully seam-sealed. Heavy duty adjustable elastic straps. Riveted stress points. Cut for comfort and ease

Series #	Size	Color
023-HVRSBPORT	M - 3	Orange/Black
023-HVRSBPLYT	M - 3TG	Lime/Black



Safety Overall

Shell: Fluorescent 100% polyester ripstop fabric, polyurethane coated. Tear-resistant, waterproof (5000 mm) and windproof, featuring fully seam-sealed construction. Features tape across back and chest, improving visibility. Side entry pocket, two front slash pockets and two back patch pockets. Tool loop. Heavy-duty adjustable elastic shoulder straps are riveted for durability. Elastic back waist. Hip height side-leg zips (new). Retroreflective tape in 4" contrast fluorescent configuration.

Series #	Size	Color
024-EN835PORT	M - 3XL	Orange/Black
024-EN835PLYT	M - 3XL	Lime/Black





Vendor Code: DISEUG

Long Sleeve T-Shirt with Reflective Stripes

100% quick-dry polyester. Chest pocket. Two chest radiophone clip strap. Two reflective stripes at the back of the T-shirt that make an "X". Double sewing on the silver reflective stripe and on the yellow band. CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010. (Only for fluorescent orange colour) CSA approved Z96-15 class 1 level 2. Compliant with ANSI / ISEA 107-2010. (Only for navy colour)



Series #	Size	Color
10-665R	S - 3XL	Orange
10-665RM	S - 3XL	Navy

Safety vest with reflective stripes.

Made of polyester. Two reflective vertical stripes at the front of the vest. Two reflective stripes at the back of the vest that make an "X". Two reflective stripes at the waist. 5 points Velcro tear away safety design. Compliant with CSA Z96-09 class 2 level 2. Compliant with ANSI / ISEA 107-2004.



Series #	Size	Color
70-115J	adjustable	Yellow

Short sleeve high visibility orange T-shirt with reflective stripes. 100% Quick-Dry polyester

Two vertical reflective stripes at the front of the T-shirt. Two reflective stripes at the back of the T-shirt that make an "X". One reflective stripe at the waist. Compliant with CSA Z96-09 class 2 level 2. Compliant with ANSI / ISEA 107-2004. (Only for fluorescent orange and fluorescent yellow colours).



Series #	Size	Color
10-662R	S - 6XL	Navy
10-662RO	S - 6XL	Orange
10-662RJ	S - 6XL	Yellow

Safety vest with reflective stripes

100% polyester. Mesh safety vest. Two reflective vertical stripes at the front of the vest. Two reflective stripes at the back of the vest that make an "X". One reflective stripe at the waist. 5 points Velcro tear away safety design. Two chest pockets. Two pockets at the waist. D-ring slot at the back of the vest. Compliant with CSA Z96-09 class 2 level 2. Compliant with ANSI / ISEA 107-2004.



Series #	Size	Color
70-117O	adjustable	Orange
70-117J	adjustable	Yellow

Mesh safety vest

Made of fluorescent orange nylon. Multi-crystal reflective stripes; one horizontal multi-crystal stripe and two vertical multi-crystal stripes at the front of the vest. An "X" made of multicrystal stripes at the back of the vest. Flame retardant. 5 points Velcro tear away safety design.



Series #	Size	Color
70-105	adjustable	Orange

Safety vest with reflective stripes

100% polyester. Two reflective vertical stripes at the front of the vest. Two reflective stripes at the back of the vest that make an "X". One reflective stripe at the waist. 5 points Velcro tear away safety design. Two chest pockets. Two pockets at the waist. D-ring slot at the back of the vest. Compliant with CSA Z96-09 class 2 level 2. Compliant with ANSI / ISEA 107-2004.



Series #	Size	Color
70-118O	adjustable	Orange



Mesh Safety Vest

100% polyester. 5 points Velcro tear away safety design. Two reflective vertical stripes at the front of the vest. Two reflective stripes at the back of the vest that make an "X". One reflective stripe at the waist. Double sewing on the silver reflective stripe and on the yellow band. CSA approved Z96-15 class 2 level 2. Compliant with ANSI / ISEA 107-2010.

Series #	Size	Color
70-127	S - 3XL	Orange



Nylon Jacket Lined with Polar Fleece with Reflective Stripes

100% waterproof and windproof. Nylon with polyurethane coating. 100% polyester polar fleece lining. Waterproof heat welded seams. Front with zipper. Storm flap with rustproof snaps. Two front slash pockets with zipper closure and flap. Elastic hand cuffs with Velcro. Waist with elastic adjustment cord. Removable hood. Generous sizing. High resistance thread. Reinforced at all points of strain. Two reflective stripes at the back that make an "X". CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010.

Series #	Size	Color
70-532R	S - 3XL	Orange

Quilted Nylon Freezer Vest with Reflective Stripes

100% nylon. Interlining of 100% polyester. Lined with 100% polyester polar fleece. Nylon front zipper. Two pockets at the front. Elastic on each side for a better adjustment. Drop tail. Two reflective vertical stripes at the front of the vest. Two reflective stripes at the back of the vest that make an "X". One reflective stripe at the waist. CSA approved Z96-15 class 2 level 2. Compliant with ANSI / ISEA 107-2010. (Only for fluorescent orange colour). CSA approved Z96-15 class 1 level 2. Compliant with ANSI / ISEA 107-2010. (Only for black colour).

Series #	Size	Color
70-225R	S - 4XL	Orange
70-225RN	S - 4XL	Black



Short freezer jacket with reflective stripes

100 denier nylon. Insulated with 5 oz padding, 100% polyester, interlined with 100% nylon facing. Two reflective vertical stripes at the front. Two reflective stripes at the back that make an "X". One reflective stripe at the waist. One reflective stripe on each arm. Long sleeves. Front zipper. Two pockets at the waist. Hood removable with snaps. Elastic collar and hand cuffs. Reinforced at all points of strain. CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010.

Series #	Size	Color
70-525R	S - 5XL	Orange



Polar fleece jacket with 3M reflective stripes.

100% polyester. Front zipper closure. Two slash pockets. Elastic cuffs. Plastic stoppers at the waist. Two reflective vertical stripes at the front. One reflective stripe at the waist. Two reflective stripes at the back that make an "X". Two reflective stripes on each arm. Compliant with CSA Z96-09 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2004.

Series #	Size	Color
70-715RO	S - 4XL	Orange





Vendor Code: DISEUG

Unlined Long Sleeve Shirt with Reflective Stripes

Reflective stripes at the waist, at the back, at the chest and at the arms. Double sewing on the yellow band. Pre-shrunk. 65% polyester - 35% cotton 5 ¾ oz, precured. Stain resistant and water repellent. Permanent press. Cuffs with rustproof snap closure. Double back yoke. Rustproof snap front closure. Two front chest pockets (The right pocket has a pencil slot). Both pockets have plastic button closure and a flap. High resistance thread. Reinforced at all points of strain.

Series #	Size	Color
70-200R	S - 4XL	Navy

Unlined Short Sleeve Shirt with Plastic Buttons and Reflective Stripes

Reflective stripes at the waist, at the back and at the chest. Double sewing on the yellow band. Pre-shrunk 65% polyester - 35% cotton 5 ¾ oz, precured. Stain resistant and water repellent. Permanent press. Double back. Plastic button front closure. Two front chest pockets. (The right pocket has a pencil slot, one flap and a plastic button. The left pocket has a flap and a plastic button). High resistance thread. Reinforced at all points of strain.

Series #	Size	Color
70-211R	S - 3XL	Navy

Reversible Quilted Fleece Lined Jacket with Reflective Stripes

100% ripstop nylon. 9 oz Thermakeeper interlining. 100% polyester polar fleece lining. Two reflective vertical stripes at the front. One reflective stripe at the waist. Two reflective stripes at the back that make an "X". One reflective stripe on each arm. Double sewing on the yellow band. Long sleeves. Slash pockets on both sides of the jacket. Plastic zipper front closure. Elastic collar and hand cuffs. Reinforced at all points of strain.

Series #	Size	Color
590R	S - 4XL	Black

Unlined Pants with Cargo Pockets and Reflective Stripes

Reflective stripes at legs. Low rise. Relaxed fit. Pre-shrunk 65% polyester - 35% cotton, 7 ¾ oz, precured. Stain resistant. Permanent press. Two double thickness front swing pockets. Two rear pockets. Seven wide belt loops. Lined waistband. Hook and eye closure on the waistband. Front with brass zipper closure. Fly. High resistance thread. Reinforced at all points of strain.

Series #	Size	Color
70-053R	30 - 44	Navy



Vendor Code: DISEUG

Unlined Long Sleeve Shirt with Reflective Stripes

Reflective stripes at the waist, at the back, at the chest and at the arms. Double sewing on the yellow band. Pre-shrunk 65% polyester - 35% cotton 5 ¼ oz, precured. Stain resistant and water repellent. Permanent press. Cuffs with plastic button closure. Double back yoke. Plastic button front closure. Two front chest pockets (The right pocket has a pencil slot, one flap and a plastic button. The left pocket has a flap and a plastic button). High resistance thread. Reinforced at all points of strain.

Series #	Size	Color
70-201R	S - 3XL	Navy

Quilted Long Sleeve Shirt with Reflective Stripes

Reflective bands at the waist, at the back, at the chest and at the arms. Pre-shrunk 65% polyester - 35% cotton, 7 ¼ oz, precured. Stain resistant. Permanent press. Insulated with 5 oz, 100% polyester, interlined with 100% nylon facing. Cuffs with rustproof snap closure. Two chest pockets with flaps and rustproof snap closure. Two waist pockets. One inside chest pocket. Rustproof snap closure on the front. High resistance thread. Reinforced at all points of strain.

Series #	Size	Color
70-251R	S - 4XL	Navy

Bib Pants with Reflective Stripes

100% waterproof and 100% windproof. 300 denier polyester laminated with very flexible polyurethane coating. Fabric insulated with 6 oz 100% polyester interlined with 100% polyester facing. Reflective stripes at the waist, at the back and at the legs. Double sewing on the silver reflective stripe and on the yellow band. Two cargo pockets at the front. Two back pockets. Zipper with storm flap and rustproof snaps on each leg. Heavy duty suspenders with adjustable buckles. Reinforced at all points of strain. CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010. (Only for fluorescent orange colour). CSA approved Z96-15 class 1 level 2. Compliant with ANSI / ISEA 107-2010. (Only for black colour).

Series #	Size	Color
70-546RPO	S - 4XL	Orange
70-546RPN	S - 4XL	Black

6 in 1 Parka with Reflective Stripes

100% waterproof and 100% windproof. 300 denier polyester laminated with very flexible polyurethane coating. 100% polyester 4 oz padding. 100% polyester lining. Double sewing on the silver reflective stripe and on the yellow band. Two front cargo pockets. Front zipper. Front storm flap with rustproof snaps. Zipper for embroidery. Elastic cuffs. Hood removable with snaps adjustable with drawstrings that can be rolled up in the collar. Reinforced at all points of strain. CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010. (Only for fluorescent orange colour). CSA approved Z96-15 class 1 level 2. Compliant with ANSI / ISEA 107-2010. (Only for black colour).

Series #	Size	Color
70-546RJO	S - 5XL	Orange
70-546RJN	S - 5XL	Black

Fluorescent Elastic Arm Band

Silver reflective stripe. Velcro closure. 1 5/8 inch wide.

Series #	Size	Color
70-150O	19 inch.	Orange
70-150J	19 inch.	Lime
70-152O	14 inch.	Orange
70-152J	14 inch.	Lime





Vendor Code: DISEUG



Elastic Safety Harness

Reflective silver stripes. Plastic closure.

Series #	Size	Color
70-940O	One Size	Orange
70-940J	One Size	Lime
70-940O/S	Over Size	Lime



Nylon Waterproof Jacket

100% waterproof and windproof. Outside made of very resistant 600 denier nylon coated with polyurethane. Front storm flap made of nylon with heavy-duty PVC coating. Inside made of polyamide coated with extensible polyurethane. Resists to seawater, to effects of sunlight, to animal, vegetal and synthetic fats, grease, to fish oil, to motor oil, to chemical products and to acids. Generous sizing for appropriate adjustment and for the comfort of the user. 100% waterproof heat welded seams. Front storm flap with heavy duty rustproof snaps. Permanent hood with adjustable drawstring. One rustproof snap at the hood for a better adjustment. Elastic cuffs.

Series #	Size	Color
80-103J	S - 3XL	Navy/Red

Nylon Waterproof Bib Pants

100% waterproof and windproof. Outside made of very resistant 600 denier nylon coated with polyurethane. Inside made of polyamide coated with extensible polyurethane. Resists to seawater, to effects of sunlight, to animal, vegetal and synthetic fats, grease, to fish oil, to motor oil, to chemical products and to acids. Generous sizing for appropriate adjustment and for the comfort of the user. 100% waterproof heat welded seams. Double-bib pants can be reversed. Adjustable waist panel with rustproof snaps. High quality heavy duty suspenders.

Series #	Size	Color
80-103P	S - 3XL	Navy



Nylon Rain Suit

100% waterproof and windproof. 420 denier nylon coated with PVC. Generous sizing for comfort. 100% waterproof double stitched and heat sealed seams. Reinforced at all stress points. JACKET : Front with nylon zipper. A very wide ventilation trap on the back (for an excellent ventilation). Two front ventilation traps. Two large front cargo pockets with flap and Velcro on the flap. Cuffs with Velcro closure. Hood zips up to form a compact carry pouch. Nylon zipper at the pouch. Three rustproof snaps to fasten the hood to the collar of the jacket. Adjustment cord for the hood. BIB PANTS : Nylon zipper on the legs. Flap with Velcro on the lower part of the legs for a better adjustment. Two large front cargo pockets with flap and Velcro on the flap. Rustproof snaps at waist for a better adjustment. Heavy duty suspenders with plastic buckles. Fly with Velcro.

Series #	Size	Color
80-201J	XS - 4XL	Yellow
80-201O	XS - 4XL	Orange
80-201V	XS - 4XL	Green



Nylon Rain Suit with Reflectives Stripes

100% waterproof and windproof. 420 denier nylon coated with PVC. Generous sizing. 100% waterproof double stitched and heat sealed seams. Reinforced at all points of strain. JACKET : Front with nylon zipper. A very wide ventilation trap at the back (for an excellent ventilation). Two front ventilation traps. Two large front cargo pockets with flaps and Velcro on the flap. Cuffs with Velcro closure. Hood zips up to form a compact carry pouch. Nylon zipper at the pouch. Three rustproof snaps to fasten the hood to the collar of the jacket. Adjustable hood with drawstrings. Two reflective vertical stripes at the front. Two reflective stripes at the back that make an "X". One reflective stripe at the waist. One reflective stripe on each arm. CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010. BIB PANTS : Nylon zipper on the legs. Flap with Velcro on the lower part of the legs for a better adjustment. Two large front cargo pockets with flap and Velcro. Rustproof snaps at the waist for a better adjustment. Heavy duty suspenders with plastic buckles. Fly with Velcro. Two reflective stripes on each leg. CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010.

Series #	Size	Color
80-201R	S - 4XL	Orange





PVC Rain Suit

JACKET : Four rustproof snaps at the front of the jacket. Ventilation opening at each armpit. Opening at the back for ventilation. Two front pockets. Corduroy collar. Rustproof snaps at cuffs. Detachable hood adjustable with drawstring. **BIB PANTS** : Fly with rustproof snaps. Rustproof snaps at ankles.

Series #	Size	Color
80-000	S - 6XL	Yellow



Balaclava (Thin For Snowmobile)

100% polyester polar fleece.

Series #	Size	Color
30-110	One Size	Black



Thermakeeper lined tuque with 3M reflective stripe.

100% acrylique. Thermakeeper lining. 3M reflective stripe on the flap.

Series #	Size	Color
30-956	One Size	Black



Hooded Polyester Jacket with Reflective Stripes

100% polyester. Front zipper closure. Two slash pockets. Knit cuffs and waist. Removable hood with snaps. Hood adjustment with drawstrings. Two reflective vertical stripes at the front. Two reflective stripes at the back that make an "X". One reflective stripe at the waist. One reflective stripe on each arm. Double sewing on the silver reflective stripe and on the yellow band. CSA approved Z96-15 class 2 level 2. Becomes class 3 when worn as a suit. Compliant with ANSI / ISEA 107-2010. (Only for fluorescent orange colour) CSA approved Z96-15 class 1 level 2. Compliant with ANSI / ISEA 107-2010. (Only for navy colour).

Series #	Size	Color
70-713RO	S - 4XL	Orange
70-713RM	S - 4XL	Navy



Boot Sock

Shell 100% cotton. Lining 100% acrylic.

Series #	Size	Color
40-601	4-5, 6-7, 8-9, 10-11, 12-13, 14-15	Gray



Head Band For Safety Helmet

100% acrylic. 7 inches.

Series #	Size	Color
30-301	One Size	Black





Vendor Code : WASIPL

6-In-1 Winter Traffic Jacket

6-In-1 combination employs a unique design that adapts to any weather conditions. Breathable, water-proof fabric with inner black lining. Highly versatile and transforms easily to be worn 6 different ways. 4" contrasting colour tape with 2" reflective silver tape, "X" on back, 2 vertical stripes on chest, 360° waistband, and 2 arm bands. Two way zippered front closure with snap storm flap. Black knitted ribbed storm cuff around bottom of jacket. Two outside patch pockets and multiple inside pockets. Concealed hood in collar. Custom embroidery available on upper left chest and neckline. CSA Z96-09 & ANSI/SEA 107-2010 Class 2, Level 2 Meets CSA Z96-09, Class 3 when worn with High-Vis Traffic Overalls.

Series #	Size	Color
C24118102	S - 7XL	Orange
C24118202	S - 7XL	Lime/Green

Hi-Vis Traffic Hoodie with Detachable Hood

Cool, comfortable knitted jersey wicks away body moisture. 100% durable polyester material. Non-Shrinking. Machine washable. 4" contrasting colour tape with 2" reflective silver tape, "X" on back, 2 vertical stripes on chest, 360° waistband, and 2 reflective arm bands for night time. Rib knit cuffs and waist. Two lower pouch pockets. Radio strap on left and right chest. Removable hood. Hoodie can be worn alone or paired with outer traffic jacket. Outer traffic jacket sold separately (C271182XX and C271181XX series). CSA Z96-09 & ANSI/SEA 107-2010 Class 2, Level 2 Meets CSA Z96-09, Class 3 when worn with High-Vis Traffic Overalls.

Series #	Size	Color
C26128102	S - 7XL	Orange
C26128202	S - 7XL	Lime/Green

Hi-Vis Traffic Jacket with Detachable Hood

Breathable, waterproof fabric adapts to any weather conditions. 100% durable polyester Oxford material. Machine washable. 4" contrasting colour tape with 2" reflective silver tape, "X" on back, 2 vertical stripes on chest, 360° waistband, and 2 arm bands. Two way zippered front closure with snap storm flap. Two outside pockets and inside pockets. Radio strap on left and right chest. Elastic waist. Adjustable wrist with Velcro closure. Removable hood. Outer traffic jacket can be worn alone or paired with zip in hoodie. Traffic hoodie sold separately (C261282XX and C261281XX series). Custom embroidery access pockets. CSA Z96-09 & ANSI/SEA 107-2010 Class 2, Level 2 Meets CSA Z96-09, Class 3 when worn with High-Vis Traffic Overalls.

Series #	Size	Color
C27118102	S - 7XL	Orange
C27118202	S - 7XL	Lime/Green

Short Sleeve Traffic T-Shirt

360° reflectivity with 2" silver reflective tape. Soft polyester material wicks away body moisture. Breathable. Non-shrinking. Machine Washable. CSA standard, Class 2 Level 2. Also available with Hi-Viz reflective stripes (C59128)

Series #	Size	Color
C59128102	S - 5XL	Orange
C59128202	S - 5XL	Lime/Green
C59127102	S - 5XL	Orange
C59127402	S - 5XL	Lime/Green

Long Sleeve Traffic T-Shirt

360° reflectivity with 2" silver reflective tape. Soft polyester material wicks away body moisture. Breathable. Non-shrinking. Machine Washable. CSA standard, Class 2 Level 2. Also available with Hi-Viz reflective stripes (C60128)

Series #	Size	Color
C60128102	S - 5XL	Orange
C60128202	S - 5XL	Lime/Green
C60127102	S - 5XL	Orange
C60127402	S - 5XL	Lime/Green

401 Tornado Suit

Industrial construction grade PVC\ Polyester\ PVC. Jacket features storm flap, dome snaps, two patch pockets, corduroy collar, detachable hood with drawstrings, cape back and under-arm vents, cuff take-up snaps, non-conductive fasteners, and ultrasonically reinforced welded seams. Pants feature bib front, non-conductive fasteners, adjustable suspenders, adjustable waist snaps and ankle take-up snaps. Applications: construction sites; agriculture workers; municipal workers; most jobs in foul weather.

Series #	Size	Color
R401Y20	S - 5XL	Yellow

801 Hurricane Suit

Fire retardant and oil resistant premium grade virginPVC\Polyester. Seams are taped, ultrasonically welded, and sewn for maximum performance. Jacket features a storm flap and no vents or pockets for chemical splash protection and attached hood. Pants feature front and back bib, an inside pocket for storage, heavy duty quick release fasteners, wide adjustable suspenders and waist snaps. Available in complete suit or jackets and pants separately. Detachable hood available for R812Gxx and R812Yxx Hurricane Jacket series. Applications: oil, gas and chemical refineries, mining, forestry and logging, fishing, food processing, construction, transport carriers, also excellent in cold weather applications. Meets and exceeds 2 second flame out CGSB standards C**CGSB-155.20.

Series #	Size	Color
R801O20-FS	S - 5XL	Orange
R801Y20-FS	S - 5XL	Yellow
R801G20-FS	S - 5XL	Green

880 Neoslick Neoprene Rubber Miner's Jacket

100% flame retardant neoprene rubber on polyester textile material. Double lapped seam work with industrial adhesives and fully vulcanized for maximum durability against most industrial chemicals. Industrial grade rustproof fasteners. Excellent puncture and tear resistance and protection from acids, mildew, fertilizers and industrial chemicals. Jacket has cape back vent for improved ventilation and storm flaps for protection against splashes, detachable hood. Features two reflective stripes on the chest, a stripe on each arm and leg and two horizontal stripes on the back. Jacket, pants, and hood sold separately. Applications: oil, gas and petro chemical industries, mining, quarries, construction, forestry, utilities, food processing, agriculture, fishing, and most heavy-duty industrial applications involving abrasion and chemicals

Series #	Size	Color
R882Y21-FS	S - 5XL	Yellow

880 Neoslick Neoprene Rubber Miner's Pants

100% flame retardant neoprene rubber on polyester textile material. Double lapped seam work with industrial adhesives and fully vulcanized for maximum durability against most industrial chemicals. Industrial grade rustproof fasteners. Excellent puncture and tear resistance and protection from acids, mildew, fertilizers and industrial chemicals. Bib style pants feature non-conductive fasteners, and adjustable suspenders. Features two reflective stripes on the chest, a stripe on each arm and leg and two horizontal stripes on the back. Jacket, pants, and hood sold separately. Applications: oil, gas and petro chemical industries, mining, quarries, construction, forestry, utilities, food processing, agriculture, fishing, and most heavy-duty industrial applications involving abrasion and chemicals.

Series #	Size	Color
R883Y21-FS	S - 5XL	Yellow

880 Neoslick Neoprene Rubber Miner's Hood

Detachable hood available for R882Oxx Neoslick Neoprene Rubber Suit series

Series #	Size	Color
R885Y00	One Size	Yellow



Vendor Code : WASIPL

980 Traffic Jacket



Durable poly-oxford outer shell material with polyurethane coating for waterproof protection. Complete suit offers 360° reflectivity. Jacket features 4" contrasting colour tape with 2" reflective silver tape, concealed attached hood in collar, zipper front storm closure with rustproof snaps and adjustable wrist snaps, 2 concealed patch pockets and a clear vinyl ID pocket. Jacket and pants sold separately. Applications: road construction, road work, survey crews, utilities, forestry, airline ground crews, government authorities, security. Meets CSA Z96-09 and ANSI/ISEA 107-2009 Class 2 and Class 3 when worn as a complete suit

Series #	Size	Color
R982L21-FS	S - 5XL	Yellow
R982O21-FS	S - 5XL	Orange

980 Traffic Pants



Durable poly-oxford outer shell material with polyurethane coating for waterproof protection. Pants feature reflective band on each leg, double bib overall pants with inside pocket and waist snap, heavy duty elastic bib straps with quick release hardware, wide pant leg for work boots with adjustable leg snap. Jacket and pants sold separately. Complete suit offers 360° reflectivity. Applications: road construction, road work, survey crews, utilities, forestry, airline ground crews, government authorities, security. Meets CSA Z96-09 and ANSI/ISEA 107-2009 Class 2 and Class 3 when worn as a complete suit.

Series #	Size	Color
R983L21-FS	S - 5XL	Yellow
R983O21-FS	S - 5XL	Orange

Disposable Pleated Mask with Ear Loops

Protects against non-toxic dust, contaminants, and fluids. Flat, pleated ear loop design provides maximum comfort and completely covers both the nose and mouth. Disposable Mask includes a lightweight media filter. Secures with ear loops for convenience. Universal sizing.

Series #	Packaging	Color
W70E150	50 per box	Blue

N95 Particulate Filter Mask with Air Valve

For protection against solid or liquid particulates (excluding those containing oil). Contoured mask fits with the natural shape of the face. Universal sizing. Strong outer shell prevents mask from collapsing in high humidity or moist environments. Features include: -hypo-allergenic micro-fiber filtration media for enhanced protection -soft, non-irritating lining -comfortable inner foam nosepiece -pre-stretched durable head strap -exhalation valve for heat reduction and easier breathing. NIOSH approved and meet 42 CFR 84 requirements.



Series #	Packaging	Color
W795210	10 per box	White

N95 Particulate Filter Mask

For protection against solid or liquid particulates (excluding those containing oil). Contoured mask fits with the natural shape of the face. Universal sizing. Strong outer shell prevents mask from collapsing in high humidity or moist environments. Features include: -hypo-allergenic micro-fiber filtration media for enhanced protection -soft, non-irritating lining -comfortable inner foam nosepiece -pre-stretched durable head strap. NIOSH approved and meet 42 CFR 84 requirements.



Series #	Packaging	Color
W795220	20 per box	White



Vendor Code : ALLMER

Firewall™ FR Button Down Shirt



7 oz. Westex® by Milliken® Flame Resistant Fabric – 88% cotton / 12% nylon. TPP Value: Contact 8.5, Spaced 9.0. Arc Rating ATPV: 9.2cal/cm². CAT 2 (HRC 2) Button front closure with full length placket. Button-down collar. Two chest pockets with button closure. Box pleat on back. Full sleeve vent with adjustable button cuffs.

Serie #	Size	Color
31B771100	S - 5XL	Navy
31B771800	S - 5XL	Ligth Blue

Firewall™ FR Viking® Pants



9 oz. Westex® by Milliken® Flame Resistant Fabric – 88% cotton / 12% nylon. TPP Value: Contact 10.3, Spaced 11.4. Arc Rating ATPV: 12.4 cal/cm². CAT 2 (HRC 2). Belt loops, metal button waist closure and Nomex® backed YKK® zipper fly.

Serie #	Size	Color
20179	28 - 60	Navy
21479	28 - 60	Navy

Viking® Firewall™ Coverall with Strips

Westex® by Milliken® Flame Resistant Fabric – 88% cotton / 12% nylon. 7oz: TPP Value: Contact 8.5, Spaced 9.0, Arc Rating ATPV: 9.2 cal/cm², CAT 2 (HRC 2). 9oz: TPP Value: Contact 10.3, Spaced 11.4, Arc Rating ATPV: 12.4 cal/cm², CAT 2 (HRC 2). Two-way breakaway Nomex® backed YKK® front zipper. Adjustable cuffs, tunnel collar with hook and loop closure. Two front upper pockets, two lower front patch pockets with side access vents. New production will include FR mesh gas monitor pocket. One tool pocket on rear right leg, one left sleeve pencil pocket. Elasticized waist on the back and fully stitched bi-swing back for better fit and mobility. All seams double-stitched and stress points bar tacked for ultimate durability. RT80 featuring 3M Scotchlite™ Reflective Material – 9740 industrial wash flame resistant trim (2" yellow/silver/yellow) with X on back and stripes around each forearm and each leg below the knee.



Serie #	Size	Color
40577	S - 5XL	Royal Blue
40579	S - 5XL	Royal Blue

Viking® Firewall™ FR CSA Hi-Viz Coverall

Westex® by Milliken® Flame Resistant Fabric – 88% cotton / 12% nylon. 7oz: TPP Value: Contact 8.5, Spaced 9.0, Arc Rating ATPV: 9.2 cal/cm², CAT 2 (HRC 2). 9oz: TPP Value: Contact 10.3, Spaced 11.4, Arc Rating ATPV: 12.4 cal/cm², CAT 2 (HRC 2). Two-way breakaway Nomex® backed YKK® front zipper. Adjustable cuffs, tunnel collar with hook and loop closure. Two front upper pockets, two lower front patch pockets with side access vents. One tool pocket on rear right leg, one left sleeve pencil pocket. Elasticized waist on the back and fully stitched bi-swing back for better fit and mobility. All seams double-stitched and stress points bar tacked for ultimate durability. New production will include FR mesh gas monitor pocket. RT80 featuring 3M Scotchlite™ Reflective Material – 9740 industrial wash flame resistant trim (4" yellow/silver/yellow). Fully compliant with CSA Z96 Class 3, Level 2. Meets WCB/Worksafe/DOT configuration.



Serie #	Size	Color
40477	S - 5XL	Orange
40479	S - 5XL	Orange

PROTECTIVE CLOTHING



Vendor Code : ALLMER

Viking® Firewall™ FR, CXP® Nomex® Coverall with CSA Strips



5.8 oz. DuPont® CXP® Nomex® IIIA, TPP Value: Contact 7.9, Spaced 13.5. Arc Rating ATPV: 10.2 cal/cm². CAT 2 (HRC 2). Two-way breakaway Nomex® backed YKK® front #5 zipper. Adjustable cuffs, tunnel collar with hook and loop closure. Two front upper pockets, two lower front patch pockets with side access vents. One tool pocket on rear right leg, one left sleeve pencil pocket. New production will include FR mesh gas monitor pocket. Elasticized waist on the back and fully stitched bi-swing back for better fit and mobility. All seams double-stitched and stress points bar tacked for ultimate durability. RT80 featuring 3M Scotchlite™ Reflective Material – 9740 industrial wash flame resistant trim (2" yellow/silver/yellow). CSA Z96 Class 1, Level FR striping pattern.

Serie #	Size	Color
40665	S - 5XL	Royal Blue

Insulated Viking® Firewall™ FR Parka with CSA Strips



9 oz. Westex® by Milliken® Flame Resistant Fabric – 88% cotton / 12% nylon. TPP value Contact 10.3 Spaced 11.4. 12 oz. Quilted modacrylic lining with wind and vapour barrier. Arc Rating ATPV: 35 cal/cm². CAT 3 (HRC 3). Nomex® backed YKK® #10 Two-way breakaway front zipper with exterior storm flap closure. Tunnel collar with closure. One large upper pocket, two lower front patch pockets with closure flaps and side entry with fleece lining. Left sleeve pencil pocket, one left inside pocket. Bi-swing back with elasticized waistband and drawstring with cord locks. FR storm cuffs, thread and tape. New production will include FR mesh gas monitor pocket. Snap-on hard hat hood sold separately (68G 79). RT80 featuring 3M Scotchlite™ Reflective Material – 9740 industrial wash flame resistant trim (2" yellow/silver/yellow) with X on back CSA Z96 Class 1, Level FR

Serie #	Size	Color
55679	S - 5XL	Orange

Insulated Viking® Firewall™ FR Coverall with CSA Strips



9 oz. Westex® by Milliken® Flame Resistant Fabric – 88% cotton / 12% nylon. TPP Value: Contact 10.3, Spaced 11.4. 12 oz. Quilted modacrylic lining with wind and vapour barrier. Arc Rating ATPV: 35 cal/cm². CAT 3 (HRC 3). Nomex® backed YKK® #10 Two-way breakaway front zipper with exterior storm flap closure. Tunnel collar with closure. Two upper front pockets, two lower front patch pockets, two large hip patch pockets. One tool pocket on rear right leg, one left sleeve pencil pocket. Easy boot access with 33" Nomex® backed YKK® #10 side leg two-way brass zippers. Double knees and elasticized waistband. FR storm cuffs, thread and tape. Snap-on hard hat hood sold separately. RT80 featuring 3M Scotchlite™ Reflective Material – 9740 industrial wash flame resistant trim (2" yellow/silver/yellow). CSA Z96 Class 1, Level FR striping pattern

Serie #	Size	Color
52679	S - 5XL	Red

Insulated Viking® Firewall™ FR Bib Overall with Strips



9 oz. Westex® by Milliken® Flame Resistant Fabric – 88% cotton / 12% nylon. TPP Value : Contact 10.3, Spaced 11.4. 12 oz. Quilted modacrylic lining with wind and vapour barrier. Arc Rating ATPV: 35 cal/cm². CAT 3 (HRC 3). Nomex® backed YKK® #10 Two-way breakaway front zipper with exterior storm flap closure. Easy boot access with 15.5" Nomex® backed YKK® leg zippers. Elastic shoulder suspenders with adjustable buckles. One upper pocket with closure and pencil slot, two hip pockets. Two lower front patch pockets with side access vents. Right tool pocket and hammer loop on the left rear. Double knees and elastic waistband. RT80 featuring 3M Scotchlite™ Reflective Material – 9740 industrial wash flame resistant trim (2" yellow/silver/yellow). CSA Z96 Class 1, Level FR striping pattern.

Serie #	Size	Color
51679	S - 5XL	Orange

Viking® Coverall



Fully compliant with CSA Z96-09 ANSI/ISEA 107-2010 Class 1, Level 2. 2" Vi-Brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration. Durable 270 GSM (8 oz/ yd2) 65/35 Poly Cotton fabric provides superior abrasion and tear resistance. Full featured design with strong zippers and reinforced hemstitching to increase washing performance and wear resistance. Constructed with a two-way breakaway front brass zipper and exterior storm flap closure for safety. Back and crotch gusseted for ease of movement and maximum comfort. Back waist is elasticized. Anti-Puncture pocket (APP) technology with reinforced stitching to prevent sharp objects from puncturing through. 2 front upper pockets, 2 large rear pockets, 2 lower front pockets & 2 pass through pockets. Dual chest straps for ID badge/cell/radio. Tool pocket on right leg with hammer loop. Left sleeve pencil pocket. Ultraviolet Protection Factor 50+ Rating (UPF). Heavy duty 18" brass boot zipper for venting & easy access.

Serie #	Size	Color
VC20N	S - 5XL	Navy
VC20BK	S - 5XL	Black
VC30O	S - 5XL	Orange

Viking® Security Vest



Fully compliant with CSA Z96-09 Class 2, Level 2 Becomes CSA Class 3 in combination with right model arm and leg bands. Fully compliant with ANSI/ISEA 107-2010 Class 2 Level 2. 2" Vi-Brance® reflective safety material in 4" contrasting tape meets WCB / Worksafe / DOT configuration. Safety D ring slot access. 5 point Velcro tear away design. Four front pockets. Dual chest straps for ID badge / cell / radio
#6125 : Breathable polyester mesh
#6135 : Opaque polyester.

Serie #	Size	Color
6125-G	S - 5XL	Yellow
6125-O	S - 5XL	Orange
6135-G	S - 5XL	Yellow
6135-O	S - 5XL	Orange

Open Road Surveyor Security Vest



Vendor Code : ALLMER

Orange/Green: Fully compliant with CSA Z96-09 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands. **Red:** Fully compliant with CSA Z96-09 Class 1, Level 2. 2" Vi-Brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration. 150D polyester material with double hem stitched pockets and seams to increase wear resistance from washing. Mesh underarm cooling ventilation panels. Dual chest straps for ID Badge / Cell / Radio. Cell/Radio Velcro sealed pocket. Safety D ring slot access entire back area. 8 Velcro sealed pockets(5 Outside 3 Inside). Surveyor tape dispenser grommets on lower front pockets. Long ruler slot pocket on left back



Serie #	Size	Color
6165-O	S - 5XL	Orange
6165-G	S - 5XL	Yellow/Green
6165-R	S - 5XL	Red

Viking® Safety Cotton Lined Shirt

Orange/ Yellow: Fully compliant with CSA Z96-09 Class 2, Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2 **Navy:** Fully compliant with CSA Z96-09 Class 1 Level 2 & ANSI/ISEA 107-2010 Class 1 Level 2. Becomes CSA Z96-09 Class 3 when combined with the correct arm and leg bands. 2" Vi-Brance® reflective tape in 4" WCB/ Worksafe/DOT configuration. Cotton Lined Inner for superior comfort and breathability. Dual chest straps for ID badge / cell/ radio. Velcro Sealed Pocket on Left Side of Chest. UPF(Ultraviolet Protection Factor) rating of 50 Blocks 98% of UV Radiation from Passing through the Shirt.



Serie #	Size	Color
6015-O	S - 5XL	Orange
6015-G	S - 5XL	Yellow
6015-N	S - 5XL	Red
6000-O	S - 5XL	Orange
6000-G	S - 5XL	Yellow
6000-N	S - 5XL	Navy



Vendor Code : ALLMER

Viking® Safety Fleece Hoodie



Orange/Yellow: Fully compliant with CSA Z96-09 Class 2 , Level 2 and becomes Class 3 in combination with right model arm and leg bands. **Black:** Fully compliant with CSA Z96-09 Class 1 , Level 2. 2" Vi-Brance® reflective tape in 4" WCB/ Worksafe/DOT configuration. Thermal protective layer with ANSI Compliant visibility protection. Premium knitted polyester fleece for warmth and breathability. Antipill, warm 260 gm polyester quick dry. Tafeta lined sleeves. Tear away detachable hood. Warm full size hood with drawstring adjusters. Dual chest straps for ID badge / cell/ radio. Two front storage pockets. Cell phone pocket on left side of chest. Comfort snug elastic wrist and waistband.

Serie #	Size	Color
6420-JG	S - 5XL	Yellow
6420-JO	S - 5XL	Orange
6420-BK	S - 5XL	Black

Viking® Safety T-Shirt

Fully compliant with CSA Z96-09 Class 2 , Level 2 and becomes Class 3 in combination with right model arm and leg bands. Fully compliant with ANSI/ISEA 107-2010 Class 2 Level 2. 2" Vi-Brance® reflective tape in 4" WCB/ Worksafe/DOT configuration. Premium soft polyester fabric in fluorescent CSA and ANSI colours. Left chest Velcro sealed cell phone pocket and pen slot. Dual chest straps for ID badge / cell/ radio



Serie #	Size	Color
6005-O	S - 5XL	Orange
6005-G	S - 5XL	Yellow
6006-O	S - 5XL	Orange
6006-G	S - 5XL	Yellow

Open Road «BTE» Vest



Fully compliant with CSA Z96-09 Class 2, Level 2 and becomes Class3 in combination with right model arm and leg bands, Fully compliant with ANSI/ISEA 107-2010 Class 2 Level 2. 4" ANSI certified reflective tape with contrasting color. Fluorescent mesh fabric. Front Velcro closure. Dual chest straps for ID badge / cell / radio

Serie #	Size	Color
6110-G	S - 5XL	Yellow
6110-O	S - 5XL	Orange

FR Viking® Safety Vest

Fully compliant with CSA Z96-09 Class 2, Level FR and ASTM F2302-08 heat and Flame resistant. Strong breathable FR treated premium polyester material. 2" Vi-Brance® reflective tape in WCB/ Worksafe configuration. 5 point Velcro tear away safety design. Extra strong edging tape. 2 chest & 2 front storage pockets. Safety D ring access slot on back. Machine washable.



Serie #	Size	Color
6136-FR	S - 5XL	Orange

Open Road 150D



6323-JG

Fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit. 2" Vi-Brance® reflective material in 4" contrasting tape meets WCB/ Worksafe / DOT configuration. 150 Denier Trilobal Rip-stop Polyester /PU material light weight and flexible even in cold conditions. 100% Waterproof, Windproof and Machine Washable. Double sewn, taped and heat sealed seams. Generous sizing for working comfort and ventilation. Adjustable wrists cuffs. Hood snaps off. Multi-vented front and back for breathability. Dual chest straps for ID badge /cell/ radio. Attached bib pants with elasticized waist, Velcro fly access, elastic suspenders and adjustable boot cuffs



6323-WPG

6323-PG

Serie #	Size	Color
6323-JG	S - 5XL	Yellow
6323-JO	S - 5XL	Orange
6323-PO	S - 5XL	Orange
6323-PG	S - 5XL	Yellow
6323-WPG	S - 3XL	Yellow

Journeyman Professional 300D Viking®



6330-JO

Fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit. 2" 3M Scotchlite reflective material in 4" contrasting tape meets WCB/ Worksafe /DOT configuration. Heavy duty 300 denier Trilobal rip-stop polyester with PU material gives superior abrasion, puncture, rip and snag resistance. Double sewn, taped and heat sealed seams. Generous Sizing for working comfort and ventilation. Dual chest straps for ID badge /cell/ radio. Fully mesh lined jacket for comfort. Front and back multi vents to keep you cool while working. Detachable Hood (Sold separately #6330H). Detachable bib design. Heavy duty adjustable quick release elastic suspenders. Elasticized waist with Velcro fly access. Fully lined for comfort. 10" Boot zipper with flap closure and adjustable Velcro cuff.



6330-PO

Serie #	Size	Color
6330-JG	S - 5XL	Yellow
6330-JO	S - 5XL	Orange
6330-PO	S - 5XL	Orange
6330-PG	S - 5XL	Yellow



Vendor Code : ALLMER

Journeyman Professional 300D Trilobal Anti-accrocs FR Viking®

Fully compliant with CSA Z96-09 Class 1, Level FR. Meets ASTM F2302-08 convective heat and Flame resistant. Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance. 2" Vi-Brance® reflective material in 4" contrasting tape Meets WCB/Worksafe/DOT configuration. FR Treated inner lining. Detachable hood and comfort fleece collar. Heavy duty zipper with storm flap for weather protection. Dual chest straps for ID badge/cell/radio. Front and back vents for extra breathability. Two large zippered pockets on the outside. Adjustable Velcro wrist to seal out rain and wind. Heavy duty elastic suspenders with quick release buckle. Detachable bib design. Elasticized waist with zippered fly with Velcro flap. 13" Boot zippers with Velcro cover for easy access.



3907FR-J



3907FR-P

Serie #	Size	Color
3907FR-J	S - 5XL	Orange
3907FR-P	S - 5XL	Yellow

Viking® Miner 49^{er} Mining Suit

Fully compliant with CSA Z96-09 Class 1, Level FR. Meets ASTM F2302-08 convective heat and Flame resistant. Heavy duty neoprene with nylon, PU backing. Suitable for long wearing industrial applications and abrasive environments. Resistant to acids, chemicals, oils and solvents. Heat and flame incidental contact protection. Excellent puncture, tear and abrasion resistance. Generous sizing for working ease. Seam sealed and taped. 100% Waterproof. 2" reflective tape strategically placed front and back. Durable nickel plated brass buttons. D Ring slot on back (also provides venting). Heavy duty Viking elastic suspenders. Double bib design with inner pouch and pen holder. Detachable Hood (sold separately #5212)



5200-J



5200-P

Serie #	Size	Color
5200-J	S - 5XL	Orange
5200-P	S - 5XL	Yellow



Vendor Code : ALLMER

Harvik Dielectric Boot

CSA Z195-09 / ASTM F2413-11 Class #1 Steel Toe and Plate. CSA Omega - Electric Shock Resistant 18kV. Individually Tested boots at 10kV (wet condition) or 37kV (dry condition). Dielectric boots contain 200 joule epoxy coated steel toe. Extra shin protection. Cut-off line to make boot shorter. Polyester lining is comfortable, durable and washable. Fuel & oil resistant vulcanized rubber sole for inimical environment. Slip resistance outsole and excellent abrasion resistant. Resistant to hot contact 300°C for 60 seconds.



Serie #	Size	Color
9726-V	6 - 14	Yellow

Viking Handyman Boot

CSA Z195-14 Class #1 Steel Toe and Plate. CSA Omega - Electric Shock Resistant 18kV. Industrial strength 100% waterproof, handcrafted natural rubber. Superior slip resistance to PVC and PU (2 to 3 times better). Snug Fit design to reduce foot fatigue and ankle rollover. Super lightweight and 40%+ lighter than PU or PVC. Ultra-flexible: Exceeds 305,000 Flex Rating. VW3-1-3 comes with removable foam liner that provides warmth up to -70°C/-100°F.



Serie #	Size	Color
VW3-1	6 - 14	Black
VM3-1-3	6 - 14	Black

Viking Miner 49^{er} Boot

CSA Mt/75 Metatarsal Protection. CSA Z195-09 / ASTM F2413-11 Class #1 Steel Toe & Plate. CSA Omega - Electric Shock Resistant 18kV. SBR blended NR upper with cotton canvas lining. Highly chemical resistant upper. NBR oil, chemical and slip resistant air cushioned lug sole. Achilles tendon & ankle protection. Ultra-flexible: Exceeds 305,000 flex rating.



Serie #	Size	Color
VW49	5 - 14	Yellow

Viking Bushwhacker Boot

CSA Z195-09 / ASTM F2413-11 Class #1 Steel Toe & Plate. CSA Omega - Electric Shock Resistant 18kV. CSA Z195-14 "Green Fir Tree" Chainsaw Protection. CE 0321 Chainsaw Cut Protection Class 3. Snug fit design and ergonomic insole. Made of NBR rubber, for maximum chemical protection. High impact, abrasion, chemical, oil resistant nitrile lug sole. Air-cushioned heel with Achilles tendon, ankle and metatarsal protection. VW58-3 comes with removable foam liner that provides warmth up to -70°C/-100°F.



Serie #	Size	Color
VW58-1	4 - 15	Orange
VW58-3	4 - 15	Orange

Botte de Construction Viking Ultimate

CSA Z195-09 / ASTM F2413-11 Class #1 Steel Toe and Plate. CSA Omega - Electric Shock Resistant 18kV. Chainsaw Cut Protection Class 2. EN ISO 20345:2011. SB PE HRO FO SRA. EN ISO 17249:2004. Made of Natural Butadene Rubber (NBR) for maximum chemical protection. Circular saw cut resistance (9 seconds). 15" height, 3" nylon cuff with adjustable toggle to keep debris out. Only 3% of degradation after immersed in cement for 70hrs. Reinforced Achilles protection. Kick off spur. Protection against slipping into rebar; preventing bruising, lacerating of the shin/ankle. Slip resistant sole resistant to 300°C hot contact. Snug Fit design to reduce foot fatigue and ankle rollover.



Serie #	Size	Color
VW88	6 - 14	Blue

Bekina StepliteX PU Boot

CSA Z195-14 Class #1 Composite Toe and Midsole. CSA Omega - Electric Shock Resistant. Foamed PU waterproof construction. Higher toe cap for enhanced safety. Protective composite toe cap and midsole. Long life, tough wearing PU remains flexible to -40C/-40°F. Enhanced comfort: wider fitting. Aggressive winter anti-clogging soles. Shock-absorbent heel. Kick-off spur for quick removal. Cut-off line to make shorter boot. Anti-bacterial and abrasion-resistant lining. Free ergonomic, washable, shock-absorbing footbeds. 40% lighter than rubber or PVC.



Serie #	Size	Color
X290WB	4 - 15	White
X290GB	4 - 15	Green
X290BB	4 - 15	Blue
XC90BR	4 - 15	Navy

Vendor Code: EIDUPO



Tyvek®

- The best balance of protection, durability and comfort
- Comfort fit design allows for a greater range of motion and fewer blowouts
- Breathable inherent barrier protection against hazardous dry particles, aerosols and nonhazardous light liquid splash
- Excellent abrasion resistance; stops particles down to one micron
- One garment for many applications:
 - general maintenance/operations
 - microcrystalline silica
 - lead abatement
 - environmental cleanup
 - asbestos abatement
 - agriculture
 - food processing
 - mold remediation
 - spray painting
- Tyvek® is white
- PI = individually packaged



127



125

Series #	Size	Color
TY 127 S WH	SM - 7XL	White
TY 125 S WH	SM - 7XL	White

ProShield® NexGen®

- Barrier against a variety of non-hazardous aerosols, liquids and dry particles
- Microporous film laminated to a nonwoven fabric
- Uses include automotive refinishing, waste cleanup and sanitation engineering
- ProShield® NexGen® is white
- PI = individually packaged



127



125



Series #	Size	Color
NG 127 S WH	SM - 7XL	White
NG 125 S WH	SM - 7XL	White

Tempro®

- Engineered to wear over flame-resistant garments
- Lightweight, disposable barrier protection designed to not contribute to burn injury
- Resists non-hazardous dry particles and aerosols from contaminating flame-resistant garments
- Tempro® is blue



120



122



127

Series #	Size	Color
TM 120 S BU	SM - 7XL	Blue
TM 122 S BU	SM - 7XL	Blue
TM 127 S BU	SM - 7XL	Blue



ProShield®

- Made using DuPont proprietary Advanced Composite Technology™ (ACT™) fabric
- Anti-static treated, non-hazardous dry particulate resistance
- Uses include food processing, general maintenance and hospital visitation
- Comfort combined with superior breathability and low cost
- ProShield® is available in white or blue



127



125

Series #	Size	Color
PB 127 S WH	SM - 7XL	Blue
PB 125 S SBU	SM - 7XL	Blue

PROTECTIVE CLOTHING



Vendor Code: EIDUPO

TYCHEM® ThermoPro

- Used for HazMat response, as well as industrial and domestic preparedness situations where flash fire is likely to occur

- Unique technology provides flash fire and liquid splash protection in a single-layer garment

- Unique combination of Tychem® chemical barrier and Nomex® thermal protection

- Certified as meeting NFPA 2112 (2007 Edition)

"Standard on Flame Resistant Garments for Protection of Industrial Personnel against Flash Fire"

- Constructed for heavy use, yet lightweight and easy to wear

- Tychem® ThermoPro provides at least 30 minutes of protection against 182 chemical challenges

- Tychem® ThermoPro is available in orange for high visibility and gray for discretionary purposes



188



189

Series #	Size	Color
TP 188 T OR	SM - 7XL	Orange
TP 189 T OR	SM - 7XL	Orange

127



TYCHEM® CPF 3

- Strong and durable garments with broad chemical barrier

- Tychem® CPF 3 is a multi-layer barrier film laminated to a durable 2.0 oz yd2 polypropylene fabric


- Tychem® CPF 3 provides at least 30 minutes of protection against 149 chemical challenges

- For rigorous activities and rugged situations involving liquid splash

- Tychem® CPF 3 is tan for discretionary purposes



122



Series #	Size	Color
C3 122 T TN	SM - 5XL	Tan
C3 127 T TN	SM - 7XL	Tan

TYCHEM® BR

- Broad protection for hazardous materials handlers
- Uses include chemical handling, petrochemical manufacturing

- Multi-layer composite barrier laminated to a strong, nonwoven substrate

- Tear-, puncture- and abrasion-resistant for lasting, consistent protection

- Extensive permeation data by independent lab on more than 285 chemical threats on Tychem® BR

- Tychem® BR provide at least 30 minutes of protection against 282 chemical challenges

- Tychem® BR is yellow for high visibility



127

Series #	Size	Color
BR 127 T YL	SM - 6XL	Yellow

TYCHEM® SL

- Effective protection against a range of chemicals

- Uses include PCB cleanup, waste management, hazardous response and nuclear environments

- Tychem® SL is Saranex® 23-P film laminated to Tyvek® fabric

- Rugged and durable, even in environments where abrasion is an issue

- When used with masks and gloves, can help reduce the risk of cross-contamination in pandemic preparedness activities

- Tychem® SL provides at least 30 minutes of protection

- against 160 chemical challenges

- Tychem® SL is white

- BN = Berry compliant



127

Series #	Size	Color
SL 127 T WH	SM - 7XL	White
TF 169 T GY	SM - 7XL	White

TYCHEM® QC

- Light liquid splash protection

- Used extensively in the petroleum; pulp and paper;

- food and chemical processing; and pharmaceutical industries

- Tychem® QC is polyethylene-coated Tyvek® fabric

- Flexible, durable and lightweight

- Tychem® QC provides at least 30 minutes of protection against 42 chemical challenges

- Tychem® QC is yellow for high visibility

- PI = individually packaged



120



125



127

Series #	Size	Color
QC 120 S YL	SM - 7XL	Yellow
QC 125 S YL	SM - 7XL	Yellow
QC 127 S YL	SM - 7XL	Yellow

TYCHEM® LV

- Broad protection for hazardous materials handlers
- Uses include chemical handling, petrochemical manufacturing
 - Multi-layer composite barrier laminated to a strong, nonwoven substrate
- Tear-, puncture- and abrasion-resistant for lasting, consistent protection
- Extensive permeation data by independent lab on more than 285 chemical threats on Tychem® LV
- Tychem® LV provide at least 30 minutes of protection against 282 chemical challenges
- Tychem® BR/LV 611 is certified as NFPA 1992 Class 2 compliant

Tychem® LV is olive drab



Series #	Size	Color
BR 527 T YL	SM - 4XL	Olive

TYCHEM® Responder® CSM

- High-level protection against toxic and corrosive gaseous, liquid and solid chemicals
- Used for military weapon demilitarization
- Suited for HazMat and domestic preparedness situations
- Patented, lightweight fabric of multiple film barriers laminated to both sides of a polypropylene fabric
- Wide range of garment styles available, including fully encapsulated vapor protective Level A and liquid-splash protective Level B suits
- Available in both standard (single-taped, single-ply visor) and HazMat (double-taped, 3 ply visor) configurations
- Tychem® Responder® CSM provides at least 30 minutes of protection against 426 chemical challenges
- Tychem® Responder® CSM is desert sand for discretionary purposes
- TV = TAA compliant



Vendor Code: EIDUPO



Series #	Size	Color
RC 550 T TN	SM - 7XL	sand

550

TYCHEM® TK

- Premium protection against toxic and corrosive gaseous, liquid and solid chemicals
 - Leading garment chosen by HazMat responders worldwide
- Extremely durable, puncture- and tear-resistant fabrics
- Wide range of garment styles available, including totally encapsulated, vapor protective Level A and liquid-splash protective Level B suits
 - Tychem® TK provides at least 30 minutes of protection against 322 chemical challenges
 - Tychem® TK is high-visibility lime yellow—specially designed to be visible under dark and light situations




Series #	Size	Color
TK 554 T LY	SM - 4XL	Yellow
TK 613 T L	One Size	Yellow



TYCHEM® Reflector®

- Limited-use "single skin" garment offers broad chemical holdout
- Ideally suited for industrial and HazMat situations
- Chemical protection in one garment that is easy to don and doff
- Tychem® Reflector® provides at least 30 minutes of protection against 291 chemical challenges
- Tychem® Reflector® is high-visibility silver
- TV = TAA compliant

Series #	Size	Color
RF 600 T SV	SM - 4XL	Silver



600

PROTECTIVE CLOTHING



Vendor Code: LAKEPR



CNS428

MICROMAX® NS

Microporous protection from dirt, grease, grime and light chemical splash! Note: Other coverall styles or accessories may be available. Coverall, zipper closure, attached hood, boots, elastic wrists.

Series #	Size	Color
CNS428	S – 5XL	White

PYROLON® PLUS 2

Perfect for use over thermally protective and arc protective clothing! Note: Other coverall styles or accessories may be available. Pyrolon® Plus 2 Coverall, zipper closure, attached hood, elastic wrists and ankles.

Series #	Size	Color
07428B	S – 5XL	Pale Blue



07428B

CHEMMAX® 1

Entry Level Chemical Protective Garment Note: Other coverall styles or accessories may be available. C1B428-szY Bound Seam has storm flap over zipper and a respirator fit hood, Coverall, zipper, attached hood, elastic wrists and ankles.

Series #	Size	Color
C1B428	S – 5XL	Yellow

MicroMax® NS Cool Suite Coverall

Zipper closure, attached hood, elastic wrists and ankles.

Series #	Size	Color
COL428	S – 5XL	White



C1B428



COL428

CHEMMAX® 2

ChemMax® 2 offers quality, value, durability and the proven protection of Dow Saranex® 23P barrier film. Note: Other coverall styles or accessories may be available. Coverall, respirator fit hood, storm flap over zipper, elastic face, wrists and ankles.

Series #	Size	Color
C72132	S – 5XL	White



SAFEGARD® SMS

Get great protection and breathability too with SafeGard® SMS! Note: Other coverall styles or accessories may be available. SafeGard® Coverall, zipper closure, attached hood, elastic wrists and ankles.

Series #	Size	Color
C8428	S – 5XL	Blue



INTERCEPTOR®

Interceptor® is your first line of defense against extreme chemical hazards. Note: Other coverall styles or accessories may be available. Blue Vapor tight (Level A) Deluxe Ensemble- Fully encapsulated, rear-entry vapor-protective suit. Available in wide-view face shield configuration as 80650W.

Series #	Size	Color
80650W - Wide-View Face Shield	S – 5XL	Blue



Kit 8/12 cal.

Includes coveralls, hardhat w/ face shield with protective bag, balaclava, class 0 glove kit, all in arc gear bag. Available with CSA Stripping



Vendor Code: PMMINT

Kit 40 cal.

Includes Ultrasoft 40 cal/cm² suit, including hood, pants and 35" coat, Class 1 glove kit, all contained in an arc gear bag

Series #	Color
40KIT	Navy



Gloves

Kit includes : Glove, leather outer glove and transport bag

Series #	Color	Size
C0(X)K	Orange	7, 8, 9, 10, 11, 12
C00(X)K	Orange	7, 8, 9, 10, 11, 12
CL0(X)K	Black	7, 8, 9, 10, 11, 12



Hard Caps

4692 4693 : Complete hard caps with Chin Guard and Tinted Lens. Can be sold separately.

Series #	Color
4692	Compleat Caps
4656	Face Shield
4660	Support
4665	Support



Balaclava FR

12 cal/cm² balaclava single layer of UltraSoft® knit light and comfortable .

Series #	Color
H11RY	Black





Vendor Code : ISECOI

Blaster 15cm and 20cm



ST / CP, ESR
EA / PC, ESR

PU/leather upper, Padded collar and tongue, Fully lined with moisture wicking performance fabric, Removable EVA comfort insole, Direct injected PU midsole with oil resistant TPU outsole and PU toe bumper.

Series #	Color	Size
D6324	Beige	7, 8-11, 12-13
D6325	Black	7, 8-11, 12-13
D8324	Beige	7, 8-11, 12-13
D8325	Black	7, 8-11, 12-13

Overtime 8 " 20 cm

ST / CP, ESR
EA / PC, ESR



Full grain leather upper and waterproof membrane, 200g Thinsulate™ insulation, 3M™ reflective detail, Padded collar and tongue, Fully lined with moisture wicking performance fabric, Removable EVA comfort insole, Direct injected PU midsole with oil resistant TPU outsole and PU toe bumper

Series #	Color	Size
D8422	Brown	7, 8-11, 12-13
D8425	Black	7, 8-11, 12-13

SOLO

ST / CP, ESR

EA / PC, ESR

Suede leather upper with mesh underlay, Fully lined with moisture wicking performance fabric, Padded collar and tongue, Removable EVA comfort insole, Lightweight and shock absorbing EVA midsole, Oil and slip resistant rubber outsole.



Series #	Color	Size
D1226	Grey	7, 8-11, 12-14

Stryker

ST / CP, ESR

EA / PC, ESR

Full grain leather upper, Padded collar and tongue, Fully lined with moisture wicking performance fabric, Waterproof membrane, Protective rubber toe bumper, Removable PU insoles, Lightweight PU midsole with an oil and slip resistant rubber outsole, Shock absorbing PU heel strike zone.



Series #	Color	Size
D8822	Brown	7-11, 12-14
D8824	Tan	7-11, 12-14

Sierra

ST / CP, ESR

EA / PC, ESR

Full grain leather/ nylon combination upper, Waterproof membrane, Fully lined with moisture wicking performance fabric, Padded collar and tongue, Lightweight and shock absorbing EVA midsole, Premium shock absorbing EVA insole, Oil and slip resistant rubber outsole



Series #	Color	Size
D6525	Black	7, 8-11, 12-14

Voyageur

CT / CP, ESR

EC / PC, ESR

Made in Canada, Premium waterproof leather upper with sealed seams, Patented anatomical full leather tongue, 200 gm Thinsulate™ insulation, KODIAK branded abrasion resistant lining treated with KODIAK SOS Smell Out Science® natural odour eliminating system, Durable triple stitched TPU molded toe guard, Integrated molded TPU heel kicker, Removable COMFORTZONE® dual density polyurethane insole, Direct injected PU midsole with VIBRAM®, FIRE&ICE™ oil, acid and slip resisting rubber outsole, CSA approved grade 1, metal free composite toe, composite plate, E.S.R.



Series #	Color	Size
310095	Wheat	7, 8-11, 12-14

Barrow

CT / CP, ESR

EC / PC, ESR

Made in Canada, Premium waterproof leather upper with sealed seams, 200 gm Thinsulate™ insulation, KODIAK branded abrasion resistant lining treated with KODIAK SOS Smell Out Science® natural odour eliminating system, Durable triple stitched TPU molded toe guard, Integrated molded TPU heel kicker, Removable COMFORTZONE® dual density polyurethane insole, Direct injected PU midsole with VIBRAM® FIRE&ICE™ oil, acid and slip resisting rubber outsole, CSA approved grade 1, metal free composite toe, composite plate, E.S.R.



Series #	Color	Size
310089	Wheat	7, 8-11, 12-14

Blue 6 inch

AT / CP, ESR

Premium nubuck/full grain, water resistant leather upper, V-back padded collar, Anatomical off-center women last, patented padded anatomical tongue, Removable COMFORTZONE® 2 density polyurethane insole, Lightweight aluminum toe cap, Flexible composite puncture resistant plate, Exclusive claw design, oil resistant rubber outsole, CSA approved grade 1, aluminum toe, composite plate, E.S.R.



Vendor Code : ISECOI



Series #	Color	Size
614004	Black	5, 6-10
614003	Taupe	5, 6-10

Taylor

ST / CP, ESR

EA / PC, ESR

Easy care combination full grain leather / PU upper, Abrasion resistant microfibre lining with reinforced heel counter, Removable Ortholite® insole with MMS dry layer, Lightweight, cushioning polyurethane midsole, KODIAK® Ultimate SR & oil resistant rubber outsole compound, CSA approved Grade 1, steel toe, composite plate, E.S.R.



Series #	Color	Size
604024	Black	5, 6-10

Jen

604023 ST / CP, ESR EA / PC, ESR

504039 ST / SD EA / SD

Easy care combination full grain leather / PU upper, Abrasion resistant microfibre lining with reinforced heel counter, Removable Ortholite® insole with MMS dry layer, Lightweight, cushioning polyurethane midsole, KODIAK® Ultimate SR & oil resistant rubber outsole compound, CSA approved grade 1, steel toe, composite plate, E.S.R. or steel toe, static dissipative



Series #	Color	Size
604023	Black	5, 6-10
504039	Black	5, 6-10



Vendor Code : ISECOI

Greer

AT / CP, ESR
EAL / PC, ESR



Full grain leather upper, Hex-weave perforated lining with microfibre heel counter, Removable Ortholite® insole with MMS dry layer- Lightweight polyurethane midsole with shock absorbing QuadAir® TPU airbag, KODIAK® Ultimate SR & oil resistant rubber outsole compound, CSA approved grade 1, aluminum toe, composite plate, E.S.R

Series #	Color	Size
304034	Black	7, 8-11, 12-14

Rebel Leather

ST / SP, ESR
EA / SA, ESR



Smoke nubuck leather upper, Patented anatomical full leather bellows tongue, Soft PU padded collar, Abrasion resistant rubber toe guard, Anatomical wide fitting last, Removable anti-fatigue insole with energy transfer heel and forefoot pods, Exclusive KODIAK® tread design, TPU outsole, Steel toe, steel plate, E.S.R, CSA approved grade 1, Lightweight direct injected polyurethane midsole

Series #	Color	Size
310086	Smoke	7, 8-11, 12-14

Rebel 20cm

ST / SP, ESR
EA / SA, ESR



Smoke nubuck leather upper combined with abrasion resistant nylon panels, High-frequency molded leather heel guard and stability strap, Reinforced rubber bottom eyestay, Abrasion resistant rubber toe guard, Patented padded anatomical tongue, Anatomical wide fitting last, Removable anti-fatigue insole with energy transfer heel and forefoot pods, Lightweight direct injected polyurethane midsole, Exclusive KODIAK® tread design, TPU outsole, CSA approved grade 1, steel toe, steel plate, E.S.R

Series #	Color	Size
310073	Smoke	7, 8-11, 12-14

Journey

CT / CP, ESR

200 gm Thinsulate™ insulation, Waterproof leather upper with waterproof membrane, KODIAK's Ultimate SR & oil resistant rubber outsole compound, Molded TPU heel guard and rubber toe guard, Breathable nylon mesh lining



Serie #	Color	Size
302123	Brown	7, 8-11, 12-14



Vendor Code : ISECOI

Argo

CT / CP, ESR
EC / PC, ESR



Direct injected lightweight PU midsole, High traction, anti-F.O.D. military rubber outsole, Premium full-grain waterproof leather upper, CLEANFEET® treated aerospacer moisture wicking lining, Removable dual density PU FOOTBED®, 200g Thinsulate™ insulation, TERRA FIRMA-FLEX® Metal Free.

Series #	Color	Size
2974B	Tan	7, 8-11, 12-14
2975B	Black	3-11, 12-14

Pacer

CT / CP, ESR
EC / PC, ESR



High traction, aggressive tread rubber outsole, Lightweight energy return EVA midsole with TPU arch shank, Breathable microfiber and micro-mesh combination upper, 3M™ reflective banding, CLEANFEET® treated moisture wicking lining, TERRA FIRMA-FLEX® Metal Free composite toe cap and puncture resistant plate, Removable cushioned EVA FOOTBED®.

Series #	Color	Size
715104	Blue	7, 8-11, 12-13
715107	Orange	7, 8-11, 12-13

Sentry

ST / SP, ESR
EA / SA, ESR



Direct injected PU midsole, TPU outsole and PU bumper toe, Full-grain waterproof leather upper, Cambrelle® lining, 200g Thinsulate™ insulation, Removable dual density PU FOOTBED®.

Series #	Color	Size
1994B	Tan	7-11, 12-13
1995B	Black	7-11, 12-13

Talon

AT / CP, ESR
EAL / PC, ESR



Lightweight EVA midsole with exclusive Vibram® rubber outsole, High abrasion chain mesh side-panel, Water resistant leather with protective heel and toe guards, Reflective trim windows on eye-stay and toe guard, CLEANFEET® treated moisture wicking lining, Removable two density EVA FOOTBED®.

Series #	Color	Size
825125	Black	7, 8-11, 12-13

Triton Gore Tex

CT / CP, ESR
EC / PC, ESR



Direct injected light density PU midsole with PU toe bumper, Next generation Vibram® Fire&Ice™ multi-terrain rubber outsole – TERRA exclusive, Full-grain waterproof leather, GORE-TEX® waterproof and breathable membrane, Moisture wicking performance lining, 3M™ reflective heel band, 200g Duratherm™ insulation, TERRA FIRMA-FLEX® Metal Free composite toe cap and puncture resistant plate, Removable two density PU FOOTBED®.

Series #	Color	Size
2535B	Black	7, 8-11, 12-14

Crossbow

CT / CP, ESR
EC / PC, ESR



Direct injected cold formulated PU shell bottom with crossbeam sidewall details and doffing assist heel prong, High traction rubber outsole with diamond cleat design, Full-grain waterproof leather upper, integrated pull tab and 3M™ reflective piping, Channelled Metal Free eyelets (top two locking), Removable TERRA-SPHERE 4 layer liner with injected heel glide and integrated TPU back strap pull port, treated with CLEANFEET® odour fighting technology, Moisture capture frost plug, Temperature rated: -60°C (-76°F).

Series #	Color	Size
915605	Black	7, 8-11, 12-13

PROTECTIVE FOOTWEAR



Vendor Code: CHASTC



DRIVE

Non-metallic workshoe with wide fitting composite toe & Lenzi plate. EVOLUTION rubber/eva sole full composite sport shoe. Chemtech-XT upper. Drilex highly breathable lining & removable comfort footbed.

Series #	Size	Color
21972	5, 6, 7, 8 - 11, 12, 13 & 14	Black



BRUCE

Low cut hiker with Vibram rubber outsole. Full grain, water-resistant suede upper. CSA Grade 1 steel toe & Lenzi puncture resistant plate. Drilex workhorse lining for added breathability & abrasion resistance

Series #	Size	Color
21971	5, 6, 7, 8 - 11, 12, 13 & 14	Tan



TRUMP

Bruzer new one density PU sole 6" safety boot. Highly acid resistant microfiber upper with gunmetal eyelets. PU padded collar and padded tongue. TPU bumper toe and rubber heel protector

Series #	Size	Color
21982	5, 6, 7, 8 - 11, 12, 13 & 14	Black

KEEP

Bruzer new one density PU sole 8" safety boot. Highly acid resistant microfiber upper. Seam sealed, TPU bumper toe. Insulated with Thinsulate. Removable comfort footbed.



Series #	Size	Color
21986	5, 6, 7, 8 - 11, 12, 13 & 14	Black

MASTER

8" safety boot with Bruzer one density PU sole. Wheat nubuck waterproof leather upper. Seam Sealed, TPU bumper toe. Thinsulate™ insulation. Removable OrthoLite® footbed.



Series #	Size	Color
21995	5, 6, 7, 8 - 11, 12, 13 & 14	Brown
22231	5, 6, 7, 8 - 11, 12, 13 & 14	Black

ACROBAT

Bruzer new one density PU sole 8" safety boot. Nubuck buffalo leather upper. TPU bumper toe. Insulated with Thinsulate. Removable comfort footbed.



Series #	Size	Color
21987	4, 5, 6, 7, 8 - 11, 12, 13 & 14	Dogwood

MORGAN

Non-metallic workboot with wide fitting composite toe & Lenzi plate. Removable OrthoLite® footbed, Isofix lined, 200g Insulation. STC® exclusive new PU/Vibram® direct attach sole with bumper toe. Padded collar and tongue for added comfort. Waterproof, full grain breathable leather, seam sealed.



Series #	Size	Color
21991	5, 6, 7, 8 - 11, 12, 13 & 14	Black



Vendor Code: CHASTC



DAWSON

8" regular cut Vibram soled boot with bumper toe. PU-Vibram® rubber sole, Thinsulate™ insulation. Isofix lined. Removable dual density PU footbed. CSA Grade 1 toe & plate and ESR.

Series #	Size	Color
22022	4, 5, 6, 7, 8 - 11, 12, 13 & 14	Black

DUNCAN II

8" lightweight Goodyear Welt insulated workboot. Full grain, waterproof breathable leather. Composite toe & Lenzi plate. Drilex workhorse lining w/ 200g insulation. Gore-Tex bootie®. Vibram Fire & Ice® rubber sole gives improved slip resistance in wet & cold.



Series #	Size	Color
21999	5, 6, 7, 8 - 11, 12, 13, 14	Black



CANUCKS

Non-metallic workboot with wide fitting composite toe & Lenzi plate. Removable STC® footbed, Isofix lined, 200g insulation. STC® exclusive new PU/Vibram® direct attach sole with bumper toe. Padded collar and tongue for added comfort. Waterproof, full grain breathable leather, seam sealed.

Series #	Size	Color
21992	5, 6, 7, 8 - 11, 12, 13, 14	Wheat

ALLOY

Non-metallic External Metguard with wide fitting composite toe & Lenzi plate®. Removable OrthoLite® footbed, Isofix lined, 200g Insulation. Smooth full grain waterproof leather, seam sealed with kevlar fire retardant thread. STC® exclusive new PU/Vibram® direct attach sole with bumper toe. New stippled rubber tread for enhanced slip resistance. Padded collar and tongue for added comfort.



Series #	Size	Color
22007	5, 6, 7, 8 - 11, 12, 13 & 14	Black



SHIRE

Non-metallic workboot with wide fitting composite toe & Lenzi plate. Ballistic nylon upper for added puncture and abrasion resistance. Removable molded STC footbed. Gore-Tex® waterproof membrane with 200g Insulation. STC® exclusive new PU/Vibram® direct attach sole with bumper toe. Padded collar and tongue for added comfort.

Series #	Size	Color
21994	5, 6, 7, 8 - 11, 12, 13, 14	Black

METPRO

8" Puritan with Metatech Internal Metguard. PU midsole with Vibram rubber outsole, with bumper toe for added life. Removable molded OrthoLite® footbed. Smooth black waterproof cowhide. CSA certified steel toe & puncture resistant plate, ESR approved



Series #	Size	Color
22002	4, 5, 6, 7, 8 - 11, 12, 13, 14 & 15	Black



Vendor Code: CHASTC



LARCH

10" ballistic nylon internal metguard boot. STC® exclusive new PU/Vibram Fire & Ice® direct attach sole with bumper toe. Removable OrthoLite® footbed. Cambrelle to Gore-tex® waterproof / breathable. CSA/ASTM composite toe and plate, ESR approved. Reinforced heel counter for extreme support (STC® Patent).

Series #	Size	Color
22103	4, 5, 6, 7, 8 - 11, 12, 13, 14	Black

TITANIUM

14" Internal Metguard waterproof boot. PU mid-sole with Vibram rubber outsole, with bumper toe for added life. Seamless ChemShield upper with isofix lining with a high degree of humidity control. Removable OrthoLite® footbed. CSA/ASTM composite toe and plate, ESR approved. Reinforced heel counter for extreme support (STC® Patent).



Series #	Size	Color
22274	3, 4, 5, 6, 7, 8 - 11, 12, 13, 14 & 15	Black



STACKER

8" chemtec safety workboot with STC internal SoftMET and Ankle Lock System. Chemtec microfiber boots with PU coated leather vamp for high abrasion resistance. STC high wicking and abrasion resistant lining. Removable molded Ortholite® footbed. PU sole with direct attached STC EDG Vibram Fire & Ice rubber sole gives improved slip resistance in wet & cold. Composite toe & Lenzi plate, CSA / ASTM - ESR.

Series #	Size	Color
22273	3, 4, 5, 6, 7, 8 - 11, 12, 13, 14 & 15	Black

HARDROCK

10" Internal Metguard. PU Vibram® Fire&Ice sole with bumper toe. Gore-Tex® waterproof membrane, Cambrelle® lined. STC footbed, uninsulated. Extreme abrasion resistance thread. CSA certified steel toe & puncture resistant plate, ESR approved.



Series #	Size	Color
22006	5, 6, 7, 8 - 11, 12, 13 & 14	Black

KIMBERTLITE



9" chemtec safety workboot with STC internal SoftMET and Ankle Lock System. Leather boots for high abrasion resistance. STC high wicking and abrasion resistant lining. Removable molded Ortholite® footbed. PU sole with direct attached STC EDG Vibram Fire & Ice rubber sole gives improved slip resistance in wet & cold. Composite toe & Lenzi plate, CSA / ASTM - ESR.

Series #	Size	Color
22274	3, 4, 5, 6, 7, 8 - 11, 12, 13, 14 & 15	Black

PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection

- Qflex Zero, non-metallic puncture protection for underfoot safety
- Heavy duty Nomex heat and flame resistant stitching for added reinforcement and longer life
- SYMPATEX waterproof liner keeps feet dry and comfortable
- Fully lined with padded comfort collar and padded, full-bellows tongue, for greater worker comfort
- Outsole is heat-resistant up to 572° F (300° C) and chemical-resistant to mineral oils, acids, alkalies, animal fats and oils
- Optional lace in zipper attachment (sold separately)
- Meets ASTM F2413-11 M I/75 C/75, MT/75, SD and PR

Series #	Description	Size
65-690	Black, leather, lace up, 10 in (250 mm)	6-15 / 7½-11½

- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- Heavy duty Nomex heat and flame resistant stitching for added reinforcement and longer life
- SYMPATEX waterproof liner keeps feet dry and comfortable
- Fully lined with padded comfort collar and padded, full-bellows tongue, for greater worker comfort
- Outsole is heat-resistant up to 572° F (300° C) and chemical-resistant to mineral oils, acids, alkalies, animal fats and oils
- Optional lace in zipper attachment (sold separately)
- Meets ASTM F2413-11 M I/75 C/75, MT/75, SD and PR

Series #	Description	Size
65-691	Black, water-resistant leather, lace up, 14 in (350 mm)	6-15 / 7½-11½

- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Heavy duty Kevlar stitching for extra reinforcement and longer life
- Fully lined with padded comfort collar and tongue, for greater worker comfort
- Meets ASTM F2413-11 M I/75 C/75 MT/75, PR and EH

Series #	Description	Size
55-246	Black, water-resistant leather, lace up, 6 in (150 mm)	6-15 / 7½-11½



by Honeywell

Vendor Code: NOSAPR





Vendor Code: NOSAPR

by Honeywell

All PVC footwear is made in the USA.



18821C



75125C



75145C



75101C



75109C

CT™ – Comfort Technology

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- CT offers a unique scalloped top-line design to accommodate flexing and prevent irritating rubbing on legs for added comfort
- Unique Trac10™ outsole pattern is engineered to reduce slip and fall in hazardous environments
- Contour heel cup molding and removable FOOT FORM contour cushion insoles reduce heel slippage and provide added support for all day comfort
- 18821C meets CAN/CSA Z195-09 Grade 1

Series #	Men's Whole Size	Description
18821C	3-15	Black, 35.6 cm height, Steel Toe
18822C	3-15	Black, 35.6 cm height, Plain Toe

PRM II™

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Flexible steel midsole provides outstanding under-foot puncture protection
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards
- Removable FOOT FORM contour cushion insoles provide all-day comfort and support
- Meets CAN/CSA Z195-09 Grade 1 and Puncture Protection

Series #	Men's Whole Size	Description
75125C	7-14	Black, 38.1 cm height

PRM™

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Flexible steel midsole provides outstanding under-foot puncture protection
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards
- Removable FOOT FORM contour cushion insoles provide all-day comfort and support
- Meets CAN/CSA Grade 1 and Puncture Protection

Series #	Men's Whole Size	Description
75145C	7-14	Black/Orange 38.1 cm height

XTP™ and PRO®

- Seamless, PVC, 3-stage injection molded construction is 100% waterproof to keep workers' feet comfortable and dry
- TDT outsole compounds are formulated for longer wear to reduce inventory, and slip-resistance to reduce the cost of injury
- Steel shank is longer, larger and positioned for optimal support to help prevent foot pain when standing all day
- Boot heights are graduated and proportional to sizing to ensure comfort and prevent chafing when walking
- Removable FOOT FORM contour cushion insoles provide support and wick away moisture to keep workers' feet dry
- Meets CAN/CSA Z195-09 Grade 1

Series #	Men's Whole Size	Description
75109C	3-15	XTP™ Blk/Yellow/Gray, 38.1 cm height, Steel Toe
75101C	3-15	Pro® Grey/Yellow/Black, 38.1 cm, Steel Toe



by Honeywell

Vendor Code: NOSAPR

Processing Overshoes

- Thermoplastic polyurethane upper is easily sanitized and is 100% waterproof to keep workers' feet dry and comfortable
- Polyurethane outsole is lightweight to prevent workers' foot and leg fatigue, and the open tread design provides maximum slip resistance for workers' safety
- Unique strap system provides a secure fit to prevent boot from slipping, which could cause a tripping hazard and injury to workers
- Wide, easily opened gusset provides ease in putting on and taking off overshoes, allowing workers to efficiently prepare for work

Series #	Description	Size
IT12PT17	Blue, 30.5 cm, Plain toe	XS-3XL
IT12ST17	Blue, 30.5 cm, Steel toe	XS-3XL
MT15ST17	Blue, 38.1 cm, Steel toe	XS-3XL



IT12ST17

All Season Overshoes

- Nylon fabric is extremely durable for longer life and lightweight reducing workers' foot and leg fatigue
- Waterproof laminated film membrane protects expensive work boots from harsh weather environments, reducing your overall footwear spend
- Extra large gusset provides ease in putting on and taking off overshoes, allowing workers to efficiently prepare for work
- Compatible with orthopaedic and custom footwear; it will fit a wide range of shoe designs for workers' comfort
- Superlite outsoles are lightweight and offer comfort by preventing worker foot and leg fatigue
- Perma outsole offers very good traction in tough weather conditions, reducing the risk of slips and falls for workers' safety
- Vibram® Ninja™ outsole offers superior traction on ice, snow and slush helping to reduce worker injury from slips and falls
- Unique ankle strap provides a snug fit to prevent overshoes from slipping that may cause slips and falls
- Optional 10 mm removable EVA insole adds cushioning for added all-day comfort and warmth (sold separately)

Series #	Description	Size
VIS1BLK	NEOS™ Villager™ Black, 25.4 cm Superlite Outsole	XS-2XL
TRS7BRN	NEOS™ Trekker™ Mushroom, 50.8 cm Superlite Outsole	XS-2XL
VNN1BLK	Voyager™ Black, 27.9 cm Perma Outsole	XS-2XL
ANN1BLK	Adventurer™ Black, 38.1 cm Perma Outsole	XS-2XL
SNN1BLK	Surveyor™ Black, 50.8 cm height Perma Outsole	XS-2XL
RTK7BRN	River Trekker™ Brown, 76.2 cm Vibram® Ninja™ Outsole	M-2XL



TRS7BRN



VIS1BLK



RTK7BRN



VNN1BLK

SERVUS
by Honeywell



by Honeywell

Vendor Code: NOSAPR



UNX1BLK

EXPGBLK



N5P3GRY



VNS1BLK

EXSGBLK

N5P3SGRY

SERVLIS
by Honeywell

Winter Overshoes

- Durable nylon upper (Uptowner X™ and Explorer™) or sturdy polyester (Navigator 5™) with waterproof membrane, protects expensive work boots from harsh weather environments, reducing your overall footwear spend
- Polyurethane foam insulated inner keeps workers' feet warm in the harshest of cold weather conditions
- Extra large gusset provides ease in putting on or taking off overshoes, allowing workers to efficiently prepare for work
- Compatible with orthopaedic and custom footwear; it will fit a wide range of shoe design for workers' comfort
- Perma outsole offers very good traction in tough weather conditions to reduce the risk of slips and falls for workers' safety
- Vibram® Ninja™ outsole offers superior traction on ice, snow and slush helping to reduce worker injury from slips and falls
- Unique ankle strap provides a snug fit to prevent overshoes from slipping that may cause slips and falls
- Optional 10 mm removable EVA insole adds cushioning for added all day comfort and warmth (sold separately)

Series #	Description	Size
UNX1BLK	Uptowner X,™ Black, 22.9 cm	XS-2XL
EXPGBLK	Explorer,™ Black, 27.9 cm	XS-3XL
N5P3GRY	Navigator 5™ Grey, 38.1 cm extends to 50.8 cm	XS-4XL

Anti-Slip Overshoes

- Durable nylon upper (Villager™ and Explorer™) or sturdy polyester (Navigator 5™) with waterproof membrane protects expensive work boots from harsh weather environments, reducing your overall footwear spend
- Polyurethane foam insulated inner (Explorer™ and Navigator 5™) keeps workers feet warm in the harshest cold weather conditions
- Extra large gusset provides ease in putting on and taking off overshoes, allowing workers to efficiently prepare for work
- Compatible with orthopaedic and custom footwear; it will fit a wide range of shoe designs for workers' comfort
- STABILicers® outsoles with replaceable cleats provide excellent traction on ice and snow and reduce risk of slips and falls
- Unique ankle strap and adjustable Velcro cuff provides a snug fit to prevent overshoes from slipping that may cause slips and falls
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job
- Optional 10 mm removable EVA insole adds comfort and warmth (sold separately)

Series #	Description	Size
VNS1BLK	Voyager,™ Black, 27.9 cm height	XS-3XL
EXSGBLK	Explorer,™ Black, 27.9 cm height	XS-3XL
N5P3SGRY	Navigator 5,™ Grey, 38.1 cm extends to 50.8 cm height	XS-3XL



Vendor Code: JARIMP

PVC 15" Soft Toe Boot

Generous, comfortable fit, Durable and Flexible PVC shaft, Heavy-duty PVC compounded sole, Puncture and tear resistant, 2 cut-off lines for shorter boot formats

Series #	Size	Color
V4710170	3-13	Black



Ranpro Steel Toe/Steel Plate PU Boot

Steel toe and mid-sole. Oil, gas, mineral, organic and chemical resistant. Lightweight and extremely comfortable. Innovative heel-tab for easy removal. Reinforced ankle protection and extra ankle room to prevent rubbing. Upper grip on boot allows you to easily put on boots. Cut-off line for customizable boot height. Ergonomically designed upper boot to allow for a better range of movement at the calf. Water channeling tire tread-inspired soles. Non-clogging sole. Rated to -20°C

Series #	Size	Color
V4240500	4 - 15	White



PVC 15" Steel Toe/Steel Plate Boot

CSA Class 1 steel toe/steel plate, Static dissipative, Generous, comfortable fit, Durable and Flexible PVC shaft, Heavy-duty PVC compounded sole, Puncture and tear resistant, 2 cut-off lines for shorter boot formats

Series #	Size	Color
1022	3-13	Black



Felt Lined 13" Hunter Boot

Rated for -50°C. Composite toe and non-metallic midsole provides full safety protection and increased thermal insulation in cold weather. Omega/EH rated. Winter tire inspired tread pattern features wider and deeper dispersion lines designed to pull water up and away from the contact point between the sole and ground for greater slip resistance. Aggressive tread design to provide superior traction in snow and mud. Reinforced ankle protection and extra ankle room to prevent rubbing. Upper grip on boot allows you to easily pull on boots even when wet or muddy. Ergonomically designed upper boot to allow for a better range of movement at the calf. Lightweight and comfortable. Innovative heel-tab for easy removal. Cut-off line for customizable boot height. Oil, gas, mineral, organic and chemical resistant



Ranpro Steel Toe/Steel Plate PU Boot

Steel toe and mid-sole. Oil, gas, mineral, organic and chemical resistant. Lightweight and extremely comfortable. Innovative heel-tab for easy removal. Reinforced ankle protection and extra ankle room to prevent rubbing. Upper grip on boot allows you to easily put on boots. Cut-off line for customizable boot height. Ergonomically designed upper boot to allow for a better range of movement at the calf. Water channeling tire tread-inspired soles. Non-clogging sole. Rated to -20°C

Series #	Size	Color
V4240640	4 -15	Green





Vendor Code: JARIMP



Chest Wader

1043 – CSA Class 1 steel toe/steel plate and static dissipative, Canvas upper with heavy-duty .65 mm PVC coating, Adjustable elastic suspenders, Adjustable draw-string/toggle waist, front chest pouch, PVC/nitrile outsole, High-frequency heat-sealed for 100% waterproof seams, Waist straps, Chemical resistant, Slip-resistant tread pattern

Series #	Size	Color
V4720270 plain toe	8-13	Black
V4720470 steel toe/plate	8-13	Black

300D Hi-Viz Ripstop

300 Denier durable ripstop polyester, PU coated. 100% waterproof and windproof. Double-stitched and heat sealed seams. Abrasion-, puncture- and tear-resistant. JACKET : CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands). BIB PANTS : CSA Z96-15 Class 3 Level 2 when worn with CSA Class 2 Level 2 top featuring reflective arm bands. StarTech™ reflective tape. Multiple ventilation panels, front and back. Fully mesh and taffeta lined. JACKET : Drop back. 2 lower zip pockets, 2 lower inside pockets, concealed chest zip cell pocket on left side. Fleece-lined collar with chin guard. 2 radiophone clip straps. Embroidery access zipper. Full front 2-way zipper with snap placket. Ribbed elastic waist. Elastic wrists with hook and loop closure. 5400H/5401H hood (sold separately). BIB PANTS : 12" leg zippers with hook and loop plackets and adjustor straps. Zippered inside bib pocket. Zippered fly access.

Series #	Size	Description	Color
V1200250	S - 4XL	Jacket	Orange
V1200260	S - 4XL	Jacket	Yellow
V1200450	S - 4XL	Bib Pants	Orange
V1200460	S - 4XL	Bib Pants	Yellow
V1200350	One Size	Hood	Orange
V1200360	One Size	Hood	Yellow

Flex Lite Leather 6" & 8" Work Boot

CSA Class 1 steel toe/steel plate, CSA Omega electric shock resistant, Flex-Lite design, Dust-proof tongue

Series #	Size	Height	Color
V4610570	7-14	6"	Black
V4610530	7-14	6"	Brown

11 Sizes: 7-14 (half sizes 8.5, 9.5, 10.5)

Series #	Size	Height	Color
V4610330	7-14	8"	Black
V4610730	7-14	8"	Brown

11 Sizes: 7-14 (half sizes 8.5, 9.5, 10.5)

Hip Wader

1042 – CSA Class 1 steel toe/steel plate and static dissipative, Canvas upper with heavy-duty .65 mm PVC coating, PVC/nitrile outsole, High-frequency heat-sealed for 100% waterproof seams, Waist straps, Chemical resistant, Slip-resistant tread pattern

Series #	Size	Color
V4720170 plain toe	8-13	Black
V4720370 steel toe/plate	8-13	Black

PeakPro Series Harness

The new PeakWorks PEAK-PRO harness has it all - durability, improved comfort, and greater mobility, all at a reasonable price. Premium Full Body Harness with lightweight breathable back support pad, Fully adjustable design features 5 points of adjustment for maximum comfort (2 shoulder, 2 leg and 1 chest) Quick-lok buckles for ease of donning, Padded leg straps for improved comfort, Fall indicator for easier inspection before use Large Back D-Ring for easy connection to lanyard or other connecting devices. Certified to CSA and ANSI and meets all applicable OSHA standards



Vendor Code: PEAKWO



Series #	Style	Chest	Legs	Shoulder	Class	Weight
FBH-60110A	Premium harness univ 5 point	Quick Lok	Quick Lok	Friction	Class A	3.5 lbs.
FBH-60110B	Premium harness univ 5 point	Quick Lok	Quick Lok	Friction	Class AP	4.0 lbs
FBH-60020A	Premium harness univ 5 point	Quick Lok	Grommets	Friction	Class A	4.0 lbs.
FBH-60020B	Premium harness univ 5 point	Quick Lok	Grommets	Friction	Class AP	4.5 lbs.

Contractors Harnesses

The new PeakWorks Sure Fit Contractor Series of harnesses have it all - durability, improved comfort, and greater mobility, and all at a reasonable price. The only competitively-priced contractors harness with a high visibility feature, Fully adjustable design features 5 points of adjustment for maximum comfort (2 shoulder, 2 leg and 1 chest), Quick-connect buckles for ease of donning, Sub-pelvic strap for added safety and support, Two-tone color scheme for ease of donning, Fall indicator for easier inspection before use, Large Back D-ring for easy connection to lanyard or other connecting devices Certified to CSA and ANSI and meets all applicable OSHA standards



Series #	Style	Chest	Legs	Shoulder	Class	Size
FBH10000A1020	Contractor harness univ 5 point	Pass Thru	Pass Thru	Friction	Class A	S - 2XL
FBH10000L1020	Contractor harness univ 5 point	Pass Thru	Pass Thru	Friction	Class AL	S - 2XL
FBH10000E1020	Contractor harness univ 5 point	Pass Thru	Pass Thru	Friction	Class AE	S - 2XL
FBH10020A1020	Contractor harness univ 5 point	Pass Thru	Grommets	Friction	Class A	S - 2XL
FBH10020B1020	Contractor harness univ 5 point	Pass Thru	Grommets	Friction	Class AP	S - 2XL

E4 SHOCK ABSORBING LANYARD - SP

PeakWorks lanyards are designed and tested to comply to strict CSA and ANSI standards. The shock absorbing action of these lanyards limits and reduces the force of a fall on the worker, significantly reducing injury to the body. SP (Shock Pack) lanyards are comprised of "tear webbing" which is woven in a manner that allows the webbing to tear when it has a load applied to it. This tear webbing is folded and shrink-wrapped into a compact 1 x 2 x 6" (2.5 x 5 x 15 cm) pack that is sewn into the lanyard next to the body connector. Certified to CSA Z259.11-05 standards. Made with a superior grade, heavy-duty 1-3/4" (45 mm) or 1" (25 mm) polyester webbing with maximum strength or 1/4" (6 mm) galvanized plastic coated cable, with tear webbing shock absorber A tear-away absorber limits the arrest force to a maximum of 900 lbs (4 kN) for the E4 category or 1,300 lbs (6 kN) for the E6 category. PeakWorks SP lanyards are available in two categories: E4 (worker weight of 100 to 254 lbs [45 to 115 kg]) and E6 (worker weight of 200 to 386 lbs [90 to 175 kg].)



Series #	Length/Configuration	Hooks	Max. Arrest Force
V8104154	4' (1.2 m), single leg	2 snap hooks (1 body, 1 anchor), 1 tie-back	900 lbs (4 kN)
V8104156	6' (1.8 m), single leg	2 snap hooks (1 body, 1 anchor), 1 tie-back	900 lbs (4 kN)
V8104126	6' (1.8 m), single leg	1 snap hook (body), 1 form hook (anchor)	900 lbs (4 kN)
V8104124	4' (1.2 m), single leg	1 snap hook (body), 1 form hook (anchor)	900 lbs (4 kN)
V8104104	4' (1.2 m), single leg	2 snap hooks (1 body, 1 anchor)	900 lbs (4 kN)
V8104106	6' (1.8 m), single leg	2 snap hooks (1 body, 1 anchor)	900 lbs (4 kN)



Vendor Code: PEAKWO



SA-1000



SA-1002



SA-2002



SA-3200



SA-3202



SA-42022

POY Style (Partially Oriented Yarn), Lanyards

The PeakWorks Shock Absorbing Lanyards are a POY style (Partially Oriented Yarn), eliminating the need for a shock pack. In the event of a fall the PeakWorks lanyard will ensure that the maximum arrest force is below 900 lbs. The PeakWorks lanyard is available in a variety of styles including single leg and double leg (100% tie-off). Each lanyard, each part is thoroughly tested during the product development stage and is batch tested to confirm conformance.

Series #	Description	Body	Anchor	Size
SA-1000-X	POY Single Leg	Regular	Regular	4, 6 ft
SA-1002-X	POY Single Leg	Regular	Form	4, 6 ft
SA-1040-X	POY Single Leg	Loop	Regular	4, 6 ft
SA-1042-X	POY Single Leg	Loop	Form	4, 6 ft
SA-20000-X	POY 100% Tie Off	Regular	Regular	4, 6 ft
SA-20022-X	POY 100% Tie Off	Regular	Form	4, 6 ft

PeakWorks Tear pack style lanyards are compact and easy to inspect through the clear shrink tube. In the event of a fall the PeakWorks lanyard will ensure that the maximum arrest force is held below 900 lbs. PeakWorks Tear pack lanyards are available in a variety of styles.

PeakWorks lanyards are certified to CSA Z259.11-05.

Lanyards

Series #	Description	Size
SA-3200-4	Shock Absorbing Lanyard	4, 6 ft
SA-3202-4	Shock Absorbing Lanyard	4, 6 ft

Y-Lanyards

Series #	Description	Size
SA-42022-4	Shock Absorbing Y-Lanyard	4, 6ft

Vendor Code: PEAKWO



Automatic Rope Grab

Series #	Description
RG-11010	Automatic Rope Grab w Anti-panic Steel with a corrosion resistant plating

Cable Anchor Sling

PVC (transparent red) coated aircraft cable,
Galvanized 7x19 strands

Series #	Description	Size
AS-21000-4	minimum tensile strength of 5000 lbs.	4 ft
AS-21000-6	minimum tensile strength of 5000 lbs.	6 ft

Roof Bracket

Series #	Description	Weight
RB-9800	Reusable Roof Bracket	2 lbs

Trauma Strap

Series #	Description	Weight
V860303	Trauma Strap	0,7 lbs

Confined Space Kit: Tripod, 3-way 60' (18 M) SRL and Bag.

# Série	Description
V85024	Tripod and 3-way SRL Kit with Bag
V85026	Tripod et 60' 3-way SRL and 65' SRL Material

Vertical Lifelines

The PeakWorks vertical lifelines are made from 5/8" Polysteel Rope or Kenrmantle Rope.

Series #	Description	Size
VL-1115	5/8" Polysteel w/carabiner	25 to 100 ft
VL-1125	5/8" Polysteel w/snap hook	25 to 100 ft

Automatic Rope Grab

Series #	Description	Size
SA-3206-2	Automatic Rope Grab w/Anti-panic & Shock Absorbing Lanyard	2 ft

Automatic Rope Grab

Series #	Description	Size
RG-21000	Automatic Rope Grab w Anti-panic (Stainless)	Large eye

Roof Bracket

Series #	Description	Weight
RB-9701	Single Use Roof Bracket	1 lbs

Roofers Kits


The PeakWorks Roofer's Kit eliminates the need to mix and match product, everything you need is contained in one pail and are CSA approved. Includes:

- FBH-10002A Universal 3 point quick connect class A harness
- 25 ft or 50 ft Polysteel Vertical Lifeline
- ADP Rope Grab W/2 ft Shock absorbing lanyard
- RB-9701 temporary roof bracket with fasteners or
- RB-9800 Reuseable roof bracket (are strongly recommended by CSST in Quebec).



Series #	Description	Length	Weight
RK4-25	Roofer's kit w/ADP Rope Grab and Reuseable Bracket	25'	8 lbs.
RK4-50	Roofer's kit w/ADP Rope Grab and Reuseable Bracket	50'	10 lbs.

Reuseable brackets are recommended by CSST Inspectors



PEAKWORKS

Vendor Code: PEAKWO

Self-Retracting Lifelines

Self Retracting lifelines are flexible connectors that extend and retract using a spring locking mechanism similar to a seatbelt. Under normal use, the worker can move about while the SRL keeps the connection between the anchor and the harness snug. If the worker slips or falls, the mechanism locks up the SRL and prevents further extension of the lifeline. SRL's are segregated into 3 classes: Class 1 – under 10 feet in length. Class 2 – over 10 feet in length with shock absorbing mechanism. Class 3 – over 10 feet in length with shock absorbing mechanism and rescue retrieval.

Series #	Description	Size
V84533020	Type 2 with 3/16" Galv Cable & Swivel Hook (6m)	20 ft
V84533050	Type 2 with 3/16" Galv Cable & Swivel Hook (6m)	50 ft.

Self-Retracting Lifelines

Series #	Description	Size
SRL-10301-8	Type 1 Web Retractable with Snap Hook 8'	8 ft

Self-Retracting Lifelines

Series #	Description	Size
V845423012	Type 2 with Snap Hook	12' (3.5 m)
V845423018	Type 2 with Snap Hook	18' (5.5 m)

Self-Retracting Lifelines

Series #	Description	Size
V845523006LE	Type 2 with Snap Hook	6' (1.8 m)
V845523007LE	Type 2 with Snap Hook	7' (2 m)
V845526007LE	Type 2 with Twin Leg and Foam Hook	7' (2 m)

Self-Retracting Lifelines

Series #	Description	Size
V845533020LE	Type 2 with Galv Cable and Snap Hook	20' (6 m)
V845533040LE	Type 2 with Galv Cable and Snap Hook	40' (12 m)
V845533060LE	Type 2 with Galv Cable and Snap Hook	60' (18 m)

The T-line system provides both horizontal and vertical freedom for the worker. It prevents the pendulum effect in the event of a fall. The T-line system can be installed to work around overhead obstruction such as sprinkler, lighting and overhead cranes. It has a smaller fall arrest distance since the system is always under tension. It also produces a much smaller arresting force to the supporting structure savings thousands of dollars in expensive retrofits of structure steel. The T-line also has an integrated rescue retrieval system that can be deployed in the event of a worker fall.

Series #	Description	Size
T-LINE-40 PWK	T-Line retractable life line	40 ft
T-LINE-80 PWK	T-Line retractable life line	80 ft

Miller AirCore™ Harness, Comfort In The Air

COMFORT

- Unique breathable, open-core padding technology provides optimal airflow and reduces heat and moisture build-up; up to 16% less surface area than other padding used on the market
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back and inner thighs to reduce chafing and irritation
- Patented DuraFlex stretchable webbing provides greater flexibility and mobility

EASY ADJUSTABILITY

- Cam buckles provide easy one-hand adjustment; hold webbing firmly in place with no readjusting required
- Stand-up back D-ring easily adjusts, simplifies attachment
- Quick-connect buckles for easy donning

LIGHTWEIGHT

- Materials and components selected to reduce fatigue for all-day endurance and increased productivity; 16% lighter in weight than competitive harnesses with aluminum hardware and 20% lighter than harnesses with steel hardware.

STYLISH DESIGN

- High-visibility color for greater safety
- Unique and vibrant patterned webbing for easy identification

Series #	Side D-rings	Chest/Leg Strap	Lumber Pad	Removable Belt
AirCore™ Harnesses with Steel Hardware				
AC-QC/UGN	No	Quick-Connect / Quick-Connect	No	No
AC-TB/UGN	No	Quick-Connect / Tongue	No	No
AC-QC-D/UGN	Yes	Quick-Connect / Quick-Connect	No	No
AC-TB-D/UGN	Yes	Quick-Connect / Tongue	No	No
AC-QC-BDP/UGN	Yes	Quick-Connect / Quick-Connect	Yes	Yes
AC-TB-BDP/UGN	Yes	Quick-Connect / Tongue	Yes	Yes
ACMB-TB/UGN	No	Mating Buckle / Tongue	No	No
ACMB-TB-BDP/UGN	Yes	Mating Buckle / Tongue	Yes	Yes
AirCore™ Harnesses with Aluminum Hardware				
ACA-TB/UGN	No	Quick-Connect / Tongue	No	No
ACA-QC/UGN	No	Quick-Connect / Quick-Connect	No	No
ACA-TB-D/UGN	Yes	Quick-Connect / Tongue	No	No
ACA-QC-D/UGN	Yes	Quick-Connect / Quick-Connect	No	No
ACA-TB-BDP/UGN	Yes	Quick-Connect / Tongue	Yes	Yes
ACA-QC-BDP/UGN	Yes	Quick-Connect / Quick-Connect	Yes	Yes

Ultimate Comfort and Fit

Exceeding worker expectations in comfort, fit, ease-of-use, durability, compliance, flexibility and convenience, the new Miller Revolution Harness provides over 11 key product features from 7 unique components.

Miller Revolution™ Harness

- PivotLink™ Connection – unique rotary design provides greater comfort in bending mobility
- Integrated Accessory System – modular attachment design provides additional connection points for belts / tools / accessories
- ErgoArmor™ Back Shield – semi-flexible back shield minimizes impact from sharp / heavy snap hooks and self-retracting lifelines
- Web Finales – clip-on design safely organizes webbing after proper adjustment
- Self-Contained Label Pack – integrated pack encapsulates labels minimizing damage and loss

A variety of user-friendly accessories available, including: cell phone and radio holders; water bottle holder; bolt, nail and tool holders; hammer loops; plier/tool holder and utility pouch. Universal size (L/XL) fits most

Series #	Side D-rings	Chest/Leg Strap	Removable Belt
RDT-QC/UBK	No	Quick-Connect	No
RDT-QC-B/UBK	No	Quick-Connect	Yes
RDT-QC-DP/UBK	Yes	Quick-Connect	No
RDT-QC-BDP/UBK	Yes	Quick-Connect	Yes



by Honeywell

Vendor Code: NOSAPR



RDT-QC/UBK



by Honeywell

Vendor Code: NOSAPR



FP81F/1DBA

North Rite-On™ Harness

- Integrated back and shoulder pad – conforms to the wearer's shape to provide all-day comfort
- Fast-action quick connect buckles – allows quick and easy donning
- Extended D-ring option – makes lanyard connection easier and safer
- Sweat wicking pad fabric – keeps wearers comfortable in hot conditions
- Tangle-free pad design – harness keeps its shape between use, aiding quick and easy donning
- Lightweight polyester webbing – offers superior UV and chemical resistance
- Universal size with full adjustability – one size fits most
- CSA approved and ANSI/OSHA compliant – suitable for use in all industries throughout North America

Series #	Front D-rings	Side D-rings	Chest/Leg Strap	Special Features
FP81F/1DBA	No	No	Quick-Connect	N/A
FP81F/1EDBA	No	No	Quick-Connect	Extended D-ring
FP81F/1DBA320	No	No	Quick-Connect	Attached energy absorber
FP81F/3DDA	No	Yes	Quick-Connect	N/A
FP81F/4DLA	Yes	Yes	Quick-Connect	N/A
FP81F/4EDLA	Yes	Yes	Quick-Connect	Extended D-ring



by Honeywell

Vendor Code: NOSAPR



E650QC-7/UGN

Miller DuraFlex Ultra™ Harness

- Designed with patented DuraFlex® stretchable webbing for greater comfort, safety and productivity
- Quick-connect buckles on the chest and leg straps for easy donning; specially-woven, breathable, comfort-touch back D-ring pad for greater comfort and tangle-free donning
- Includes friction buckle shoulder straps and belt loops to accommodate a tool belt
- Universal size (L/XL) fits most

Series #	Side D-rings	Chest/Leg Strap	Special Features
E650QC/UGN	No	Quick-Connect	Comfort-touch back D-ring pad / Belt loops
E650QC-7/UGN	Yes	Quick-Connect	Comfort-touch back D-ring pad / Belt loops
E650QC-77/UGN	Yes	Quick-Connect	Comfort-touch back D-ring pad / Belt loops / Removable waist belt



by Honeywell

Vendor Code: NOSAPR



Miller Manyard® II Shock-Absorbing Lanyard

- Contracts 6 ft. to 4 ft. (1.8 m to 1.2 m), greatly reducing the chances of tripping, snagging or dragging
- Specially-woven shock-absorbing inner core smoothly expands to reduce fall arrest force
- Heavy-duty tubular web outer jacket serves as a wear indicator and back-up strap to the red inner core for added safety
- Working load of 310 lbs. (141 kg) and features a warning flag to indicate that it has arrested a fall

Series #	Number of Legs	Harness Connection	Anchorage Connection
216M/6FTGN	One	Locking snap hook	Locking snap hook
219M/6FTGN	One	Locking snap hook	Locking rebar hook
231M/6FTGN	Two	Locking snap hook	Locking rebar hooks



216M/6FTGN

The cost-effective and competitive pricing of the new Miller TurboLite Personal Fall Limiters will make shock-absorbing lanyards obsolete on the jobsite. Workers will no longer need to "switch-out" equipment to maintain a safe fall distance.

Miller TurboLite™ Personal Fall Limiter

- First affordable alternative to shock-absorbing lanyards
- Extremely compact and lightweight provides 6 ft. (1.8 m) working capacity; unit attaches directly to the harness back D-ring for greater mobility and versatility
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lb. user (181.4 kg)
- Meets all applicable OSHA, ANSI A10.32 and CSA standards



*Miller TurboLite™ PFL

Series #	Description of Unit Connector	Lanyard End Connector
MFL-1/6FT	TurboLite with Steel	Locking Snap Hook Twist-Lock Carabiner
MFL-2/6FT	TurboLite with Steel	Locking Rebar Hook Twist-Lock Carabiner
MFL-9/6FT	TurboLite with Locking Snap Hook	Locking Snap Hook
MFL-10/6FT	TurboLite with Locking Snap Hook	Locking Rebar Hook
MFL-11/6FT	TurboLite with Aluminum	Aluminum Locking Snap Hook Twist-Lock Carabiner
MFL-12/6FT	TurboLite with Aluminum	Aluminum Locking Snap Hook Twist-Lock Carabiner



MFL-1/6FT



by Honeywell

Vendor Code: NOSAPR



HL-6FTSLS

Hybrid Lanyard (E4 & E6)

Series #	Description
HL-6FTSLS	Snap Hook Hybride Lanyard 6'
HL-6FTSLR	Rebar Hook Hybride Lanyard 6'



HL-6FTDLS

Hybrid Dual lanyard (E4 & E6).

Series #	Description
HL-6FTDLS	Y Lanyard Hybride Snap Hook 6'
HL-6FTDLR	Y Lanyard Hybride Rebar Hook 6'

Series #	Description
HL-4FTSLS	Snap Hook Hybride Lanyard 4'
HL-4FTSLR	Rebar Hook Hybride Lanyard 4'

Series #	Description
HL-4FTDLS	Y Lanyard Hybride Snap Hook 4'
HL-4FTSLR	Y Lanyard Hybride Rebar Hook 4'

Titan II Harness Series with T-Flex

Series #	Description
TF4000/UAK	Stretchable Webbing, Sliding back D-ring; mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal
TF4500/UAK	Stretchable Webbing, Sliding back D-ring; tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap - universal
TF4007/UAK	Stretchable Webbing, Sliding back D-ring; side D's, mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal
TF4507/UAK	Stretchable Webbing Sliding back D-ring; side D's; tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap - universal



TF4000/UAK

Series #	Description
T2000/UAK	Non-Stretch Harness, Sliding back D-ring; mating buckle chest and legs
T2007/UAK	Non-Stretch Harness, Sliding back D-ring; side D-rings; mating buckle chest and legs
T4000/UAK	Non-Stretch Harness, Sliding back D-ring; mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal
T4007/UAK	Non-Stretch Harness, Sliding back D-ring; side D-rings, mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal



T4000/UAK

DuraSeal SRL Series.

Series #	Description
SSRL50G1	Duraseal SRL with 50' galvanized cable.
SSRL50S1	Duraseal SRL with 50' stainless cable.
SSRL100G1	Duraseal SRL with 100' galvanized cable.
SSRL100S1	Duraseal SRL with 100' stainless cable.
SSRL130G1	Duraseal SRL with 130' galvanized cable.
SSRL130S1	Duraseal SRL with 130' stainless cable.
SSRL175G1	Duraseal SRL with 175' galvanized cable.
SSRL175S1	Duraseal SRL with 175' stainless cable.



SSRL175S2



HL-B6FTSL

Series #	Description
HL-B6FTSL	Tie Back Lanyard 6' Hybride



by Honeywell

Vendor Code: NOSAPR

Davit System

Series #	Description
FP6660/00	Davit Floor Base for Davit MastGeneral purpose base
FP6661	Standard ladder base. Ladder Davit top mount - steel
FP6660-01	Davit concrete sleeve base core. Flush mount core sleeve
FP6660-02	Davit concrete sleeve w/flange"Flush mount reinforced sleeve for concrete base w/flange"
FP6662/00	Wall Mounted Davit Base
FP6663/00	Portable Davit Base. Where temporary anchorage is required (use with 24" Davit System only)
FP6669/01	Flush End Cap "Flush mount cap to cover davit base cavity"
FP6670/24	Davit Mast. Davit mast 12" to 24"
FP6670/48	Davit Mast for Extended Boom. Davit mast 26" to 48"
FP6680/24	Davit Boom. Davit boom 12" to 24"
FP6680/36	Extended Davit Boom. Davit boom 26" to 36"
FP6680/48	Extended Davit Boom. Davit boom 36" to 48"
FP6671	Ladder DavitLadder davit fixed 12"



FP6671

DuraHoist Portable Fall Arrest Post

Series #	Description
DH-AP-1	Portable Fall Arrest Post 38 lbs. (17.2 Kg)
DH-AP-2	14 in (36 cm) Extension Post 4.5 lbs. (2.0 kg)
DH-AP-3	Rescue/Material Handling Davit Arm 20.5 lbs. (9.3 kg)



DH-2

DuraHoist System

Series #	Description
DH-1	DuraHoist w/manhandler
DH-2	DuraHoist without manhandler

SkyORB™ by MILLER

- Utilizes vehicle weight for anchoring
- Versatile
- Quick Assembly
- Easy to transport
- Minimizes Free-Fall

Series #	Description
SORBSY	Cable assembly kit, base, mast and boom 1,530 lbs. (694 kg), 121" x 40" x 19" (3 m x 1 m x 0.5 m)





by Honeywell

Vendor Code: NOSAPR

MP30G/30FT



MP20P/20FT



Lifetime housing guarantee

Miller Falcon™ Self-Retracting Lifelines

- High impact-resistant nylon housing withstands the harsh rigors of the toughest applications
- Corrosion-resistant stainless steel and aluminum internal components extend service life and reduce replacement costs
- Dual-swivels (unit top and snap hook) included on all cable models to minimize lifeline from twisting during use
- Unique side payout design reduces wear on the entry bushing and cable for smooth operation with less drag

Series #	Description	Length
MP16P/16FT	Miller Falcon web lifeline w/stainless steel swivel, carabiner and locking snap hook	16 ft. (5 m)
MP20P/20FT	Miller Falcon web lifeline w/stainless steel swivel, carabiner and locking snap hook	20 ft. (6 m)
MP20G/20FT	Miller Falcon galvanized wire rope w/tagline & carabiner	20 ft. (6 m)
MP30G/30FT	Miller Falcon galvanized wire rope w/tagline & carabiner	30 ft. (10 m)
MP50G/50FT	Miller Falcon galvanized wire rope w/tagline & carabiner	50 ft. (15 m)
MP65G/65FT	Miller Falcon galvanized wire rope w/tagline & carabiner	65 ft. (20 m)

RL20P/20FT

Extended service life



RL65G/65FT

Miller MightyLite™ Self-Retracting Lifelines

- Corrosion-resistant stainless steel and aluminum components extend service life
- Double-swivel design prevents lifeline from twisting and kinking
- Narrow payout port prevents intrusion of dirt and debris
- No annual factory recertification required, keeping units on the jobsite for increased productivity
- Carabiner for attaching to anchorage and tagline included

Series #	Description	Length
RL20P/20FT	1-in. (25 mm) polyester webbing; tagline and carabiner	20 ft. (6 m)
RL20G/20FT	3/16-in. (5 mm) galvanized wire rope; tagline and carabiner	20 ft. (6 m)
RL20SS/20FT	3/16-in. (5 mm) stainless steel wire rope; tagline and carabiner	20 ft. (6 m)
RLS30G/30FT	3/16-in. (5 mm) galvanized wire rope; tagline and carabiner	30 ft. (9 m)
RLS30S/30FT	3/16-in. (5 mm) stainless steel wire rope; tagline and carabiner	30 ft. (9 m)
RL50SS/50FT	3/16-in. (5 mm) stainless steel wire rope; tagline and carabiner	50 ft. (15 m)
RL65SS/65FT	3/16-in. (5 mm) galvanized cable; tagline and carabiner	65 ft. (20 m)

Temporary Anchors


- Corrosion-resistant stainless steel and aluminum components extend service life
- Double-swivel design prevents lifeline from twisting and kinking
- Narrow payout port prevents intrusion of dirt and debris
- No annual factory recertification required, keeping units on the jobsite for increased productivity
- Carabiner for attaching to anchorage and tagline included



by Honeywell

Vendor Code: NOSAPR

Series #	Description
17D-1/	Steel twist-lock carabiner; 1-in. gate opening. Meets ANSI Z359
496/	Miller Grip™ portable/reusable anchorage supports 5,000 lb. ultimate strength; for single user connection; 400 lbs. maximum capacity; color-coded green. Hole diameter – 3/4-in.
8816-14/	Lightweight, adjustable ShadowLite™ Beam Anchor – high-strength aluminum and bronze; 4.2 lbs.
RA40/	Double D™ permanent roof anchor is designed to provide two (2) D-ring anchorage points when securely installed on a wood roof sub-surface ridge peak; Complete with 8, 16d nails
RA41/	Single D™ permanent roof anchor is designed to provide one (1) D-ring anchorage point when securely installed on a wood roof sub-surface ridge peak or vertical wall; Complete with 8, 16d nails
RA45/	The Claw™ permanent roof anchor is designed to provide a single anchorage point when securely installed on a wood rafter or truss member; Fits wood
416/	D-Bolt Anchor for up to 4-in. working thickness includes a 5/8-in. diameter bolt with lock washer and nut



17D-1




8816-14



496




416



RA41



RA40



RA45

Miller Tripod w/MightEvac®

Self-Retracting Lifeline/ Emergency Retrieval Hoist

- Promotes quick and easy rescue with a 4:1 mechanical advantage (avg. speed of 25 ft. per minute)
- 7 ft. tripod; lightweight, high-strength aluminum construction; adjustable legs; safety chain; rubber skid pads/serrated edge tripod feet
- Corrosion-resistant stainless steel/aluminum components
- 310 lb. capacity; no annual factory recertification

Series #	Description
MR50GC-Z7/50FT	MightEvac w/50 ft. of 3/16-in. galvanized wire rope; 7 ft. tripod; mounting bracket, pulley, carabiner and two heavy-duty equipment bags





Vendor Code: DSISAF



Industrial Body Belts

Made of polyester webbing 1 3/4" (45cm) they are light and comfortable. Ideal for restraint movement usage and for certain work positioning functions. Important: Do not use if there is a potential danger for falls. Available in 4 sizes: Small, Medium, Large and X-Large. Meets and exceeds ANSI and CSA.

Series #	Description	D-Ring
FP5000D	Tool belt	0
FP5001D	Travel restraint belt	1
FP5002D	Work positioning belt	2



Miner's Body Belts

Our miner's belts are made to be tough, comfortable and user friendly. They are made out of 2" (50cm) strong polyester webbing highly resistant to UV rays and most chemicals. The battery straps and rescue straps are made of extra strong belting material highly resistant to abrasion and humidity. Important: Do not use if there is a potential danger for falls. Available in 4 sizes: Small, Medium, Large and X-Large. Meets and exceeds ANSI and CSA.

Series #	Description	D-Ring
FP51001D	(1) battery strap	1
FP52001D	(1) battery strap, (1) fixed rescue strap	1



Dyna-Pak Lanyards

Single leg, fixed or adjustable length lanyard made of 1" polyester web and with Dyna-Pak E4 energy absorber. Meets and exceeds ANSI and CSA.

Series #	Harness Connect	Anchorage	Length Connect
Fixed length lanyard			
FP63311/4	FP6650HS	FP6650HS	4-5-6 ft
FP63313/4	FP6650HS	FP5386HS	4-5-6 ft
FP63314/4	FP6650HS	FP5395HS	4-5-6 ft
Adjustable lanyard			
FP63411/6	FP6650HS	FP6650HS	6 ft
FP63413/6	FP6650HS	FP5386HS	6 ft
FP63414/6	FP6650HS	FP5386HS	6 ft

Dyna-Pak Lanyards



Double leg, fixed length "Y" lanyard made of 1" polyester web and with Dyna-Pak E4 energy absorber. Meets and exceeds ANSI and CSA.

Series #	Harness Connect	Anchorage	Length Connect
FP636111/4	FP6650HS	FP6650HS (2)	4-5-6 ft
FP636133/4	FP6650HS	FP5386HS (2)	4-5-6 ft
FP636144/4	FP6650HS	FP5395HS (2)	4-5-6 ft

PVC Coated Steel Cable Lanyards

Single leg or double leg lanyard made of 1/4" PVC coated steel cable, with or without Dyna-Pak E4 energy absorber. Meets and exceeds ANSI and CSA.



Series #	Harness Connect	Anchorage	Length Connect
Single leg lanyard without energy absorber			
FP66111/4	FP6650HS	FP6650HS	4-5-6 ft
FP66113/4	FP6650HS	FP5386HS	4-5-6 ft
FP66114/4	FP6650HS	FP5395HS	4-5-6 ft
Single lanyard with energy absorber			
FP66311/4	FP6650HS	FP6650HS	4-5-6 ft
FP66313/4	FP6650HS	FP5386HS	4-5-6 ft
FP66314/4	FP6650HS	FP5395HS	4-5-6 ft
Double leg Y-lanyard with energy absorber			
FP663113/4	FP6650HS	(2) FP6650HS	4-5-6 ft
FP663131/4	FP6650HS	(2) FP5386HS	4-5-6 ft

Dyna-Yard Lanyards

Single or double leg, fixed or adjustable length lanyard made of polyester web and with integrated Dyna-Pak E4 energy absorber. Meets and exceeds ANSI and CSA.



Series #	Harness Connect	Anchorage	Length Connect
Single leg lanyard with integrated energy absorber			
FP65811/4	FP6650HS	FP6650HS	4-5-6 ft
FP65813/4	FP6650HS	FP5386HS	4-5-6 ft
FP65814/4	FS6650HS	FP5395HS	4-5-6 ft
Double leg Lanyard with integrated energy absorber			
FP659111/4	FP6650HS	FP6650HS (2)	4-5-6 ft
FP659133/4	FP6650HS	FP5386HS (2)	4-5-6 ft
FP659144/4	FP6650HS	FP5395HS (2)	4-5-6 ft



Vendor Code: DSISAF

Specialized Harness



FPK2001BD



FPK2003BD

The Dyna-1FR Welders harness is made of Kevlar® webbing which offers the maximum protection against cuts, abrasion and high heat resistance caused by sparks and flames while giving you maximum protection in case of a fall. The Dyna1FR Electrician harness is made out of Kevlar® and offers maximum protection against cuts, abrasions and high heat due to electrical sparks or flashes. The metal components are all coated which makes the harness completely dielectric. Available in sizes Regular and Extra Large. These harnesses meet and exceed the ANSI and OSHA regulations and is CSA and ASTM F887 Arc Flash Certified.

“DYNA-TOWER” Harness

Dyna-Tower harness were designed specifically for the tower industry where comfort, fit and weight are very important. The integrated breathable comfort pad is a perfect size to maximize comfort without causing unnecessary heat zones. All the hardware is aluminum removing all unnecessary weight which makes them lighter than traditional harnesses. The Dyna-Tower harnesses have removable saddles or work seat which provide additional comfort when working at heights for longer period of times. There are two d-rings on the front for ultimate versatility when connecting to ladder systems or rescue/rope access devices. The integrated belt provides comfort when in work positioning but is specifically designed to ensure proper load transfer from the belt to the harness to maximize the load distribution to the body. These harnesses are certified to CSA class ADPLE. They also meet and exceed ANSI and OSHA regulations.



FPT07DSC

Serie #	Description	Leg Strap Connection
FPT07DSC	With Integrated Saddle	Aluminium Bayonet
FPT07DSD	With Integrated Saddle	Tongues Buckles
FPT05DDC	With Integrated Belt	Aluminium Bayonet
FPT05DDD	With Integrated Belt	Tongues Buckles

Web Self-Retracting Devices (WSRD)

Our seat belt type web retracting lanyard (WRL) are made with 2 in (50mm) wide polyester webbing. All of them meet and exceed ANSI, OSHA and are CSA certified as a fall Arrest type 1. RATED FOR 310LBS WEIGHT-CAPACITY.



Serie #	Lanyard Material	Length
FP0101W	Polyester	9,5 ft (2,95 m)
FP0102W	Polyester	8 ft (2,4 m)
FP0103W	Polyester	8 ft (2,4 m)

“Dyna-I Painters” Harness



The “Dyna-I Painters” harness is light and coated with urethane. This coating allows water, oil, paint and dust to slip easily on the harness. It is easy to wash. It is CSA Group A. This harness is ideal for painters, roofers and people working with oils or in dusty environments. Available in regular size (large) and (very large).

Serie #	Description	Leg Strap Connection
FPC2001BD	Coated with urethane	Bayonet



Vendor Code: DSISAF



Self-Retracting Devices (SRD)

Our self-retracting devices (SRD) are completely made of steel providing the durability to stand up to harsh conditions. They all come with 3/16" (5 mm) galvanized wire cable. Certified to CSA and meet and exceed ANSI and OSHA. RATED FOR 310LBS WEIGHT CAPACITY.

Serie #	Lanyard Material	Weight	Length
FP2NN25C	Galvanized Cable	11 LB (5KG)	25 ft. (8 m)

Tool Tether

Dynamic's tool tether are made to eliminate the risk of dropping tools when working in high environment.



Serie #	Description
FPTOOLTETHER	Tool Tether with Carabiner

Rescue and Retrieval Systems

Trauma straps are made to help workers stay in place when they fall while they are waiting for emergency team. They can put there foot in the straps and stay secure.



Serie #	Description
FPTRAUST	TRAUMA Straps

Anchorage Connectors

At DYNAMIC we offer a complete line of anchorage connectors that meet all needs. DSI's anchorage connectors are produced and are designed to be used for a variety of Fall Arrest applications. Each has minimum tensile strength of 5000 lbs (22kn).



Serie #	Description	Length
FP16/3.5	Disposable anchor sling with protective sleeve.	3,5 pi (1 m)
FP10	Cable sling 1/4" (6 mm) galvanized steel clear PVC coated against corrosion swaged eyes at each end.	3 pi (0,9 m), 4 pi (1,2 m), 5 pi (1,5 m), 6 pi (1,8 m)

D-Ring Anchorage

Anchor to use when working in high environment to provide a secure anchorage to workers.



Serie #	Description
FP3730	D-Ring Anchorage Connector 3/4" Hole

Tripod Kit

The DYNAMIC Tripods and tripod kits are versatile and lightweight. Made of High-strength aluminum construction with adjustable legs and independent leg locking feature which secure legs in place and spiked feet for slippery surfaces. Devices mounted on the outside to maximize work area under the tripod for work and rescue. Available in 7ft (2m) and 9ft (3m). Withstands up to 5,000 lbs. (22kN). Max worker weight capacity of 360lbs. Meets and exceeds all applicable ANSI and CSA standards.



Serie #	Description
FP09907K3W	Tripod kit which includes FP09907 7FT tripo, FP09907/1 device bracket, FP3nn50CR 3-way self-retracting lifeline, and FP1007 Bag



Dyna-Pak Energy Absorbers

Dyna-Pak E4 energy absorber made of polyester webbing. Meets and exceeds ANSI and CSA.

Series #	Harness Connect	Anchorage Connect	Length
FP60311	FP6650HS	FP6650HS	18"
FP60391	FP6650HS	Large D-ring	18"
FP60377	Small D-ring	Small D-ring	13.5"
FP60399	Large D-ring	Large D-ring	16.5"



Rebar Lanyards

Rebar lanyard made of polyester or steel, 22 inches long. Meets and exceeds ANSI and CSA.

Series #	Material	Harness Connect	Anchorage Connect
FP635113	Polyester	FP6650HS	(2) FP5395HS
FP675113	Steel	FP6650HS	(2) FP5395HS



Rope grabs

Our Rope Grabs are equipped with a Panic Lock feature as well as an orientation lock out feature that will not allow the rope grab to be installed upside down. Meets and exceeds ANSI and CSA.

Series #	Description
FP141L	Rope Grab with Panic Lock (large eye)
FP142L/2	Rope Grab with Panic Lock (large eye), 2ft (0.6m) lanyard & DYNA-PAK energy absorber, (1) FP6650HS snap hook



Vertical Rope Lifelines

Our lifelines are a practical solution for many fall arrest applications. All our vertical lifelines are equipped with (1) termination at one end and (1) carabiner #FP415 at the other end. All our vertical lifelines are shrink wrapped at both spliced termination ends. Meets and exceeds ANSI and CSA.

Series #	Material	Length
FP58KRN25	Kernmantle Rope 16 mm (5/8 po)	25 ft (7.6 m)
FP58KRN50	Kernmantle Rope 16 mm (5/8 po)	50 ft (15.2 m)
FP58KRN100	Kernmantle Rope 16 mm (5/8 po)	100 ft (30.5 m)
FP58EPS25	3-Strand Co-Polymer Blend Rope 16mm (5/8 po)	25 ft (7.6 m)
FP58EPS50	3-Strand Co-Polymer Blend Rope 16mm (5/8 po)	50 ft (15.2 m)
FP58EPS100	3-Strand Co-Polymer Blend Rope 16mm (5/8 po)	100 ft (30.5 m)



Vendor Code: DSISAF

Anchorage Connectors

At DYNAMIC we offer a complete line of anchorage connectors that meet all needs. DSI's anchorage connectors are produced and are designed to be used for a variety of Fall Arrest applications. Each has minimum tensile strength of 5000 lbs (22kN).



Series #	Description	Length
FP10	Cable Sling 1/4"(6mm) PVC coated galvanized steel with swaged eyes at each end	3-4-6 ft
FP10F	Cable Sling 1/4"(6mm) PVC coated galvanized steel with flemish eye splice at each end	3-4-6 ft
FP11	Pass-Trough Anchor Sling 2"(50mm) polyester Webbing with (1) small D-Ring and (1) large D-Ring	3-4-6 ft
FP12	Cross Arm Anchor Sling 2"(50mm) polyester Webbing with sewn loop and (1) large D-Ring	3-4-6 ft

ROOF BRACKETS

Series #	Description
FP09D	Disposable roof anchor with nails
FP09R	Reusable roof anchor with screws



B-Compliant Kits & Roofer's Kits

The DYNAMIC Roofer's kits are a fast, easy and convenient solution to protect roofers against falls while working on either sloped or flat roofs. Meets and exceeds ANSI and CSA.



Series #	Description
FPKIT02/4	Basic Kit incl: (1) FP4001D Harness, (1) FP65822/4 4 ft (1.22 M) Lanyard, (1) FP1006 Equipment Bag
FPRK099/25DLX	Roofer's Kit Incl: (1) FP58EPS25 Lifeline 25ft (7.6 m), (1) FP4001D Harness, (1) Rope Grab #FP142/2 with 2 ft lanyard and Dyna-Pac energy absorber, (1) Reusable roof anchor #FP09R with screws, (1) storage bucket
FPRK099/50DLX	Roofer's Kit Incl: (1) FP58EPS25 Lifeline 50ft (15 m), (1) FP4001D Harness, (1) Rope Grab #FP142/2 with 2 ft lanyard and Dyna-Pac energy absorber, (1) Reusable roof anchor #FP09R with screws, (1) storage bucket



Vendor Code: TRAGRI

TracX Harness



TracX pad provides extra comfort and minimizes weight on shoulders. Keeps you dry and comfortable with breathable lining. Adjustable sub-pelvic strap. Optional leg pads. Auto-Lock buckles. Dorsal D-ring. Also available with tongue and buckle leg adjustment (AD732/X).

Serie #	Size
AU732/X	S - XXL

Rescue Harness



Y-style keeping shoulder straps in place. Waist D-ring for rescue attachment and controlled descent. Independent leg/seat support. TracX comfort pad. Comfort waist lumbar support. Six-point adjustment. Auto-Lock buckles. Dorsal, Side, Sternal and Frontal-Waist D-rings.

Serie #	Size
FUY119L	M - XXL

Tracpac high-abrasion shock-absorbing lanyards



C126H/E4.

Available lengths: 4 or 6 ft. (1.2 or 1.8 m). Also available in E6.

Serie #	Size	Description
C106Z/E4	3/4 in. (20mm) self-locking snap hook.	One arm
C106H/E4	2.25 in. (57mm) self-locking snap hook.	One arm
C196ZZ/E4	adjustable with tie-back and 3/4 in. (20mm) self-locking snap hook.	One arm
C126Z/E4	3/4 in. (20mm) self-locking snap hooks.	Two arms
C126H/E4	2.25 in. (57mm) self-locking snap hooks.	Two arms
C186ZZ/E4	adjustable arms with tie-back and 3/4 in. (20mm) self-locking snap hooks.	Two arms

Stretchfor shock-absorbing lanyards

Reduces tripping hazards. Stretchable from 4.5 to 6 ft. (1.4 to 1.8 m). Also available in E6.



C506H/E4.

Serie #	Size	Description
C506Z/E4	3/4 in. (20mm) self-locking snap hook	One arm
C506H/E4	2.25 in. (57mm) self-locking snap hook	One arm
C526H/E4	2.25 in. (57mm) self-locking snap hooks.	Two arms
C526Y/E4	2.5 in. (63mm) aluminium self-locking snap hooks.	

VersaFit Harness

7-point adjustment including adjustable sub-pelvic strap. Lanyard keeper. Label cover. Quick-connect legs. Dorsal D-ring. Also available with tongue and buckle leg adjustment. (AD732)

Serie #	Size
AC732	S - XXL or One Size



Anchor Slings

Pass-through D-ring. Rated 5,000 lbs. (22.2 kN). Made of polyester webbing. Heavy duty back padding.

Serie #	Size
V4136	15 in. (0.4m) length
V4135	3 ft. (0.9m) length
V4165	6 ft. (1.8m) length



Endless Slings

One big loop. Rated 5,000 lbs. (22.2 kN). Made of heavy duty webbing.

Serie #	Size
V41321	18 in. (0.4m) endless sling
V41323	3 ft. (0.9m) endless sling
V41326	6 ft. (1.8m) endless sling



Tracpac Self-Retracting Lanyards.

Lightweight, Permanently attached to soft pack. With 3/4 in. (20 mm) self-locking snap hook at shock pack. Available length: 6 ft. (1.8 m). E4: Capacity of 100 to 254 lbs. (45 to 115 kg). E6: Capacity of 200 to 356 lbs. (90 to 160 kg).



Vendor Code: TRAGRI

Serie #	Size
C0506Z/E4	3/4 in. (20mm) self-locking hook at the arm E4 model.
C0506Z/E6	3/4 in. (20mm) self-locking hook at the arm E6 model.
C0506Y/E4	2.5 in (64mm) aluminium self-locking snap hooks at each arm E4 model.
C0506Z/E6	2.5 in (64mm) aluminium self-locking snap hooks at each arm E6 model.

Tracpac Self-Retracting Lanyards.

Lightweight. Permanently attached to soft pack. Two arms. With 3/4 in. (20 mm) self-locking snap hook at shock pack and 2 1/2 in. (64 mm) self-locking snap hooks at each arm. Available length: 7 ft. (2.1 m). E4: Capacity of 100 to 254 lbs. (45 to 115 kg). E6: Capacity of 200 to 356 lbs. (90 to 160 kg).

Serie #	Size
C0527Y/1E4	E4 model.
C0527Y/1E6	E6 model.



Blocfor

SELF-RETRACTING LIFELINES Patented system. Integrated energy absorber. Lower cost of ownership. Leading edge capability. Automatically eliminates rope slack. Fiberglass filled casing for added durability. Impact-indicating snap hook. Rubber recoil bumper. Corrosion-resistant components. Isolated drum provides contaminate-free brake components.

Serie #	Size	Description
RT20WC8	20 ft. (6m) Polyamide 6/ABS housing.	B20 web self-retracting lifeline with polyester webbing.
RA20G	20 ft. (6m) Polyamide 6/ABS housing.	AES self-retracting lifeline with galvanized steel wire rope.
RA30G	30 ft. (9m) Polyamide 6/ABS housing.	AES self-retracting lifeline with galvanized steel wire rope.
RA20S	20 ft. (6m) Polyamide 6/ABS housing.	AES self-retracting lifeline with stainless steel wire rope.
RA30S	30 ft. (9m) Polyamide 6/ABS housing.	AES self-retracting lifeline with stainless steel wire rope.
RA30R	30 ft. (9m) Polyamide 6/ABS housing.	AES self-retracting lifeline with synthetic rope.
RA30G/LE	30 ft. (9m)	AES Leading Edge self-retracting lifeline with galvanized steel wire rope and energy-absorber.



Derope

EMERGENCY ESCAPE/RESCUE/CONTROLLED DESCENT DEVICES. Easy to use, minimum training required. Enables the evacuation of one or two persons from an elevated position to a lower level or the ground. Automatically controls rate of descent. Constant descent speed of 235 fpm (72 m/min) for one person and of 295 fpm (90 m/min) for two. Up to 1,300 ft. (400 m) of descent for one person and up to 650 ft. (200 m) of descent for two. Multi-person escape/rescue capability. Snap hooks located at each end of the rope allow for multiple evacuations. Operation can be carried out down a cableway or tagline positioned at an angle between 30° and 60°. Available with hand crank winch for limited lifting. Dual descent pig tails. Intergraded jamming cleat that gives the user more control during a rescue. External cooling fins ensure that the unit is rapidly ready for consecutive descents. Utilizes 3/8 in. (9 mm) Kernmantle rope. Meets ANSI Z359.4-07 and CSA Z259.2.3, type 1E. DEROPE UP A / DESCENT DEVICE SYSTEMS. Incorporates a hand wheel winch mounted on to the base unit which allows the derope® descent device to be used as a lifting device. With a lift ratio of roughly 2:1, the winch is capable of lifting a victim in order to release it from its fall protection sub-system. Derope Up A descent device unit. 6 ft. (1.8 m) vinyl covered wire rope sling (V4173). 3/4 in. (20 mm) carbon steel autolocking carabiner (PM11Z). J-knife (KSOS). Rescue/rope bag (XB23144 or XB26168).

Serie #	Size
KT7200/AK	200 ft. (60m)
KT7300/AK	300 ft. (91m)
KT7400/AK	400 ft. (121m)





Vendor Code: TRAGRI

Quik-Mount

ROOFING SYSTEM. Basic 5-point adjustment harness. Stopfor B rope grab – WB58. 30 in. (0.75 m) shock-absorbing lanyard. 25 ft Superline lifeline. One reusable roof anchor with screws. Also available in E6. Other lifeline lengths are also available



Serie #	Size
N0925S/E4	See description

Confined Space System

Accessing confined spaces involves a number of life-threatening hazards. These may include the possibility of a fall or the occurrence of being overcome by fumes or gases. Tractel®'s confined-space access and rescue systems are designed to provide a safe means of accessing a confined space area. In an emergency, confined-space systems allow the rescuers to retrieve the injured or unconscious workers without exposing themselves to similar potential hazards.



Serie #	Description
T51F50G	T3F7 tripod, T1T50G – 50 ft. (15 m) galvanized SRL-retrieval device, and necessary connectors (mounting bracket, carabiner & pulley).
T51F100G	Confined space system including: T3F7 tripod, T1T100G – 100 ft. (15 m) galvanized SRL-retrieval device, and necessary connectors (mounting bracket, carabiner & pulley).

Tempo III

TEMPORARY HORIZONTAL KERNMANTLE LIFELINE. The Tempo III temporary horizontal lifeline was designed to be used by a maximum of three persons. It provides a simple and lightweight solution to temporary horizontal fall-arrest applications. It can be adjusted from 3 to 60 ft. (1 to 18 m). Kernmantle rope of 1/2 in. (12.5 mm) which can be adjusted from 3 to 60 ft. (1 to 18 m) between two anchorage points. Allows safe access to horizontal locations. Compact, light and easy to carry with storage bag. TEMPO III rope adjuster with integral carabiner. 60 ft. (18 m) of 1/2 in. (12.5 mm) Kernmantle rope. Two 6 ft. endless slings (V41326). One carabiner (PM11Z). Three travel O-rings (47700). Storage bag (XB0820).



Serie #	Size
H66500	See description

Travsmart

PERMANENT HORIZONTAL LIFELINE SYSTEM. The Travsmart single line system provides a smooth travel. It allows the traveler to move freely over the intermediate anchors, minimizing wear and eliminating user assistance. The user's hands remain free to accomplish whatever task is required. The Travsmart is a permanent horizontal lifeline system that is easy to install and can allow up to five users. It is a hands free system that does not require special training or tools. The system comes with a visual tension indicator and a new in-line energy absorber. Travsmart shall be designed by a qualified person, professional engineer, as part of a complete personal fall arrest system. It can then be installed by any user. The system can be secured to walls, overhead, under an inclined surface, on ground and on posts. Comes with a tension indicator and tensioner. Lightweight components. Can be used for fall arrest or fall restraint. Maximum spacing between anchor points is 50 ft. (15 m). Travsmart kits including: Stainless steel cable assembly, INRS energy absorber(s), Tension indicator, Turnbuckle, Two end anchors. Also available for up-to 5 users.



Serie #	Size
JK-SMSEA3-100	100 ft. (30 m), 1 intermediate anchor.
JK-SMSEA3-150	150 ft. (45 m), 2 intermediate anchors
JK-SMSEA3-200	200 ft. (60 m), 3 intermediate anchors
JK-SMSEA3-250	250 ft. (75 m), 4 intermediate anchors
JK-SMSEA3-300	300 ft. (90 m), 5 intermediate anchors

Vendor Code: ERGODY



Tool Lanyard-Single Carabiner



Tethers tools to help workers prevent injuries, damage and lost productivity from dropped tools. Capacity : 10 lbs.

Serie #	Color
19002	Black
19003	Lime

Elastic Hard Hat Lanyards with Clamp



Easily and comfortably secures a hard hat to a worker to prevent the item from falling. Capacity : 2lbs.

Serie #	Color
19155	Lime

Retractable Single Carabiner with Loop End



Retractable tool lanyard with stainless steel carabiner attachment and choking loop end. Locks into place at desired length preventing tangles and work under tension while securing tools. Capacity : 2 lbs.

Serie #	Color
19301	Black

Arsenal® Topped Parts Pouch-Canvas



This pouch has a hands-free, self-closing trap door closure that prevents small parts, hardware and tools from falling when working at heights. Capacity : 20 lbs. 13638 model : available in tarpaulin material.

Serie #	Color
13628	Black
13638	Orange

Arsenal® Topped Bolt Bag



Wide body hand one-handed cinch-up top for keeping gear safe and secure. Capacity : 25 lbs.

Serie #	Color
14425	Beige

Arsenal® Leather Bottom Bucket

High wall, heavy duty bucket for strength and durability. Rope handle. Capacity : 150 lbs.

Serie #	Color
14430	Beige



Squids® Cold Shrink Trap

Creating a retrofit connection point for tethering. Maximum capacity up to 10 lbs. Depending on tool, tail and lanyards used. Tools not included.

Serie #	Color
19724	Black



Squids® Tape Measure Tethering Kit

Tape measure tethering kit includes 3130S coil lanyard and 3770 tape measure trap. This kit allows you to tether one standard 2lb tape measure. Measure tape not included.

Serie #	Color
19660	Orange/Yellow



Squids® Tape Trap

Securing a safe connection to tool like no other tool attachment on the market. Quickly wraps on a variety of hand tools, power tools and other equipment providing security and added grip.

Serie #	Color/Size
19760	Orange/12 ft.
19761	Orange/30 ft.



Squids® Web Tool Tails

Provide retrofit attachment points to a variety of tools and equipment up to 2 lbs. using Tape Traps. Different lengths available.

Serie #	Color/Length
19703	Black/Short
19704	Orange/Medium



GAS DETECTION



Vendor Code: BWTECH

GasAlert MaxXT II

- Internal sampling pump
- Rechargeable battery
- Confined Space Kit Contents
 - GasAlertMax XT II 4-gas detector (H₂S, CO, O₂, %LEL)
 - Charging adapter for detector
 - IR Connectivity Kit with Fleet Manager II software
 - Quad-mix calibration gas (CG-Q34-4): CH₄ (2.5%), O₂ (18.0%), H₂S (25 ppm), CO (100 ppm)
 - 0.5 LPM regulator
 - 3 ft. / 1 m calibration hose with quick connect
 - 10 ft. / 3 m sampling hose with metallic particulate filter and quick connect
 - 5 spare hydrophobic and particulate pump filters
 - Sampling probe (GA-PROB1-1)
 - Reversible screwdriver
 - Hard-sided carrying case with lid insert pockets and foam case insert



Series #	Description
XT-XWHM-Y-NA-CS	Gas Alert MaxXT II KIT
XT-XWHM-Y-NA	MaxXT II Gas Detector

GasAlert Quattro

- Sampling via manual aspirator pump
- Rechargeable and alkaline battery packs
- Confined Space Kit Contents
 - GasAlertQuattro 4-gas detector (H₂S, CO, O₂, %LEL)
 - IR Connectivity Kit with Fleet Manager II software
 - Quad-mix calibration gas (CG-Q34-4): CH₄ (2.5%), O₂ (18.0%), H₂S (25 ppm), CO (100 ppm)
 - 0.5 LPM regulator
 - Calibration cap with 1 ft. / 0.3 m hose
 - Manual Aspirator Kit (QT-AS01) with sampling probe (GA-PROB1-1) and 10 ft. / 3 m hose
 - Reversible screwdriver
 - Hard-sided carrying case with lid insert pockets and foam case insert



Series #	Description
QT-XWHM-R-Y-NA-CS	Gas Alert Quattro KIT
QT-XWHM-R-Y-NA	Quattro Gas Detector

GasAlert EXTREME

Continuous LCD shows real-time gas concentrations

- Compact and lightweight design makes it comfortable to wear
- Water-resistant
- Simple automatic calibration procedure; compatible with BW MicroDock II automatic test and calibration station
- Full function self-test of sensor, battery status, circuit integrity and audible/visual alarms on start up
- Bright wide-angled visual alarm bars
- Built-in concussion-proof boot
- Equipped with internal vibrating alarm for high noise areas
- Secure and accurate history with datalogging
- Multi-language support in English, French, German, Spanish and Portuguese
- Tamper-proof settings with passcode protection



Series #	Description
GAXT (select your sensor)	Gas Alert Extreme

MicroDock II

Cost effective calibration and bump test management



The most cost effective way to manage the calibration and bump testing of BW Technologies by Honeywell portable gas detectors is through the MicroDock II automated test and calibration system. Fully portable and easily expandable, the MicroDock II requires no computer and provides simultaneous management of up to ten modules. Minimize expenses and maximize productivity

with the MicroDock II.

- Quick and easy compliance - automatically maintain accurate records
- Automatic bump testing, calibration, record keeping and charging
- One base station with one AC outlet supports up to six modules to suit your application
- Verifies proper performance of detectors
- Reduces maintenance costs
- Multiple MicroDock II systems can be connected via a LAN
- Includes BW Technologies by Honeywell Fleet Manager software for easy data analysis
- Multi-language support in English, French, German, Spanish and Portuguese

Series #	Description
DOCK2 (as per your gas monitor type)	MicroDock II

Speedy® Loop Mounting System



For frequent on/off use with protective caps. The Speedy® Loop is fully adjustable to fit any style of hard hat. The Speedy Loop comes as an installation kit

or pre-installed exclusively on Fibre-Metal welding helmets and faceshields. The secure brim tab design does not contain any metal parts—which means it does not affect the dielectric rating of the hard hat. No tools or modifications required.

Quick-Lok® Mounting System



For secure long-term combination use. Quick-Lok mounting blocks come pre-installed exclusively on Fibre-Metal hard hats or sold

separately as a kit. Welding helmets, faceshields, and goggles that are equipped with Quick-Lok cups can be securely mounted onto and removed from the cap without tools.

Quick-Lok® Blades



Adapts most brands of slotted caps to the Quick-Lok Mounting System within seconds. The Quick-Lok block mounting blades simply insert into the accessory slots on nearly

any slotted hard hat. The use of Quick-Lok Blades does not affect the dielectric rating of the hat.

For more information and to access the QuickSwitch demonstration videos, visit www.fibre-metal.com.

WARNING! Fibre-Metal® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision. Welding helmets and safety eyewear reduce the probability of injuries drastically and must be worn during all welding procedures.


Welding PROTECTION




by Honeywell

QuickSwitch™ System for Combination Protection

For multi-hazard conditions, protective caps must be used in combination with a variety of eye and face protection equipment. For greater cost savings, productivity and convenience, most Fibre-Metal® welding helmets, faceshields, and welding goggles can be combined with protective caps by utilizing any one of our three combination systems to provide the exact degree of protection and comfort required.



Speedy® Loop Mounting System



Quick-Lok® Mounting System



Quick-Lok® Blades Mounting System



by Honeywell

Vendor Code: NOSAPR

NEW

Wide View Tigerhood Futura® XXL with ADC Plus ADF Technology

- Wide View (110mm x 110mm), variable shade 9-13, solar powered ADF
 - Featured Angular Dependence Compensation (ADC) Plus Technology, which allows the welder to have a clear view through the filter without any shade variation at any angle
 - Highest optical quality available with a perfect DIN rating of 1/1/1/1, maximizing weld quality, productivity and welder comfort
 - Selectable shade 9-13 with Sensitivity and Delay adjustability
 - Tigerhood Futura helmet shell is lightest full size welding helmet and has a high melting point and impact resistance. Profile allows for the use of required safety eyewear and respirators
 - Classic 3-C free-floating headgear balances and stabilizes helmet for unmatched comfort
 - XXL uses a standard 10.2 cm x 12.7 cm front cover plate, which is quick and easy to replace*
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards

2999BV913SR

Series #	Description
2999BV913SR	Tigerhood Futura (Silver) with 90mm x 110mm ADF Lens
2090XXLBV913SR	Tigerhood Futura XXL (Silver) with 110mm x 110mm ADF Lens w/ ADC Plus

HW100



Auto Darkening HW Series

Series #	Color
HW100	Black
HW200	Black

110



Pipeliner®

- Molded from SuperGlas Plus™, the Pipeliner welding helmet is lightweight, strong, impervious to moisture and impact resistant
- Compact design allows access to areas where there isn't room for a standard welding helmet
- Comfortable, functional headgear uses a constant-fit rubber headband for frequent adjustments throughout the workday
- Also available with a ratchet headgear where space limitations are not as severe

Series #	Description
110P	Pipeliner with 1-CP rubber headgear
110	Pipeliner with 1-CR ratchet headgear

906GY



Welding Mask TigerHood

Series #	Description
906GY	Gray Welding Mask



by Honeywell



by Honeywell
Vendor Code: NOSAPR

Glass Filters

Precision cut to true size for a better fit. Optically correct with consistent shading throughout the plate or lens for welder protection and comfort

Series #	Size / Shade
P241SH	2" x 4¼" 5-14
P451SH	4½" x 5¼" 5, 8-13
L501SH	50 mm (pr.) 5



P451SH

Polycarbonate Filters

About 1/3 the weight of a comparable glass filter, and many times more impact resistant, polycarbonate filters are the choice of high production welders.

Series #	Size / Shade
P247SH	2" x 4¼" 5-6, 9-12
P457SH	4½" x 5¼" 9-12
L507SH	50 mm (pr.) 5



P247SH

Gold Plated Filters

All the advantages of a polycarbonate filter, with the benefit of a gold coating which reflects up to 99% of infrared light, reducing the temperature inside the helmet. A cooler, more comfortable welder will stay on the job longer and be more productive.

Series #	Size / Shade
P248SH	2" x 4¼" 5-14
P458SH	4½" x 5¼" 8-12




P248SH

Polycarbonate Safety Plate

Injection-molded, optically correct, lightweight, impact-resistant polycarbonate plate provides an extra margin of protection.

Series #	Size / Shade
CL242	2" x 4¼"
CL452	4½" x 5¼"
CL502	50 mm (pr.)
CR-39	Covers



Cover Plates

Top quality cover plates contain a higher percentage of CR-39 material than any other brand including those that claim to be "100% CR-39". Higher quality provides better protection and a longer service life for expensive filter plates.

Series #	Size / Shade
P242	2" x 4¼"
P452	4½" x 5¼"
L502CL	50 mm (pr.)



P452



Vendor Code: 3MCANA



100V Speedglas™ Performance

The 3M™ Speedglas™ 100 Series Welding Helmets delivers the outstanding protection, durability and performance expected from a Speedglas Helmet. Welders appreciate the excellent optical quality and the reliable light-to-dark state switching at an affordable and competitive price. The Speedglas 100 can be used with most arc welding processes such as Stick (MMA), Mig/Mag and Tig applications greater than 10 amps. Ideal entry-level auto-darkening helmet for occasional users such as farmers, maintenance/construction workers and auto mechanics.

Approved to CSA Z94.3 standards for eye and face protection and features a 2-Year Warranty. Light state shade 3, dark shades 8-12 with 3 sensitivity settings and a switching speed of 0.1 ms.

Series #	Description
07-0012-10BL-CA	Black, with ADF 100S-10, Shade 10
07-0012-11BL-CA	Black, with ADF 100S-11, Shade 11
07-0012-31BL-CA	Black, with ADF 100V, Shades 8-12



9100 Designed for ultimate comfort

Precision welding is demanding, but with the Speedglas™ 9100 Helmet you can fully concentrate in safety and comfort. Protecting your eyes and face from radiation, heat, and sparks – while providing an accurate view of your work area – your Speedglas™ 9100 helmet might soon be considered your most important welding tool. The Speedglas™ 9100 Helmet is CSA Approved to CSA Z94.3 Standard.

Series #	Description
9001V	Speedglas™ Helmet 9100 with ADF 9100V; Shades 5, 8 –13
9100XX	Speedglas™ Helmet 9100 with ADF 9100XX, Shades 5, 8 –13



9100FX Welding Helmet, A long-awaited solution for professional welders

Introducing Speedglas™ 9100 FX Welding Helmet, a flip-up combination of an autodarkening welding helmet and a wide-view clear grinding visor. Not only is the clear visor viewing area (8" x 4.25") almost twice as large compared to previous models, we have totally redesigned the helmet to provide a wider field of view in all directions.

- Smooth flip-up ratchet mechanism
- Effortless transition from welding to grinding modes
- New front and side air exhaust vents minimize fogging
- Highly adjustable head suspension for unmatched comfort and balance
- Legendary Speedglas™ auto-darkening technology
- Extended coverage of ears and neck
- Approved to CSA Z94.3 standard

Series #	Description
9100FX	3M™ Speedglas™ Welding Helmet 9100 FX with SideWindows Auto-Darkening Filter 9100V Shade 5, 8-13.



3M™ Adflo™ Powered Air Respirator For cooler, cleaner and more comfortable welding

Vendor Code: 3MCANA

Speedglas™ Welding Shields with the Adflo™ Respirator makes a light compact, all in one system. The exclusive “stackable” configuration of the Adflo™ Turbo Unit means that the gas and vapour cartridge can be stacked onto the particle filter for additional protection from specific organic vapours and acid gases.

How it works...

The Adflo Respirator is designed to provide a supply of filtered air from the Adflo Turbo Unit via a breathing tube to the head top. The system creates a positive pressure, which together with the face seal helps prevent particles and other contaminants from entering the helmet. Exhaled air is quickly expelled away from the face and head areas, keeping the welder comfortable and helping improve productivity.



Speedglas™ 9100-Air with Adflo™ Powered Air Purifying Respirator

Series #	Description
25-1101-10SW-CA	9100-AIR complete with V lens
25-1101-20SW-CA	9100-AIR complete with X lens
25-1101-30SW-CA	9100-AIR complete with XX lens

Speedglas™ 9100 FX-AIR with Adflo™ Powered Air Purifying Respirator

Series #	Description
26-1101-10SW-CA	9100-AIR complete with V lens
26-1101-20SW-CA	9100-AIR complete with X lens
26-1101-30SW-CA	9100-AIR complete with XX lens



3M™ Speedglas™ 9100 MP Welding & Safety Helmet

Introducing the latest addition to our 3M™ Speedglas™ top-of-the-line welding helmet line-up: the 3M™ Speedglas™ Welding Helmet 9100 MP an uncompromising product integrating 5 levels of welder protection for head, eye, face, respiratory and hearing into an easy-to-use and comfortable system.

- Flip-up Mechanism, easy transition from welding to grinding modes
- 3M™ Speedglas™ 9100 Series Auto-Darkening Filters, Shade 5, 8-13
- Clear, wide-view (17x10cm) grinding visor
- NIOSH Approved for Respiratory Protection
- Approved to CSA Z94.3 Eye and Face Protection standard as a Welding Respiratory System
- Shade 5 SideWindows to increase peripheral vision
- Comfortable safety that meets ANSI Z89.1 for Head Protection

Series #	Description
27-1101-20SW-CA	3M™ Speedglas™ Welding Helmet 9100 MP with 3M™ Adflo™ Powered Air Purifying Respirator





Vendor Code: DSISAF



Quebec First Aid Kits

Series #	Description
FAKQ185BP146	Bulk first aid kit for vehicle in plastic box - 10 units
FAKQ285BP146	Bulk first aid kit for establishment Plastic box - 36 units
FAKQU185R	Refill for vehicle first aid kit
FAKQU285R	Refill for establishment first aid kit

Ontario First Aid Kits

Series #	Description
FAKONTABP146	Bulk first aid kit #A WCB in Plastic box, 10 units
FAKO124BP146	Bulk first aid kit #1 WCB in Plastic box, 24 units
FAKONT1BP146	Bulk first aid kit #1 WCB in Plastic box, 36 units
FAKONT2BM146	Bulk first aid kit #2 WCB in Metal box 15 X 10.5 X 5
FAKOTFBP146	Bulk first aid kit #TFB - for transport, construction, farm bush, in Plastic box
FAKONTAR	Refill for WCB bulk first aid kit #A
FAKONT1R	Refill for WCB bulk first aid kit #1
FAKONT2R	Refill for WCB bulk first aid kit #2
FAKONTTFBR	Refill for TFB bulk first aid kit

Maritime Provinces First Aid Kits

Series #	Description
FAKNS1BP146	Nova-Scotia - Bulk first aid kit #1 in Plastic box - 10 units
FAKNS2BP146	Nova-Scotia - Bulk first aid kit #2 in Plastic box - 16 units
FAKNS3BP146	Nova-Scotia - Bulk first aid kit #3 in Plastic box - 24 units
FAKNB1BP146	New Brunswick - Bulk first aid kit for New Brunswick - Regulation 2004 - 130 Bulk in Plastic box - 36 units
FAKPEI1BP146	Prince-Edward Island - Bulk first aid kit #1 in Plastic box - 10 units
FAKPEI2BP146	Prince-Edward Island - Bulk first aid kit #2 in Plastic box - 16 units
FAKPEI3BP146	Prince-Edward Island - Bulk first aid kit #3 in Plastic box - 24 units
FAKNFL1BP146	Newfoundland - #1 kit - 10 units - Plastic box
FAKNFL2BP146	Newfoundland - #2 kit - 16 units - Plastic box
FAKNFL3BP146	Newfoundland - #3 kit - 24 units - Plastic box

Other Canadian Provincial first aid kits available on request,
please contact your local Wajax branch.



Vendor Code: DSISAF

Eyewash Isotonic Solutions

Series #	Description
FAEW001	Isotonic Solution Sterile 1 oz/ 30 ml
FAEW004	Isotonic Solution Sterile 4 oz/ 118 ml
FAEW008	Isotonic Solution Sterile 8 oz/ 250 ml
FAEW016	Isotonic Solution Sterile 16 oz/ 500 ml
FAEW032	Isotonic Solution Sterile 32 oz/ 1L
FAEW160	Isotonic Solution Sterile 128 oz/ 4L
FAEWB16	Eye wash empty bottle with eye cup 16 oz/ 500 ml
FAEWB32	Eye wash empty bottle with eye cup 32 oz / 1L
FAEWC01	Eye cup for 16 oz/ 500 ml and 32 oz/ 1L bottle



Eyewash Stations

Series #	Description
FAEWS6517F	Eye wash complete stations include Panel FAEWS6517 plus one (1) bottle of Isotonic solution FAEW032
FAEWS1417F	Eye Wash complete stations include Panel FAEWS1417 plus two (2) bottles of Isotonic solution FAEW032
FAEWS1714F	Eye Wash complete stations include Panel FAEWS1714 plus one (1) bottle of Isotonic solution FAEW032
FAEWS1114F	Eye Wash complete stations include panel FAEWS1114 plus one (1) bottle of Isotonic solution FAEW016



Single Use Eyewash Stations & Solutions with Eye Cup

Series #	Description
FAEWO16SU	Isotonic Solution Sterile 16 oz/500ml bottle with Eye Cup
FAEWO32SU	Isotonic Solution Sterile 32 oz/1L bottle with Eye Cup
FAEWC08	Additive concentrate for Eye Wash Stations - 8oz (236ml) for 5 to 20 US Gal.
FAEWS6514F	Eyewash Stations include panel #FAEWS6514 Plus (1) 32oz/1L bottle of Isotonic Solution with Eye Cup #FAEW032SU (single use)
FAEWS1213F	Eye Wash Stations include panel #FAEWS1213 Plus (2) 16oz/500ml bottles of Isotonic Solution with Eye Cup #FAEW016SU (single use)





Vendor Code:SAFFIA

Occupational Health And Safety Regulation First Aid Kits

Regulation first aid kits meet guidelines required by Federal, Provincial, and Territorial jurisdictions.

Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- maximum number of employees at the work site (or per shift)

- location of the place of employment/industry

- type of industry and potential hazards

- proximity or travel time to a medical facility



51263

Federal

If the place of employment is one of the following businesses/industries, it is more than likely to be under federal regulations.

- Banks
- Marine shipping, ferry and port services
- Air transportation, including airports, aerodromes and airlines
- Railway and road transportation that involves crossing provincial or international borders
- Canals, pipelines, tunnels and bridges (crossing provincial borders)
- Telephone, telegraph and cable systems
- Radio and television broadcasting
- Grain elevators, feed and seed mills
- Uranium mining and processing
- Businesses dealing with the protection of fisheries as a natural resource
- Many First Nation activities
- Most federal Crown corporations
- Private businesses necessary to the operation of a federal act

Series #	Description
51200	Type A, 2-5 workers, 10 Unit Plastic Box
51231	Type B, 6-19 workers, 24 Unit Plastic Box
51234	Type B, 6-19 workers, 24 Unit Metal Cabinet w/gasket
51260	Type C, 20-199 workers, #2 Plastic Box
51263	Type C, 20-199 workers, #2 Metal Cabinet

Places of employment not listed above are classified under their respective provincial/territorial jurisdictions



50030

British Columbia

Series #	Description
50006	Basic, 36 Unit Plastic Box
50009	Basic, 36 Unit Metal Cabinet w/gasket
50018B	Basic, #16 Nylon Soft Pack
50024	Level 1, #2 Metal Cabinet
50025B	Level 1, Mini Trauma Nylon Bag
50030	Level 2 & 3, #2 Metal Cabinet



50124

Alberta

Series #	Description
50100	No. 1, 16 Unit Plastic Box w/gasket
50103	No. 1, 16 Unit Metal Cabinet w/gasket
50124	No. 2, 36 Unit Plastic Box w/gasket
50127	No. 2, 36 Unit Metal Cabinet w/gasket
50139	No. 3, #2 Metal Cabinet

Saskatchewan

Series #	Description
50200	1-9 workers, 24 Unit Plastic Box
50215	10-40 workers, 36 Unit Plastic Box
50218	10-40 workers, 36 Unit Metal Cabinet w/gasket
50230	40+ workers, #2 Metal Cabinet



50200

Manitoba

Series #	Description
50303	25 workers, 24 Unit Plastic Box
50306	25 workers, 24 Unit Metal Cabinet w/gasket



50303

Ontario

Series #	Description
50400	Sec. 8, 1-5 workers, 10 Unit Plastic Box
50422	Sec. 9, 6-15 workers, 24 Unit Plastic Box
50424	Sec. 9, 6-15 workers, 24 Unit Metal Cabinet w/gasket
50449	Sec. 10, 16-199 workers, #2 Plastic Box
50448	Sec. 10, 16-199 workers, #2 Metal Cabinet



50448

Quebec

Series #	Description
50500	Sec. 4, 1-50 workers, 36 Unit Plastic Box
50503	Sec. 4, 1-50 workers, 36 Unit Metal Cabinet w/gasket
50515	Sec. 5, Vehicle, 10 Unit Plastic Box
50518	Sec. 5, Vehicle, 10 Unit Metal Cabinet w/gasket



50503

New Brunswick

Series #	Description
50754	Basic, 36 Unit Plastic Box
50757	Basic, 36 Unit Metal Cabinet w/gasket



50754



Vendor Code:SAFFIA


50600



50900



50833



51118



51315



Nova Scotia

Series #	Description
50600	No. 1, 1 worker, 10 Unit Plastic Box
50615	No. 2, 2-19 workers, 16 Unit Plastic Box
50630	No. 3, 20-49 workers, 24 Unit Plastic Box
50633	No. 3, 20-49 workers, 24 Unit Metal Cabinet w/gasket
50648	No. 3 Plus, 50-66 workers, #2 Metal Cabinet

Prince Edward Island

Series #	Description
50900	No. 1, 1-4 employees, 10 Unit Plastic Box
50915	No. 2, 5-15 employees, 36 Unit Plastic Box
50918	No. 2, 5-15 employees, 36 Unit Metal Cabinet w/gasket
50939	No. 3, 16-199 employees, #2 Metal Cabinet

Newfoundland & Labrador

Series #	Description
50800	#1, 1 worker, 10 Unit Plastic Box
50815	#2, 2-14 workers, 16 Unit Plastic Box
50818	#2, 2-14 workers, 16 Unit Metal Cabinet w/gasket
50833	#3, 15-199 workers, 24 Unit Metal Cabinet w/gasket

Northwest Territories & Nunavut

Series #	Description
51100	No. 1, 1-15 workers, 24 Unit Plastic Box
51118	No. 2, 16-74 workers, #2 Metal Cabinet
51124	No. 3, 75+ workers, #6 Metal Cabinet

Yukon

Series #	Description
51300	Personal, 10 Unit Plastic Box
51315	#1, 16 Unit Plastic Box
51318	#1, 16 Unit Metal Cabinet w/gasket
51333	#2, 36 Unit Metal Cabinet w/gasket
51345	#3, #6 Metal Cabinet

Workplace Specialty First Aid Kits

- Specialty First Aid Kits include all required first aid contents as well as additional supplies.
- Ideal for general industry and warehouses.
- Exceeds minimum standards for Occupational Health and Safety workplaces.

Series #	Description
01777	Federal Workplace Standard, 6-19 workers, #6 Metal Cabinet
01819	British Columbia Workplace Standard, Level 1, #6 Metal Cabinet
01836	Alberta Workplace Standard, No. 2, #6 Metal Cabinet
01853	Saskatchewan Workplace Standard, 10-40 workers, #6 Cabinet
01870	Manitoba Workplace Standard, 25 workers, #3 Cabinet w/adjustable shelves
01378	Ontario Truck, Sec. 8, 1-5 workers, 10 Unit Plastic Box
01335	Ontario Contractors', Sec. 8, 1-5 workers, 16 Plastic Box w/gasket
01379	Ontario Workplace Standard, 6-15 workers, #6 Cabinet
01887	Quebec Workplace Standard, Sec. 4, 1-50 workers, #6 Cabinet
01905	New Brunswick Workplace Standard, Basic, #6 Metal Cabinet
01922	Nova Scotia Workplace Standard, No. 2, 2-19 workers, #6 Metal Cabinet
01939	Prince Edward Island Workplace Standard, No. 2, 5-15 employees, #3 Metal Cabinet w/adjustable shelves
01956	Newfoundland Workplace Standard, #2, 2-14 workers, #3 Metal Cabinet w/adjustable shelves
01973	Northwest Territories Workplace Standard, No. 1, 1-15 workers, #6 Metal Cabinet
51990	Yukon Workplace Standard, #2, #6 Metal Cabinet



01379



01356

Trauma/Crisis First Aid Kit

- Features a comprehensive assortment of first aid and emergency rescue supplies for quick response to minor and major medical emergencies

Series #	Description
01377	Standard
01356	Deluxe

Medicine-Style Cabinets

- Manufactured from high-quality steel with a baked-on white enamel finish.
- Wall-mountable

Series #	Description
01031	#2, 40 x 31.4 x 11 cm (15-3/4" x 12-3/8" x 4-5/16")
01034	#6, 36.8 x 45.6 x 16.2 cm (14-1/2" x 18-5/16" x 6-3/8")



01031

Plastic Bandages Sterile

- High-quality plastic bandages promote healing and offer protection against infection.
- For minor cuts, scrapes, abrasions and burns.

Series #	Description
03041	1.9 x 7.6 cm (3/4" x 3"), 100/BOX
03040	2.5 x 7.6 cm (1" x 3"), 100/BOX
03526	Assorted Sizes, 100/BOX



03041



Vendor Code:SAFFIA



03026



03026



03016



03005



03358

Elastic Dressings

- High-quality cotton/rayon woven fabric bandages and dressing strips cushion wounds and offer protection against infection.
- For minor cuts, scrapes, abrasions and burns.

Elastic Bandages Sterile

Series #	Description
03569	2 .2 x 3 .8 cm (7/8" x 1-1/2"), Heavyweight, 50/BOX
03026	2 .2 x 7 .6 cm (7/8" x 3"), Heavyweight, 100/BOX
03570	3 .8 x 3 .8 cm (1-1/2" x 1-1/2"), Heavyweight, 50/BOX
03035	5 .1 x 7 .6 cm (2" x 3"), Heavyweight, 50/BOX

Knuckle Bandages Sterile

- Designed to provide coverage, protection and comfort for hard-to-bandage knuckle and elbow areas.

Series #	Description
03025	3 .8 x 7 .6 cm (1-1/2" x 3"), Heavyweight, 50/BOX

Fingertip Bandages Sterile

- Designed to provide coverage, protection and comfort for hard-to-bandage elbow, fingertip and toe areas.

Series #	Description
03016	Small, 4.4 x 5.1 cm (1-3/4" x 2"), Heavyweight 50/BOX
03017	Large, 4.4 x 7.6 cm (1-3/4" x 3"), Heavyweight 50/BOX

Assorted Fabric Bandages Sterile

- Selection of seven different shapes and sizes

Series #	Description
03005	Assorted Sizes, 50/BOX

Metal Detectable Bandages

- Bright blue colour and metallic content allow for misplaced or lost bandages to be easily detected and retrieved.
- Recommended for use in the food and restaurant industries.

Series #	Description
03358	2.5 x 7.6 cm (1" x 3"), Plastic, 100/BOX
03197	2.5 x 7.6 cm (1" x 3"), Fabric, 100/BOX
03200	5.1 x 7.6 cm (2" x 3"), Fabric Patch, 50/BOX
03198	3.8 x 7.6 cm (1-1/2" x 3"), Fabric Knuckle, 50/BOX
03199	4.4 x 7.6 cm (1-3/4" x 3"), Fabric Fingertip Large, 50/BOX



Salvequick® Bandage Dispensing System

- Features an automatic locking system to ensure bandages are dispensed individually.
- Adhesive is exposed when bandage is removed from dispenser for immediate application.

Series #	Description
03460	Dispenser - Includes 45 assorted sterile plastic bandages and 40 assorted sterile fabric bandages

03460

Vendor Code:SAFFIA



Salvequick® Bandage Refills

Series #	Description
03462	Plastic bandages; each refill unit contains: 6/BOX <ul style="list-style-type: none"> • 27 - 1.9 x 7.2 cm (3/4" x 2-27 /32 "), sterile • 18 - 2.5 x 7.2 cm (1" x 2-27 /32 "), sterile
03463	Fabric bandages; each refill unit contains: 6/BOX <ul style="list-style-type: none"> • 24 - 1.9 x 7.2 cm (3/4" x 2-27 /32 "), sterile • 16 - 2.5 x 7.2 cm (1" x 2-27 /32 "), sterile

03463



Woundseal™ Topical Powder

- Topical non-prescription powder for external bleeding wounds.
- Stops bleeding and forms a waterproof scab in seconds.

Series #	Description
06022	Woundseal Pour Pack, 2/PACK
06025	Woundseal, + Applicator, 2/PACK

06025



Butterfly Skin Closures Sterile

- Waterproof dressings designed to hold wounds together, support sutures (stitches) and provide post-surgical support after the removal of sutures.

Series #	Description
03219	Medium, 0 .95 x 4 .6 cm (3/8" x 1-3/4"), 100/BOX
03220	Large, 1 .3 x 7 cm (1/2" x 2-3/4"), 100/BOX

03220



3M™ Steri-Strip™ Reinforced Skin Closures Sterile

- Advanced skin closures for use as a skin closure device for lacerations.

Series #	Description
03485	6 mm x 7 .6 cm (1/4" x 3"), 50 Envelopes/BOX Each envelope contains 3 strips.

03485



Gauze Bandage Rolls

- Individually wrapped, high-quality gauze bandages.

Series #	Description
02102	2.5 cm x 4.6 m (1" x 5 yds), 6/UNIT BOX
02018	5.1 cm x 4.6 m (2" x 5 yds), 4/UNIT BOX
02150	5.1 cm x 9.1 m (2" x 10 yds), 1/UNIT BOX
02022	10.2 cm x 4.6 m (4" x 5 yds), 2/UNIT BOX
02152	10.2 cm x 9.1 m (4" x 10 yds), 1/UNIT BOX

02022

02018

02102





Vendor Code : WASIPL



Quebec CNESST Industrial Plastic Kit

The following contents are included in this regulated kit, as required by each jurisdiction and the Canada Labour code: 25- Plastic Strip Bandages, Large, 7.5 x 2.5cm, 25- Gauze Pads, 10 x 10cm, 4- Gauze Rolls, 5cm x 9m, 4- Gauze Rolls, 10cm x 9m, 4- Compress Bandages, 10 x 10cm, 6- Triangular Bandages, c/w Pins, 94 x 94 x 130cm, 25- Alcohol Wipes, 2- Cloth Tape, 2.5cm x 4.5m, 1- Black Handle Universal Scissors, 15cm, 1- Straight Splinter Forceps, 11.5cm, 12- Assorted Safety Pins, 1- Disposable Nitrile Gloves, Large, 1 Pair/Bag, 1- First Aid Pocket Guide, Bilingual, 1- Plastic P24 Box, 27 x 27 x 8cm, This kit is also available in a soft nylon pack (F84IN260).

Series #	Capacity
F84IP240	

Quebec CNESST Vehicle Plastic Kit

The following contents are included in this regulated kit, as required by each jurisdiction and the Canada Labour code: 5- Plastic Strip Bandages, Large, 7.5 x 2.5cm, 5- Gauze Pads, 10 x 10cm, 1- Gauze Roll, 5cm x 9m, 1- Gauze Roll, 10cm x 9m, 2- Compress Bandages, 10 x 10cm, 2- Triangular Bandages, c/w Pins, 94 x 94 x 130cm, 5- Alcohol Wipes, 1- Black Handle Universal Scissors, 15cm, 12- Assorted Safety Pins, 1- Disposable Nitrile Gloves, Large, 1 Pair/Bag, 1- First Aid Pocket Guide, Bilingual, 1- Plastic P10 Box, 20 x 12.5 x 7.5cm.

Series #	Capacity
F84VP100	

Ontario WSIB Level A Plastic Kit

The following contents are included in this regulated kit, as required by each jurisdiction and the Canada Labour code: 12- Plastic Strip Bandages, 7.5 x 2cm, 4- Gauze Pads, 7.5 x 7.5cm, 2- Gauze Rolls, 5cm x 4.5m, 2- Compress Bandages, 10 x 10cm, 1- Triangular Bandage, c/w Pins, 94 x 94 x 130cm, 12- Assorted Safety Pins, 1- Disposable Nitrile Gloves, Large, 1 Pair/Bag, 1- First Aid Pocket Guide, Bilingual, 1- Plastic P10 Box, 20 x 12.5 x 7.5cm.

Series #	Capacity
F85AP100	1 - 5 employees

Ontario WSIB Level 2 Metal Kit (Unitized)

The following contents are included in this regulated kit, as required by each jurisdiction and the Canada Labour code: 2- Plastic Strip Bandages, 7.5 x 2cm, 25/Box. 48- Gauze Pads, 7.5 x 7.5cm. 3- Gauze Rolls, 2.5cm x 4.5m, 4/Box. 4- Gauze Rolls, 5cm x 4.5m, 2/Box. 8- Gauze Rolls, 10cm x 4.5m, 1/Box. 1- Compress Bandage, 5 x 5cm, 2/Box. 4- Compress Bandages, 10 x 10cm, 1/Box. 12- Triangular Bandages, c/w Pins, 94 x 94 x 130cm. 2- Splint Padding, 12.5 x 22.5cm, 1/Box. 2- Cloth Tape, 2.5cm x 2.25m. 24- Assorted Safety Pins. 1- Plastic Emesis Basin, 23cm, 500ml. 1- Wooden Splint, 5 x 24cm. 1- Wooden Splint, 5 x 29cm. 1- Disposable Nitrile Gloves, Large, 1 Pair/Bag. 1- First Aid Pocket Guide, Bilingual. 1- Metal M2 Cabinet, 2 Shelves, 31 x 40 x 10cm.

Series #	Capacity
F852M021	16 - 199 employees

Ontario WSIB Level 1 Plastic Kit

The following contents are included in this regulated kit, as required by each jurisdiction and the Canada Labour code: 25- Plastic Strip Bandages, 7.5 x 2cm. 12- Gauze Pads, 7.5 x 7.5cm. 4- Gauze Rolls, 5cm x 4.5m. 4- Gauze Rolls, 10cm x 4.5m. 4- Compress Bandages, 10 x 10cm. 6- Triangular Bandages, c/w Pins, 94 x 94 x 130cm. 2- Splint Padding, 12.5 x 22.5cm, 1/Box. 12- Assorted Safety Pins. 1- Wire Splint, 30cm. 1- Disposable Nitrile Gloves, Large, 1 Pair/Bag. 1- First Aid Pocket Guide, Bilingual. 1- Plastic P16 Box, 24 x 18 x 8cm.

Series #	Capacity
F851P160	1 - 5 employees

Instant Cold Pack

For use when instant cold therapy is required. Easy to use. Squeeze to activate. No refrigeration needed. Ability to reach temperatures of 0°C (32°F) for up to 30 minutes. Ideal for minor bumps, bruises, muscle aches, strains, sprains, tension headaches, minor burns and insect bites. Single use.

Series #	Size
F4001100	7" x 4.5"
F4002100	10" x 6"

Single Eyewash Station with Sterile Eye Cup

Built-in sterile eye cup designed to keep your eyelid open ensuring a gentle and effective rinse. A sterile preservative free solution that flushes irritants, debris and removes foreign materials from the eyes. Soothes burning, stinging, irritated eyes. Fast, effective and safe. Terminally sterilized and complies with Health Canada Regulations. No maintenance required. Single use application. All stations include easy to follow instructions and mirror. Refill bottles available for eyewash stations.

Series #	Size
F4601701	500 ml
F4604701	1 L

Metal Eyewash Station Cabinet

Built-in sterile eye cup designed to keep your eyelid open ensuring a gentle and effective rinse. A sterile preservative free solution that flushes irritants, debris and removes foreign materials from the eyes. Soothes burning, stinging, irritated eyes. Fast, effective and safe. Terminally sterilized and complies with Health Canada Regulations. No maintenance required. Single use application. All stations include easy to follow instructions and mirror. Refill bottles available for eyewash stations.

Series #	Size
F4575701	Single

Burn Gel

Cool Blaze is a natural aloe base burn care product that is clear, odorless, effective and gentle. It is a must have item in every home, workplace and first aid kit. Cools and soothes. Helps moisturize skin. Non-toxic. Water Soluble. Clear gel allows continuous wound assessment; even during the application process. Individually wrapped in a tear resistant foil package

Series #	Description
F5401706	Individually wrapped, 6 per box
F5403101	Squeeze Bottle, 118 ml (4oz)

Metal Eyewash Station Cabinet

Built-in sterile eye cup designed to keep your eyelid open ensuring a gentle and effective rinse. A sterile preservative free solution that flushes irritants, debris and removes foreign materials from the eyes. Soothes burning, stinging, irritated eyes. Fast, effective and safe. Terminally sterilized and complies with Health Canada Regulations. No maintenance required. Single use application. Refill bottles available for eyewash stations.

Series #	Size
F4601165	500 ml
F4601169	1 L

Double Fold Stretcher Kit with Bag

STRETCHER FEATURES : Heavy-duty tubular aluminum poles with two cross spreader bars. Black handle grips for secure lifting. Support bed is made of a durable, stain and water resistant vinyl coated nylon fabric. Lightweight stretcher folds in half for convenient storage. Easy to clean. **BAG FEATURES :** Designed for use as a storage or carrying bag for double fold stretcher. Lightweight, durable, water resistant Poly Oxford coated fabric. Hi-vis orange for improved visibility. Black nylon carrying handles. Zipper top opening. Additional space for blankets and a first aid kit.

Series #	Size
F6055900	114 cm x 21 cm x 15 cm



Vendor Code: HAWSUS



8760

PERFORMANCE SERIES:

Model 8760 standard skid-mounted shower and eye/face wash with a tempered water blending system, internal hot water supply, bleeding system, alarm and light. Includes shower, eye/face wash and drench hose with scald protection bleed valve.

9400

Model 9400

Steam water heater and thermostatic mixing valve that mixes hot and cold water to supply tempered water to emergency shower and eyewash fixtures requiring flow up to 25 gpm (95 L). Unit employs a paraffin filled thermostatic mixing element. Lowest internal pressure drop where supply pressure is low, and a high Cold Water Bypass flow rate of 24 gpm (91 L).



8317CTFP

120 VAC cable heated, freeze-resistant, combination shower and eye/face wash, with top or bottom supply, and with AXION® MSR eye/face wash and showerhead.

Safety features include: a thermal actuator bleed valve, 120V thermostat cable double wrapping inside piping, 3/4" (1.9 cm) insulation surrounding piping and outside jacket to prevent freezing, and universal emergency sign. For extreme weather conditions dropping down to -30° F (-34.4° C). Universal design allows for top or bottom water supply. Reducing installation time, entire unit is pre-built and fully water/pressure tested. Solid stainless steel pipe stanchion and galvanized fittings make for one sturdy piece of corrosive resistant equipment. Rated Class 1, Div 2, Group B, C & D. Tempering code T6.

8300-8309

Combination emergency shower & eye/face wash with AXION® MSR eye/face wash and showerhead.

Streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness. AXION® ABS plastic drench showerhead with flow control delivers dispersed flow for uniform drenching. Stainless steel push flag for eye/face wash activation, round 11" (27.9 cm) stainless steel bowl, stainless steel pull rod for shower activation, mesh in-line eye/face wash strainer to collect line debris, and ball valves with stainless steel ball and stem for durability. Pipe and fitting: 1-1/4" Schedule 40 hot-dipped galvanized steel. Supply and Waste: 1-1/4" IPS.



8905

Model 8905

Wall mounted eye/face wash and body spray shall include an AXION® MSR eye/face wash head which features an inverted directional laminar flow which achieves zero vertical velocity supplied by an integral flow control, chrome plated brass stay-open squeeze lever valve, 12 foot (365.8 cm) yellow recoil hose with chrome-plated swivel fitting at one end, universal sign, and 1/2" IPS inlet. In order to comply with state codes the use of a vacuum breaker is required with all hand held eye/face wash body spray units (Haws offers model SP212)

7610

Model 7610

Barrier-free sink/counter top or wall mount eye/face wash shall include an AXION® MSR eye/face wash head with inverted directional laminar flow which achieves zero vertical velocity supplied by an integral flow control. Also included; polished chrome brass single action pull-down valve body, wheelchair accessibility, universal sign, and 1/2" O.D. (1.3 cm) slip joint inlet.





Vendor Code: HAWSUS

7501

Gravity-operated, portable eyewash that supplies a continuous flow of clean water for a full 15 minutes at .4 gpm (1.5 L).

FDA approved high-density, green polyethylene tank is easily activated by pulling the yellow activation arm down to the open position. Unit has a wide-fill opening with threaded cap to permit easy inspection, cleaning and filling. The wall-hung, 9-gallon capacity portable eyewash is easy to relocate and comes with a mounting bracket. Measurements: 14-1/2" high, 22" wide, 10-1/8" deep (36.8 x 55.9 x 25.7 cm)



AX14

Model AX14 AXION Advantage®

Eye/face wash system shall include the AXION® MSR eye/face wash and showerhead, stainless steel connecting hardware, ANSI eyewash gauge, tape measure, complete installation instructions and ANSI compliance information. The AXION Advantage system is ANSI compliant when installed correctly based on manufacturer guidelines and when tested against the ANSI Z358.1-2009 checklist included with the product. The materials provided offer complete ANSI compliance tools and instructions. At the current time, ANSI does not regulate product brands, models, or the interchange of product components.



7620

The AXION® eyePOD® is a polished stainless steel, faucet-mounted eyewash.

The AXION® eyePOD® features an inverted flow design that is consistent with all EMT, emergency room and doctors' office protocols by sweeping contaminants away from the vulnerable nasal cavity. Eyewash streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness. Thermostatic shutoff that will protect the user from water over 100° (37.8° C) by shutting off the eyewash. Supplied with standard commonly used faucet adaptors. .5 gpm (1.9 L) faucet outlet. Optional 1 gpm (3.8 L) laminar flow faucet outlet also supplied.



9001

120 VAC emergency alarm and light system. Buzzer and flashing light are activated by a double-pole, double-throw flow switch.

Switch will activate at 2.4 gpm (9.1 L). Voltage: 120 VAC, 50 or 60 cycles. Supply: 1-1/4" IPS. Multiple set of contacts for remote activation alarm sites. CSA electrical certified, TYPE 4. (Nema 4 equivalent).



9082

'Sterile' bacteriostatic preservative for use in portable eyewash stations.

One 5 oz. (148 ml) bottle will preserve 5 to 20 gallons (18.9 to 75.7 L) of portable water for up to three months. Four bottles per carton. 3 year shelf life.



7260B-7270B

Wall-mounted, eye/face wash with AXION® MSR eye/face wash head.

Eye/face wash streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness. Features a round 11" (27.9 cm) green ABS plastic receptor and aluminum wall bracket for long life. Includes a mesh in-line strainer to collect line debris, and ball valve with stainless steel ball and stem for durability. Supply: 1/2" IPS. Waste: 1- 1/4" IPS.

**Also available in floor-mounted version.*





Vendor Code: NOSAPR

by Honeywell



Fendall 2000

- Delivers 100% sterile saline from a 100% sterile delivery system
- Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush
- Sleek assembly that fits nearly anywhere
- Highly portable and easily moved when work stations move
- Easy-view side windows to check sterile solution expiration date and key contact information
- ESPTM Enabled Safety Products RFID technology gives you instant, accurate safety information about the cartridge
- Heated Accessory enables use in extreme cold environments (sold separately)
- Meets ANSI Z358.1-2009 15-minute flush requirement for primary eyewash stations

Series #	Description	Size
32-002000-0000	Fendall 2000 Eyewash Station (English)	34.75" x 17.5" x 15.5"
32-ST2050-0000	Sterile Saline Refill Cartridges	24" x 16" x 9"



PureFlow 1000

The Fendall Pure Flow 1000 emergency eyewash station delivers the required 15 minutes of flushing with a preserved, buffered, saline solution that is superior to tap water for emergency eye care. No plumbing required! Available with standard or 100% sterile saline eyewash solution.

Series #	Description	Size
32-001000-0000	Eyewash Station Only (English)	29" x 18" x 31"
32-ST1050-0000	Sterile Saline Cartridges (2)	23.5" x 12.5" x 11.5"

EyeWash Bottle EyeSaline®

Portable and readily available for use, these emergency eyewash bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency.

Series #	Description	Size
32-000455-0020	32 oz Bottles	32 oz.
32-000454-0020	16 oz Bottles	16 oz.
32-000445-0020	8 oz Bottles	8 oz.



Gravity Feed Porta Stream II

Offers versatile portability and 15-minutes of uninterrupted flushing — without costly plumbing. Fendall Porta Stream's simplicity of installation and operation has made it a popular choice.

Series #	Description	Size
32-000200-0000	Eyewash Station - English	26" x 20" x 20"
32-000502-0000	Sperian Saline Solution - Ready to Use	1 gallon (3.8L)
32-000513-0000	Sperian Saline Concentrate - English/French (Canada)	1 gallon (3.8L)



SQWINCHER PROTECTING YOU FROM THE INSIDE OUT

Sqwincher Zero products are a perfect solution for diabetics. It provides the same electrolyte to mineral nutrients as regular Sqwincher however it DOES NOT contain any calories, carbohydrates or sugar.



Vendor Code: DENSAF



Sqwincher Squeeze Freezer Pops 3 Oz

Sports Rehydration Ice - Assorted Flavours Per Case; Each inner pack contains 2 Cherry, 2 Grape, 2 Orange, 2 Lemon-Lime, 2 Mixed Berry. 15 Packs.

Series #	Flavour	Qty
11130	Assorted Flavours	150 /CS

Concentrate 64 Oz / 1.89 L

No Stir Formula.

Series #	Flavour	Qty
11020	64 oz Lemonade	1
11021	64 oz Orange	1
11022	64 oz Fruit Punch	1
11023	64 oz Lemon-Lime	1
11024	64 oz Tropical Cooler	1
11025	64 oz Grape	1
11027	64 oz Mixed Berry	1



Qwik Stik Zero 0.11 Oz Powder

Qwik Stik will produce a 20 ounce drink.

Series #	Flavour	Qty
11060100-OR	Qwik Stik Orange	50 Stiks/CS
11060101-MB	Qwik StikMixed Berry	50 Stiks/CS
11060102-FP	Qwik StikFruit Punch	50 Stiks/CS
11060453-SL	Qwik Stik Lemonade	50 Stiks/CS

Fast Pack 0.6 Oz

No Stir Formula (4 boxes of 50 Packs/case)

Series #	Flavour	Qty
11080	Fast Pack Lemonade	50 /CS
11081	Fast Pack Fruit Punch	50 /CS
11082	Fast Pack Lemon-Lime	50 /CS
11086	Fast Pack Orange	50 /CS



Concentrate Zero liquid 64 Oz / 1.89 L

No Stir Formula.

Series #	Flavour	Qty
11050502-FP	64 oz Zero Fruit Punch	1
11050504-LL	64 oz Zero Lemon-Lime	1
11050505-LEM	64 oz Zero Lemonade	1
11050507-OR	64 oz Zero Orange	1

Powder Pack 47.66 Oz / 1351.31 Gm

Series #	Flavour	Qty
11061	Powder Pack Orange	1
11062	Powder Pack Fruit Punch	1
11063	Powder Pack Lemon-Lime	1



Concentrate 32 Oz / 946 ML

No Stir Formula.

Series #	Flavour	Qty
11010	32 oz Lemonade	1
11011	32 oz Orange	1
11012	32 oz Fruit Punch	1
11013	32 oz Lemon-Lime	1
11014	32 oz Tropical Cooler	1
11015	32 oz Grape	1



BOTTLE 20 oz / 591 ml

Series #	Flavour	Qty
11100	RTD Orange	1
11102	RTD Fruit Punch	1
11105	RTD Mixed Berry	1
11106	RTD Strawberry Lemonade	1



MISCELLANEOUS SAFETY PRODUCTS



Vendor Code: DENSAP



18100



18105



18110

18115



18120

18120



18210

18205

18225



18230

18220

INSECT REPELLENTS

Series #	Description	Qty
18100	SkeetSafe Towelette, Insect Repellent 10% DEET Provides up to 3 hours of protection. Acceptable for Children	20 / box
18105	SkeetSafe Towelette, Insect Repellent 25% DEET. Provides up to 6 hours of protection.	10 / box
18110	SkeetSafe Aerosol Can Insect Repellent 25% DEET. 110g (3.90 oz). Provides up to 6 hours of protection.	12 / box
18112	SkeetSafe Liquid Spray Insect Repellent 50ml(1.70 oz)30% DEET. Provides up to 6 hours of protection.	24/Box
18115	SkeetSafe Liquid Spray Insect Repellent 100ml (3.40oz) 10% DEET. Provides up to 3 hours of protection. Acceptable for Children.	120 / box
18120	SkeetSafe Liquid Spray Insect Repellent 100ml(3.40oz) 30% DEET. Provides up to 6 hours of protection.	12 / box
18125	SkeetSafe 1012 Insect Repellent Solution 100ml(3.40 oz) - DEET FREE, 20% Icaridan. 12 hour protection from mosquitoes and ticks, and 10 hour protection from black flies.	12/Box
18140	Wasp & Hornet Spray. 350g (12.35oz) can. 35kv rating.	10 / box

SUNSCREEN

Series #	Description	Qty
18200	Shield Sunscreen Lotion, 10ml Pouch SPF 30	50 / box
18205	Shield Sunscreen All Season Lip Balm, 4.25g SPF 30	100 / box
18210	Shield Sunscreen Ultra Sport Lotion, 50ml SPF 30	24 / box
18220	Shield Sunscreen Lotion, 120ml (4oz) Tube SPF 30	12 / box
18225	Shield Sunscreen Spray, 220ml (7.5 oz) Bottle SPF 30	6 / box
18230	Shield Sunscreen Lotion, 1L (34oz) Bottle Lotion SPF 30	8 / box

NEUTRALISER™ PERSONAL EYEWASH

Series #	Description	Qty
80-1600-BP	BottlePod™ Wall Mount Bracket fits most 1 Liter and 500ml bottles	1
80-1600-1	Neutraliser™ Eyewash and Face Rinse, 947ml	1
80-1600-2	Neutraliser™ Eyewash and Face Rinse, 474ml	1
80-1600-3	Neutraliser™ Eyewash and Face Rinse, 118ml	1
80-1600-1BN	BottlePod™ with Neutraliser™ sign (fits most 1L & 500 ML bottles)	1
80-1600-2BN	BottlePod™ with Neutraliser™ sign (For 500 ML with Neutraliser™ & Cedarroth bottles)	1

STERILE WATER PRESERVATIVE

Series #	Description	Qty
19PE-1.10.148	iPreserve™ Sterile Water Preservative, 148ml.	4 / box



80-1600-1BN

80-1600-2BN

80-1600-2

80-1600-1

80-1600-3

19PE-1.10.148

80-1600-BP

Vendor Code: ERGODY



Evaporative Cooling Towel



Dampen this synthetic space age towel to create a cooling aid significantly colder than ambient air.

Serie #	Color
12420	Blue
12438	Gray
12439	Hi-Vis Lime
12441	Orange
12442	Pink

Hard Hat Brim with Shade

Fits around the outside of a hard hat, providing sun and UV protection on the face and neck.



Serie #	Color
12640	Lime
12641	Orange

Dry Evaporative Cooling Vest



Fill with water and enjoy hours of cooling relief and comfort.

Serie #	Size
12673	M
12674	L
12675	XL
12676	XXL
12677	XXXL

Evaporative Cooling Vest

Soak in cold water, and enjoy cooling relief and comfort.



Serie #	Color/Size
12533	Lime/M
12534	Lime/L
12353	Lime/XL
12536	Lime/XXL
12537	Lime/XXXL
12543	Gray/M
12544	Gray/L
12545	Gray/XL
12546	Gray/XXL
12547	Gray/XXXL

Evaporative Cooling Bandana with Cooling Towel



Advanced PVA material keeps you cool without the bulk.

Serie #	Color
12561	Stars and Stripes
12562	Camo
12563	Red Western
12564	Navy
12566	Lime
12567	Solid Blue
12568	Flames
12569	Skulls

Dew Rag Head Bandana

Technical fabric transports moisture away. Elastic band for secure good looking fit.



Serie #	Color
12476	Lime
12478	Camo
12479	Red Western
12485	Flames
12481	Blue
12519	Skulls

Evaporative Cooling Bandana



Activated polymers bring cooling power where you need it most.

Serie #	Color
12301	Lime
12303	Stars and Stripes
12304	Camo
12305	Red Western
12306	Navy
12307	Solid Blue

Hi-Vis Low Profile Hydration Pack

Keeps workers hydrated when they are away from water sources. Content 2 liters.



Serie #	Color
13156	Lime
13157	Orange



Vendor Code: CHESAF



Heavy Duty AT3514 Series

3514 Series Wheel Chocks comply with NFPA 1901-09 and meet SAE-J348 standard for up to 46 in. (112.0 mm) wheel diameter.

Complies with SAE-J348, NFPA 1901, and NFPA 1906 Standard, Third party tested for compliance, Tough polyurethane construction, Resistant to oils, fuels and solvents, Replaceable aluminum traction cleats or rubber pads, Recessed carrying handle, Safety color visibility

Series #	Description	Length	Width	Height	Weight
AT3514-AC-Y	Aluminum Cleat Void Bottom	21 in. (53.3 cm)	11.25 in. (28.6 cm)	12.25 in. (31.1 cm)	16.5 lb. (7.5 kg)
AT3514-RP-Y	Rubber Pad Void Bottom	21 in. (53.3 cm)	11.25 in. (28.6 cm)	12.25 in. (31.1 cm)	16.1 lb. (7.3 kg)

Heavy Duty MC3011 Series

Recommended For Wheels Up To 165" Diameter

Tough urethane construction, Recessed carrying handle, Mounting hole for ropes, chains or brackets, Replaceable rubber anti-slip traction pads, Safety yellow color

Series #	Length	Width	Height	Weight	Color
MC3011	24.6 in. (62.5 cm)	14.5 in. (36.9 cm)	16 in. (40.7 cm)	32 lb. (14.5 kg)	Hi-Vis Yellow

For mine haul trucks with tire sizes up to 165 in. (419.1 cm) diameter and gross vehicle operating weight up to 1,600,000 lb. (725,748kg). A minimum of four 1911 wheel chocks must be used for gross vehicle operating weights from 855,000 - 1,600,000 lb. Maximum load capacity is 400 tons*.

Heavy Duty MC3010 Series

recommended for wheels up to 105" diameter

Tough urethane construction, Recessed carrying handle, Mounting hole for ropes, chains or brackets, Replaceable rubber anti-slip traction pads, Molded-in "How to Use" guidelines, Safety yellow color

Series #	Length	Width	Height	Weight	Color
MC3010	17.7 in. (45.0 cm)	15.2 in. (38.7 cm)	10 in. (25.4 cm)	19 lb. (8.62 kg)	Yellow

For mine haul trucks with tire sizes up to 105 in. (266.7 cm) diameter and gross vehicle operating weight up to 550,000 lb. (249,476 kg). Maximum load capacity is 255 tons*.

General Purpose UC1210 Series

recommended for wheels up to 65" diameter

Tough urethane construction, Oil and chemical resistant, Recessed carrying handle, Molded-in "How to Use" guidelines, High visibility orange color, Mounting hole for ropes, chains or brackets

Series #	Length	Width	Height	Weight	Color
UC1210	17 in. (43.2 cm)	14 in. (35.6 cm)	14 in. (35.6 cm)	25 lb. (11.3 kg)	Orange

Rated for haul trucks with tire sizes up to 65 in. (241.3 cm) diameter and gross vehicle operating weight up to 366,000 lb. (166,015 kg). Maximum load capacity is 70 tons*.

General Purpose UC1500 Series

Tough urethane construction, Oil and chemical resistant, Recessed carrying handle, Mounting hole for ropes or chains, Mounting brackets available, High visibility orange

Series #	Length	Width	Height	Weight	Color
UC1500-4.5	11.5 in. (29.2 cm)	9 in. (22.9 cm)	8.5 in. (21.6 cm)	4.5 lb. (2 kg)	Orange

Rated for vehicles with tire sizes up to 35 in. (88.9 cm) diameter. Gross vehicle operating weight up to 60,000 lb. (27,273 kg) for the UC1500-4.5

General Purpose UC1700 Series

Tough urethane construction, Oil and chemical resistant, Recessed carrying handle, Mounting hole for ropes or chains, Mounting brackets available, High visibility orange color

Series #	Length	Width	Height	Weight	Color
UC1700	8.5 in. (21.6 cm)	7.5 in. (19.1 cm)	6.25 in. (15.9 cm)	2.0 lb. (.91 kg)	Orange

Rated for vehicles with tire sizes up to 35 in. (88.9 cm) diameter and gross vehicle operating weight up to 30,000 lb. (13,636 kg). * Pair of wheel chocks attached with a 48" long piece of 5/8" Nylon rope between the chocks.

Heavy Duty AT3512 Series

3512 Series Wheel Chocks comply with NFPA 1901-09 and meet SAE-J348 standard for up to 38 in. (81.0 mm) wheel diameter.

Complies with SAE-J348, NFPA 1901, and NFPA 1906 Standard, Third party tested for compliance, Tough polyurethane construction, Resistant to oils, fuels and solvents, Replaceable aluminum traction cleats or rubber pads, Recessed carrying handle, Safety color visibility

Series #	Base Design	Length	Width	Height	Weight
AT3512-AC-Y	Aluminum Cleat Void Bottom	15.5 in. (39.4 cm)	8.5 in. (21.6 cm)	8.25 in. (21.0 cm)	7.1 lb. (3.2 kg)
AT3512-RP-Y	Rubber Pad Void Bottom	15.5 in. (39.4 cm)	8.5 in. (21.6 cm)	8.25 in. (21.0 cm)	7.5 lb. (3.4 kg)

For vehicles with tire sizes up to 38 in. (96.5 cm) diameter and gross vehicle operating weight up to 80,000 lb. (36,364 kg).



Vendor Code: CHESAF



RC815 Series - For "Over The Road" Trucks and Trailers and Loading Dock Facilities

Allows either side to be positioned against the tire, Ideal for keeping truck trailers in place during loading or unloading, Durable rubber construction, Ribbed pyramid design, Resistant to the elements, Eyebolt for ropes or chains


Series #	Base Design	Length	Width	Height	Weight
RC815	Wheel Chock with Bottom Void	10 in. (25.4 cm)	8 in. (20.3 cm)	6 in. (15.2 cm)	8.5 lb. (3.9 kg)



General Purpose Lighted and Non-Lighted Whips with Threaded Hex Base

Include a hot plug with 12" pigtail, heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and your choice of base mount. The heavy duty wiring in these whips helps to reduce shorts caused by extreme temperatures and conditions. Individual lights on the Lighted Whips must be bought separately. Threaded Hex Base Warning Whips are available in 3, 5, 8 foot lengths with orange flag.

Series #	Type	Height	Length	Width	Color
FS3-O	Non-Lighted Whips	3 ft (91.4 cm)	12 in. (30.5 cm)	11 in. (28 cm)	Orange
FS5-O	Non-Lighted Whips	5 ft (153 cm)	12 in. (30.5 cm)	11 in. (28 cm)	Orange
FS8-O	Non-Lighted Whips	8 ft (243 cm)	12 in. (30.5 cm)	11 in. (28 cm)	Orange
FS3L-O	Lighted Whips	3 ft (91.4 cm)	12 in. (30.5 cm)	11 in. (28 cm)	Orange
FS5L-O	Lighted Whips	5 ft (153 cm)	12 in. (30.5 cm)	11 in. (28 cm)	Orange
FS8L-O	Lighted Whips	Rod : 8 ft (243 cm)	Flag : 12 in. (30.5 cm)	Flag : 11 in. (28 cm)	Orange



Spring Mounts

General Purpose Whips feature interchangeable LED lights so there is no need to return your whips to the factory for replacement.

Series #	Description
FS7006	Heavy Duty Spring Mount Lighted Models in 3', 5', 6' and 8' lengths
FS7006-DUD	Heavy Duty Spring Mount for Non-Lighted Models



FS7006



FS7006-DUD

PTIsolutions

Vendor Code: PTIINC



DistriMag^{MC}

The solution for high-volume and high management cost items

This satellite storeroom allows you to considerably reduce costs related to high volume consumables such as safety and security items (gloves, glasses, masks), abrasives, industrial supplies, items for welding, etc.

In order to optimize the distribution of high-volume usage items, we can combine lockers or scanners to control oversized, bulk or specialized items.

The DistriMag^{MC} is managed by two independent software programs which are very reliable and easy-to-use. The data is located at the customer's site, which ensures the integrity and security of the network.

VirtuMag^{MC}

A virtual storeroom, linked and controlled by DistriMag^{MC}, that offers you the possibility to order, through the DistriMag^{MC} interface, items that are not physically kept on inventory.

LockMag^{MC}

The solution for oversized, bulk and specialized items

Linked to and controlled by the DistriMag^{MC}, the LockMag^{MC} is an automated distribution system for heavy or oversized specialized items. It offers the same advantages as the DistriMag^{MC} in addition to widening the scope of products being distributed.

Integrated into the same software, manage DistriMag^{MC} and LockMag^{MC} in no time at all!



InMag^{MC} & Mobile^{MC}

The solution for storeroom inventory management

InMag^{MC} is a management module for factory storeroom articles. Usually used with a barcode system, it is designed with a user-friendly software system which allows you to manage all of the items in your storeroom.

GoMag^{MC} & Mobile^{MC}

The solution for dynamic tool-sharing management

GoMag^{MC} controls, manages and plans the ins and outs of tools all the while minimizing the time in managing and requesting items.

GoMag^{MC} is also capable of managing warranties, maintenance cycles and tool traceability. Can be used with lockers or a PDA.



MISCELLANEOUS SAFETY PRODUCTS

Accident Prevention Safety Signs

Safety signs for the workplace are specified by OSHA 29 CFR 1910.145 and ANSI Z535 for design and application. Safety signs are to indicate potential, type, and degree of the hazard that may lead to accidental injury or property damage.



Vendor Code: ACCSIG

Stock OSHA Signs



7" x 10"
10" x 14" MADM130
MADM006



7" x 10"
10" x 14" MCHL191
MCHL192



7" x 10"
10" x 14" MCSP006
MCSP230



7" x 10"
10" x 14" MCRT101
MADM014



7" x 10"
10" x 14" MEQM049
MEQM050



7" x 10"
10" x 14" MATR111
MADM064



7" x 10"
10" x 14" MSMK132
MSMK133



7" x 10"
10" x 14" MADM292
MADM076



7" x 10"
10" x 14" FRMADM130
FRMADM006



7" x 10"
10" x 14" FRMCHL191
FRMCHL192



7" x 10"
10" x 14" FRMCSP006
FRMCSP230



7" x 10"
10" x 14" FRMCRT101
FRMADM014



7" x 10"
10" x 14" FRMEQM049
FRMEQM050



7" x 10"
10" x 14" FRMATR111
FRMADM064



7" x 10"
10" x 14" FRMSMK132
FRMSMK133



7" x 10"
10" x 14" FRMADM292
FRMADM076


Stock CSA Signs




14" x 10" MCSA581



14" x 10" MCSA584



14" x 10" MCSA568



14" x 10" MCSA528



12" MPC552



12" MPC560



12" MPC569



12" MPC573

Materials

Adhesive Vinyl (VS)

For light-duty applications. The ideal choice for indoor and sheltered outdoor marking needs. Mounts to all curved areas such as pipes, poles and secondary containers.

- 4-mil thick surface printed matte surface
- Permanent acrylic adhesive
- Moisture-resistant
- Service temperature range: -20°F to 140°F
- Durability: 2 years outdoors
- Square corners and scored backing for quick peel-off and application

Plastic (VP)

Semi-flexible, economical and appropriate for medium-duty use — ideal for indoor and sheltered outdoor environments.

- Ideal for flat surfaces with enough flex to mount on slightly curved areas
- .055" thick with good impact resistance and surface image with non-glare finish
- Contains UV inhibitors
- Service temperature range: -90°F to 168°F
- Durability: 2 years outdoors
- Rounded corners and 3/16" mounting holes

Aluminum (VA)

Get the strength of metal, without the rust. Superior abrasion and chemical resistance for indoor and outdoor environments.

- Printed image on rigid .040" aluminum backing
- Protected by high-gloss UV over-coat
- Service temperature range: -20°F to 140°F
- Withstands splashes and washdowns
- Endures outdoor environmental conditions
- Rounded corners and 3/16" mounting holes



Can't find the exact wording you need? Please contact us to personalize a sign to your exact specifications.



1.866.546.3267

WAJAX.COM

185

MISCELLANEOUS SAFETY PRODUCTS



Vendor Code: ACCSIG

Accident Prevention Safety Signs

Safety signs for the workplace are specified by OSHA 29 CFR 1910.145 and ANSI Z535 for design and application. Safety signs are to indicate potential, type, and degree of the hazard that may lead to accidental injury or property damage.

DANGER DO NOT ENTER 7" x 10" 10" x 14" MADM138 MADM139	DANGER EYE PROTECTION REQUIRED IN THIS AREA 7" x 10" 10" x 14" MPPE011 MPPE010	DANGER FLAMMABLE 7" x 10" 10" x 14" MCHL228 MCHL231	DANGER HARD HAT AREA 7" x 10" 10" x 14" MPPA004 MPPA005	DANGER HAZARDOUS WASTE STORAGE AREA UNAUTHORIZED PERSONS KEEP OUT 7" x 10" 10" x 14" MCHG100 MCHG030	DANGER HIGH VOLTAGE 7" x 10" 10" x 14" MELC113 MELC114	DANGER HOT 7" x 10" 10" x 14" MCPG019 MCPG020
--	--	---	---	---	--	---

DANGER PINCH POINT 7" x 10" 10" x 14" MEQM017 MEQM138	CAUTION DO NOT OPERATE WITHOUT GUARDS 7" x 10" 10" x 14" MEQC720 MEQC721	CAUTION EAR PROTECTION REQUIRED IN THIS AREA 7" x 10" 10" x 14" MPPE684 MPPE682	CAUTION LOOK OUT FOR FORKLIFTS 7" x 10" 10" x 14" MVHR638 MVHR661	NOTICE EMPLOYEES ONLY 7" x 10" 10" x 14" MADC803 MADC804	NOTICE WASH HANDS BEFORE RETURNING TO WORK 7" x 10" 10" x 14" MRST812 MRST813	SAFETY FIRST REPORT ALL ACCIDENTS NO MATTER HOW SMALL TO YOUR SUPERVISOR 7" x 10" 10" x 14" MGNF984 MGSH904
---	--	---	---	--	---	---

DANGER ENTRÉE INTERDITE 7" x 10" 10" x 14" FRMADM138 FRMADM139	DANGER PROTECTION OCULAIRE REQUISE DANS CE SECTEUR 7" x 10" 10" x 14" FRMPPE011 FRMPPE010	DANGER INFLAMMABLE 7" x 10" 10" x 14" FRMCHL228 FRMCHL231	DANGER SECTEUR DE PORT DE CASQUE OBLIGATOIRE 7" x 10" 10" x 14" FRMPPA004 FRMPPA005	DANGER ZONE D'ENTREPOSAGE DE DÉCHETS DANGEREUX INTERDIT AU PERSONNEL NON AUTORISÉ 7" x 10" 10" x 14" FRMCHG100 FRMCHG030	DANGER HAUTE TENSION 7" x 10" 10" x 14" FRMELC113 FRMELC114	DANGER CHAUD 7" x 10" 10" x 14" FRMCPG019 FRMCPG020
--	---	---	---	--	---	---

DANGER POINT DE PINCEMENT 7" x 10" 10" x 14" FRMEQM017 FRMEQM138	ATTENTION NE PAS FONCTIONNER SANS LES PROTECTEURS 7" x 10" 10" x 14" FRMEQC720 FRMEQC721	ATTENTION PORT D'UNE PROTECTION AUDITIVE OBLIGATOIRE DANS CE SECTEUR 7" x 10" 10" x 14" FRMPPE684 FRMPPE682	ATTENTION CHARIOTS ÉLEVATEURS 7" x 10" 10" x 14" FRMVHR638 FRMVHR661	AVIS EMPLOYÉS SEULEMENT 7" x 10" 10" x 14" FRMADC803 FRMADC804	AVIS SE LAVER LES MAINS AVANT DE RETOURNER AU TRAVAIL 7" x 10" 10" x 14" FRMRST812 FRMRST813	SÉCURITÉ AVANT TOUT RAPPORTEZ TOUS LES ACCIDENTS SI PETITS SOIENT-ILS À VOTRE SUPERVISEUR. 7" x 10" 10" x 14" FRMGNF984 FRMGSH904
--	--	---	--	--	--	---

 Lunettes de sécurité obligatoires 14" x 10" MCSA561	 Protection auditive obligatoire 14" x 10" MCSA564	 Protection faciale obligatoire 14" x 10" MCSA520	 Attention! Chariot élévateur à fourche 14" x 10" MCSA630	 Attention! Point de pincement 14" x 10" MCSA640	 Danger! Haute tension 14" x 10" MCSA144	 Danger! Matières inflammables 14" x 10" MCSA141
 12" MPC564	 12" MPC570	 12" MPC565	 12" MPC651	 12" MPC669	 12" MPC663	 12" MPC665

How to Order Signs



Add the Material Code.
• Select Sign : **MADM006** • Select Material Code : **Plastic – VP**
• Order Part Number : **MADM006VP**

5 years guaranteed

Size	Adhesive Vinyl (VS)	Aluminium (VA)
7" x 10"		
10" x 14"		
12"		

Don't see the message you're looking for? There's lots more to choose from.

Accident Prevention Tags

Custom Tags Made Easy!





















- No set-up fees
- Unlimited colors with no additional charges
- No minimum order requirements
- High-definition, full-color graphics at no additional charge
- Comprehensive, free design support

Contact us to get started.















Safety Tags in English and Canadian-French

Bilingual tags shown are popular English safety messages with accompanying message in Canadian-French. Choose from two back message styles, noted under each part number as A and B.

 (A) TCF140 (B) TCF191	 (A) TCF142 (B) TCF193	 (A) TCF120 (B) TCF171	 (A) TCF135 (B) TCF186	 (A) TCF110 (B) TCF172	 (A) TCF139 (B) TCF192
 (A) TCF137 (B) TCF188	 (A) TCF125 (B) TCF176	 (A) TCF123 (B) TCF174	 (A) TCF127 (B) TCF178	 (A) TCF144 (B) TCF195	 (A) TCF129 (B) TCF190
 (A) TCF131 (B) TCF162	 (A) TCF117 (B) TCF168	 (A) TCF134 (B) TCF185	 (A) TCF112 (B) TCF163	 (A) TCF133 (B) TCF184	 (A) TCF115 (B) TCF166
				 Standard Back A	 Standard Back B

Safety Tags Canadian-French

Tags shown are popular safety messages. Choose from two back message styles, noted under each part number as A and B.

 (A) TCF021 (B) TCF024	 (A) TCF003 (B) TCF006	 (A) TCF011 (B) TCF014	 (A) TCF017 (B) TCF020	 (A) TCF013 (B) TCF016	 (A) TCF015 (B) TCF018
 <p>Canadian-French and Canadian-French Bilingual Lockout Tags available</p>		 (A) TCF001 (B) TCF004	 (A) TCF019 (B) TCF022	 (A) TCF009 (B) TCF012	 Standard Back A
				 Standard Back B	

Can't find the tag you need? See our large selection at www.accuform.com, or call us for a personalized design!

How to Order Tags



Back A
TCF140

Add the Material Code.

- Select Tag and Back style : **TCF140**
- Select Material and Package Quantity Code : **Cardstock; Package of 5 – CTM**
- Order Part Number : **TCF140CTM**

		Package of 5	Package of 25
Size	Material	Code	Code
5 3/4" x 3 1/4"	PF-Cardstock	CTM	CTP
5 7/8" x 3 3/8"	RS-Flexcard	FTM	FTP
5 3/4" x 3 1/4"	RP-Plastic	PTM	PTP

MISCELLANEOUS SAFETY PRODUCTS



Vendor Code: ACCSIG

Lockout Devices



Circuit Breaker Lockout

Pump action of handle quickly secures lockouts to breaker switch.

This unique design allows for fastest lockout application time and quick and easy removal as well. The unit uses metal jaws for optimum secure grip. The Circuit Breaker Lockout is a visible safety red to call attention to the locked out switch.

- Fast secure application, quick-release tab
- Easily apply with just one hand if needed
- Octagon peg allows specially designed Tab Tags (sold separately) to be secured directly to the device
- Accommodates up to 9/32" dia. padlock shackles (sold separately)



Item	Size	Serie #
Single Pole	15/16"W x 3 1/3"L x 1 1/2"D	KDD160
Double Pole	1 3/4"W x 3 1/3"L x 1 1/2"D	KDD161
Triple Pole	2 1/2"W x 3 1/3"L x 1 1/2"D	KDD162

Ball Valve Lockout



Wingspan halves open and close

Stop valves from being turned with unique gull-wing design ball valve lockout.

- Quickly and simply secure over any closed ball valve handle
- Secure with padlock (sold separately)
- Bright red, plastic device works with ball valve handles either perpendicular or parallel to pipe
- Includes red "Danger Locked Out" label

Fits Ball Valve	Overall Size	Serie #
3/8" – 1 1/4"	15/16"W x 3 1/3"L x 1 1/2"D	KDD442
1/2" – 2"	4 1/2" x 5 2/3" x 5 2/3"	KDD440

Gate Valve Lockouts

Prevent gate valve handles from being turned without authority.

- Hinged clamshell housing fully encloses the valve handle and prevents unauthorized access
- Tough plastic octagon features three shackle holes for group lockout*
- Unique pry guard edge
- Included safety label has space to write in lockout information

*KDD470 has only one padlock shackle hole.



Fits Valve Handle Dia.	Size	Serie #
1" – 2-1/2"	3" x 1"	KDD470
2-1/2" – 5"	5-1/2" – 2"	KDD471
5" – 6-1/2"	7" x 2"	KDD472
6-1/2" – 10"	10-1/2" – 3"	KDD473
10" – 13"	13" x 3-1/2"	KDD474

Universal Wall Switch Blockout Cover



Switch locked in up position

Flip the switch, flip the cover.

- Dual use blockout device works on both rocker/toggle and flat paddle switches
- Uses existing switch plate screws to attach the cover device
- Fold-down, living hinge blocks access to screws, preventing removal
- Secure with standard padlock (sold separately); tag available separately
- Measures 4-1/2"H x 1-5/8"W x 7/8"D
- Unique design allows the device to be applied in the direction of the desired off position

Series #
KDD139

StopPlug™ Lockout

Prevent unauthorized, accidental plug-in of power cord.

- Insert plug, close down, and secure with padlock (sold separately)
- Tamper-proof, pry-guard edge design
- Multi-Plug lockout fits most 110, 220, 550, or 600 VAC plugs – measures 3"H x 3"W x 6"L.
- 110 Plug lockout fits most 110 VAC plugs – measures 2 1/4"H x 2 1/4"W x 3 1/2"L.



Multi-Plug Lockout

110 Plug Lockout



Style	Serie #
Multi-Plug	KDD230
110 Plug	KDD225



Vendor Code: INCMAN

Barricade Tape

3" x 1000' Roll Tape. 12 rolls per case.

Series #	Description	Color
BT5058	«CAUTION» Tape	Yellow
BT5057	«DANGER» Tape	Red
BT5044	«CAUTION DO NOT ENTER» Tape	Yellow
BT5056	«DANGER» Tape	Yellow
BT5061	«CAUTION ASBESTOS HAZARD» Tape	Red
BT5075	«ATTENTION» Tape	Yellow
BT5079	«ZONE INTERDITE» Tape	Yellow
BT5095	«DANGER DÉFENSE D'ENTRER» Tape	Yellow



Engineer Grade Reflective Tape

Self adhesive safety tape with engineer grade reflective material. Available in different sizes and colors.


Series #	Description	Size
RST107	Red/White Tape	2" x 30'
RST137	Red/White Tape	3" x 30'
RST572	Red/White Tape	2" x 150'
RST573	Red/White Tape	3" x 150'
RST106	Yellow/Black Tape	2" x 30'
RST136	Yellow/Black Tape	3" x 30'
RST582	Yellow/Black Tape	2" x 150'
RST583	Yellow/Black Tape	3" x 150'



Tuff Mark® Self Adhesive Floor Tape

Self adhesive safety tape design to define a specific area. Available in width of 2", 3" and 4". Many colors available.


Series #	Description	Size
TM1102Y	Yellow Tape	2" x 100'
TM1103Y	Yellow Tape	3" x 100'
TM1104Y	Yellow Tape	4" x 100'
TM1202RW	Red/White Tape	2" x 100'
TM1203RW	Red/White Tape	3" x 100'
TM1204RW	Red/White Tape	4" x 100'
TM1102R	Red Tape	2" x 100'
TM1103R	Red Tape	3" x 100'
TM1104R	Red Tape	4" x 100'
TM1202BW	Black/White Tape	2" x 100'
TM1203BW	Black/White Tape	3" x 100'
TM1204BW	Black/White Tape	4" x 100'



MISCELLANEOUS SAFETY PRODUCTS



Vendor Code : INCMAN



COMPRESSED AIR

PMR1016

DRAIN

PMR1028

NON-POTABLE WATER

PMR1062

STEAM

PMR1085

AIR

PMR1001

GLYCOL

PMR1035

POTABLE WATER

PMR1067

WATER

PMR1105

VENT

PMR1101

AIR

PMR1002

GAS

PMR1034

OXYGEN

PMR1065

WASTE

PMR1103

PROPANE GAS

PMR1070

ACID

PMR1000

HOT WATER

PMR1046

SPRINKLER FIRE

PMR1082

NATURAL GAS

PMR1059

Armor Stripe Floor Marker

Floor marker design to support 5S/Lean program in the workplace. Available in different colors and forms.

Series #	Description	Size
ASM100Y	Straight Yellow Stripe (10/pk)	2" x 6"
ASM110Y	Yellow L Stripe (10/pk)	2" W x 6" H
ASM120Y	Yellow Cross Stripe (10/pk)	2" W L x 6" H
ASM130Y	Yellow T Stripe (10/pk)	2" W L x 6" H
ASM190Y	Yellow Round Stripe (10/pk)	6" dia.
ASM210Y	Yellow Linear Stripe (10/pk)	2" W x 35"

Gator Grip® Premium Grade Anti-Slip Products

Gator Grip anti-slip products are available pre-cut or in roll. Roll available in different width and length. Some pre-cut version comes with legend.

Series #	Description	Size
SG3126BS	Self Adhesive Black Stripe (50/pk)	6" x 24"
SG3126WYS	Yellow/Black Self Adhesive Stripe «WATCH YOUR STEP» (10/pk)	6" x 24"
SG3101B	Self Adhesive Black Stripe	1" x 60'
SG3102B	Self Adhesive Black Stripe	2" x 60'
SG3103B	Self Adhesive Black Stripe	3" x 60'
SG3104B	Self Adhesive Black Stripe	4" x 60'
SG3902YB	Yellow/Black Self Adhesive Stripe	2" x 60'

Pipe Marker

These marker are designed for identification of pipe marker content and help emergency team. Built with durable material and with a protective film. Available in rolls of 1" x 54' and 2" x 54'. Meets ANSI 535.1 standard and Z535.1 for color charts.

Series #	Description	Size
PMR1016	Compressed Air Marker	2" x 54'
PMR1028	Drain Marker	2" x 54'
PMR1062	Non-Potable Water Marker	2" x 54'
PMR1085	Steam Marker	2" x 54'
PMR1001	Air Marker	2" x 54'
PMR1035	Glycol Marker	2" x 54'
PMR1067	Potable Water Marker	2" x 54'
PMR1105	Water Marker	2" x 54'
PMR1101	Vent Marker	2" x 54'
PMR1002	Air Marker	2" x 54'
PMR1034	Gas Marker	2" x 54'
PMR1065	Oxygen Marker	2" x 54'
PMR1103	Waste Marker	2" x 54'
PMR1070	Propane Gas Marker	2" x 54'
PMR1000	Acid Marker	2" x 54'
PMR1046	Hot Water Marker	2" x 54'
PMR1082	Sprinkler Fire Marker	2" x 54'
PMR1059	Natural Gas Marker	2" x 54'

TOUGH on the Outside. SMART on the Inside.

- Automatic-label formatting for wire wraps, patch panels, terminal-blocks, cable flags and general banner labels
- Drop-lock-and-print materials
- Passed shock and vibration testing per MIL-STD-810G Method 5.16.6 S4.6.5
- Rechargeable Li-ION battery
- Tape widths 0.25" to 0.75"
- 70 total material parts
- Label grabber holds label after cutting
- 104 symbols for electric, smart home, safety and datacom



Series #	Description
BMP21-PLUS	BMP21-PLUS label printer


Printer includes: quick start guide and lanyard (batteries not included)

Indoor/Outdoor Vinyl Tape

- B-595 Vinyl Tape - Super-tough and perfect for voice, data, audio, video, HVAC control, bins, safety and electrical applications.



Color		0,375" x 21' (9,530 mm x 6,400 mm)	0,500" x 21' (12,700 mm x 6,400 m)	0,750" x 21' (19,050 mm x 6,400 m)
Black on White		M21-375-595-WT	M21-500-595-WT	M21-750-595-WT
Black on Yellow		M21-375-595-YL	M21-500-595-YL	M21-750-595-YL
White on Red		M21-375-595-RD	M21-500-595-RD	M21-750-595-RD
White on Blue		M21-375-595-BL	M21-500-595-BL	M21-750-595-BL
White on Green		M21-375-595-GN	M21-500-595-GN	M21-750-595-GN
Black on Orange		M21-375-595-OR	M21-500-595-OR	M21-750-595-OR



Wire and Cable Wrap Arounds

- Nylon cloth label is highly pliable conforming to tightly curved surfaces
- Text auto-repeats when in wire marker mode
- Print multi-line legends in multiple areas when using cable flag mode

Adhesive Strips for Patch Panels

- Port identification with user-specified spacing when using patch panel models.

Series #	Color	Label Width Inch (mm)	Label Length Inch (m)
M21-375-499	Black on White	0,375 (9,53)	16 (4,88)
M21-500-499	Black on White	0,500 (12,70)	16 (4,88)
M21-750-499	Black on White	0,750 (19,05)	16 (4,88)

Electrician's Personal Lockout Kit

This kit contains 2 hasps, tags, safety lock and Brady's Universal Circuit Breaker lockouts, with pouch for easy storage.



PermaSleeve® Heat Shrink Wire and Cable Markers

- 3:1 heat shrinkable ratio, wire marker sleeve
- Fade-resistant and flame-retardant for superior aesthetic appearance
- Meets SAE, MIL-STD specs*
- Also available in black on yellow.

Series #	Description
120886	Personal Lockout Kit

Series #	Color	Label Width Inch (mm)	Label Length Inch (m)	Approx. Wire Gauge
M21-125-C-342	Black on White	0,235 (5,97)	7 (2,13)	22-16
M21-187-C-342	Black on White	0,335 (5,97)	7 (2,13)	20-10
M21-250-C-342	Black on White	0,439 (11,15)	7 (2,13)	16-8
M21-375-C-342	Black on White	0,645 (16,38)	7 (2,13)	12-4





by Honeywell

Vendor Code: NOSAPR



Lockout/Tagout (LOTO) Stations

Convenient and high visibility centers that make your LOTO equipment easy to find and use.

- Designed to withstand harsh conditions
- Made of double molded polystyrene with plastic or metal hanging hooks for locks and lockout hasps

Small Station — 18” X 24”

Series #	Qty	Description
LSE101	1 ea	Panel only
LSE101F	1 ea	LSE101 Lockout Panel
	2 ea	VS02 V-Safe Lockout 2"
	1 ea	VS04 V-Safe Lockout 4"
	1 ea	VS06 V-Safe Lockout 6"
	1 ea	BS01 B-Safe Lockout
	2 ea	LP110 E-Safe Lockout 110-220 volts
	1 ea	LP550 E-Safe lockout 220-550 volts
	1 ea	MS86 M-Safe metal hasp
	4 ea	MS01 M-Safe nylon hasp
	1 ea	ELA290 "DO NOT OPERATE" tags/25
	1 ea	ELA255 "DO NOT OPEN" tags/25
	1 ea	3D Master Lock

Barricade Tape

- Polyethylene barricade tape
- Each roll measures 3" x 1000 ft.
- Dispenser box included for easy handling and storage

Series #	Tape Color	Description/Message
CT3RE3	Red	POLICE DO NOT CROSS
CT3RE8	Red	DO NOT ENTER
CT3RE9	Red	DANGER
CT3YE1	Yellow	CAUTION
CT3YE2	Yellow	DO NOT ENTER

Note: Other messages available





Vendor Code: CANROS

Series #	Description	Qty/Pkg
"Fine Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Adsorbs only oil"		
SBOP-50	Boom Oil Only Premium 8IN x 10FT	4
SBOP-55	Boom Oil Only Premium 5IN x 10FT	4
SBOP-70	Pad Oil Only Premium 17IN x 19IN x single weight	200
SBOP-75	Pad Oil Only Premium 17IN x 19IN x double weight	100
SBOP-90	Roll Oil Only Premium 38IN x 144FT x double weight	1
SBOP-91	Roll Oil Only Premium 19IN x 144FT x double weight	2
SBOP-92	Roll Oil Only Premium 38IN x 288FT x single weight	1
SBOP-TT3420	Sock Oil Only Premium 3IN x 4FT	20
SBOP-TT310	Sock Oil Only Premium 3IN x 10FT	4
Fine Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Disguises Industrial Grime, Universal adsorbs All Non-Aggressive Liquids		
SBGMP-70	Pad General Maintenance Premium 17IN x 19IN x single weight	200
SBGMP-75	Pad General Maintenance Premium 17IN x 19IN x double weight	100
SBGMP-90	Roll General Maintenance Premium 38IN x 144FT x double weight	1
SBGMP-91	Roll General Maintenance Premium 19IN x 144FT x double weight	2
SBGMP-92	Roll General Maintenance Premium 38IN x 288FT x single weight	1
Fine Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Adsorbs most Aggressive & Hazardous Liquids		
SBHMP-70	Pad Haz-Mat Premium 17IN x 19IN x single weight	200
SBHMP-75	Pad Haz-Mat Premium 17IN x 19IN x double weight	100
SBHMP-90	Roll Haz-Mat Premium 38IN x 144FT x double weight	1
SBHMP-91	Roll Haz-Mat Premium 19IN x 144FT double weight	2
SBHMP-92	Roll Haz-Mat Premium 38IN x 288FT x single weight	1
SBHMP-TT3420	Sock Haz-Mat Premium 3IN x 4FT	20
SBHMP-TT310	Sock Haz-Mat Premium 3IN x 10FT	4
Coarse Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Adsorbs only oil		
SBOE-50	Boom Oil Only Economy 8IN x 10FT	4
SBOE-55	Boom Oil Only Economy 5IN x 10FT	4
SBOE-70	Pad Oil Only Economy 17IN x 19IN x single weight	200
SBOE-75	Pad Oil Only Economy 17IN x 19IN x double weight	100
SBOE-90	Roll Oil Only Economy 38IN x 144FT x double weight	1
SBOE-91	Roll Oil Only Economy 19IN x 144FT x double weight	2
SBOE-92	Roll Oil Only Economy 38IN x 288FT x single weight	1
Coarse Fiber, Lower Retention, Quick Absorption, Low Lint, Re-useable, Disguises Industrial Grime Universal adsorbs All Non-Aggressive Liquids		
SBGM-70	Pad General Maintenance 17IN x 19IN x single weight	200
SBGM-75	Pad General Maintenance 17IN x 19IN x double weight	100
SBGM-90	Roll General Maintenance 38IN x 144FT x double weight	1
SBGM-91	Roll General Maintenance 19" x 144FT (2) x double weight	2
SBGM-92	Roll General Maintenance 36IN x 288FT x single weight	1
SBGM-TT3420	Sock General Maintenance 3IN x 4FT	20
SBGM-TT310	Sock General Maintenance 3IN x 10FT	10
SMS, Quick Absorption, Economical, Low Lint, Re-useable, Adsorbs only oil		
TOP-100	Pad Ultra-Economy Oil Only 17IN x 19IN x double weight	100
TOP-200	Pad Ultra-Economy Oil Only 17IN x 19IN x single weight	200
TOR-150	Roll Ultra-Economy Oil Only 38IN x 144FT x double weight	1
TOR-300	Roll Ultra-Economy 38IN x 288FTx single weight	1

SBOP-50



SBOP-70



SBGMP-90



SBOP-TT310



SBOP-90



SBGMP-70



SBOE-70



SBOE-92




SBOE-55



SBGM-92



SBGM-70



SBGM-TT3420



TOR-300



TOP-100





Vendor Code: CANROS

TUP-200



CG-100



CG-810



CGU-100



SK-SBOP-OVP



TUR-150



CGU-150



SK-SBOP-30



SK-SBOP-L



Series #	Description	Qty/Pkg
SMS, Quick Absorption, Economical, Low Lint, Re-useable		
TUP-100	Pad Ultra-Economy General Maintenance 17IN x 19IN x double weight	100
TUP-200	Pad Ultra-Economy General Maintenance 17IN x 19IN x single weight	200
TUR-150	Roll Ultra-Economy General Maintenance 38IN X 144FT X double weight	1
TUR-300	Roll Ultra-Economy General Maintenance 38IN X 288FT X single weight	1
Contractor Grade Material, Economical, Quick Absorption, Low Lint, Re-useable, Adsorbs only oil		
CG-100	Oil Only Mid Weight Pad 15"X15"	100
CG-200	Oil Only Light Weight Pad 15"X15"	200
CG-150	Oil Only Mid Weight Roll 30" x 150'	1
CG-510	Oil Only Boom 5" x 10'	4
CG-810	Oil Only Boom 8" x 10'	4
Contractor Grade Material, Economical, Quick Absorption, Low Lint, Re-useable, Disguises Industrial Grime, Universal adsorbs all Non-Aggressive Liquids		
CGU-100	Universal Pad Mid Weight, 15" x 15"	100
CGU-200	Universal Pad Light Weight, 15" x 15"	200
CGU-150	Universal Roll Mid Weight, 30" x 150'	1
Spill Kit Oil Only Premium 15LT capacity		
SK-SBOP-HND	Contained in a Yellow Nylon Bag, • 1 Oil Only Sock (3" x 10'), • 10 Oil Only Pads (17" x 19"), • 3 Disposal Bags (20" x 24") with ties	1
Spill Kit Oil Only Premium 15LT capacity		
SK-SBOP-HND-D	Contained in a Yellow Nylon Bag, • 1 Oil Only Sock (3" x 10'), • 10 Oil Only Pads (17" x 19"), • 3 Disposal Bags (20" x 24") with ties, • 1 Neoprene Drain Cover (36"x36"x1/16")	1
Spill Kit Oil Only Premium 30LT capacity		
SK-SBOP-TRK	Contained in a Yellow Nylon Bag, • 1 pair of Nitrile Gloves, • 1 Oil Only Pillow (12"x13"), • 1 Oil Only Sock (3"x10'), • 3 Yellow Plastic Bags (20"x24"x4 mil) with ties, • 1 PCOD Plugging Compound (1/2 lb.), • 1 PCOM Plugging Compound (1 lb.), • 30 Oil Only Absorbent Pads S/W, • Instruction Booklet	1
Spill Kit Oil Only Premium 20LT capacity		
SK-SBOP-5	Contained in a 20 litre/5 gallon Polyethylene Pail, • 1 Oil Only Sock (3" x 10'), • 20 Oil Only Pads (17" x 19" x Single weight), • 1 Pair Nitrile Gloves, • 2 Disposal Bags (20" x 24"), • 1 Instruction Book	1
Spill Kit Oil Only Premium 90LT capacity		
SK-SBOP-30	Contained in a 135 litre/30 gallon Polyethylene Pail, • 4 Oil Only Socks (3" x 10'), • 50 Oil Only Pads (17" x 19" x double weight), • 1 Drain Cover (36" x 36" x 1/16"), • 453 g (1 lb.) Plugging Compound (pre-mixed), • 2 Pair Nitrile Gloves, • 5 Printed Disposal Bags (24" x 48"), • 1 Instruction Book	1
Spill Kit Oil Only Premium 240LT capacity		
SK-SBOP-OVP	Contained in 95 Gal Salvage Drum, • 4 Oil Only Socks (5" x 10'), • 100 Oil Only Pads (17" x 19" D/W), • 1 Neoprene Drain Cover (36" x 36" x 1/16"), • 1 lb Mixed Plugging Compound, • 2 Pair Protective Coveralls, • 2 Pair Goggles, • 2 Pair Nitrile Gloves, • 1 Roll Caution Tape, • 10 Disposal Bags with ties (20" x 24", yellow, Handle with Care), • 1 Instruction Book	1
Spill Kit Oil Only Premium 240LT capacity		
SK-SBOP-L	Contained in a Spill Control Locker (31" x 31" x 42"), • 4 Oil Only Socks (5" x 10'), • 100 Oil Only Pads (17" x 19" x double weight), • 1 Drain Cover (36" x 36" x 1/16"), • (1 lb.) Plugging Compound (pre-mixed), • 1 Caution Tape (3" x 1000'), • 2 Pair Nitrile Gloves, • 2 Pairs Safety Goggles, • 2 Protective Coveralls, • 10 Printed Disposal Bags (24" x 48") • 1 Instruction Book	1

SK-SBOP-HND



SK-SBOP-TRK



SK-SBOP-HND-D



SK-SBOP-5





Vendor Code: CANROS

Series #	Description	Qty/Pkg
Spill Kit Oil Only Premium 215LT capacity		
SK-SBOP-CR100	1 16 gauge, 45 gallon drum., • 1 Oil Only Blanket (30" x 75' x double weight), • 4 Oil Only Booms (5" x 10'), • 25 Oil Only Pads (17" x 19" x double weight), • 1 Neoprene Drain Cover (36" x 36" x 1/16"), • 1 Pair Neoprene Oil and Chemical Resistant Gloves, • 1 Pair Safety Goggles, • 1 Pair Protective Coveralls, • 2 Disposal Bag (28" x 18" x 65", 3mm thick), • 1 Instruction Book	1
Spill Kit Haz-Mat Premium 17LT capacity		
SK-SBHMP-HND	Contained in a Yellow Nylon Bag, 1 Hazmat Sock (3" x 10'), 10 Hazmat Pads (17" x 19" x double weight), 3 Disposal Bags (20" x 24"), 1 Instruction Booklet	1
Spill Kit Haz-Mat Premium 17LT capacity		
SK-SBHMP-HND-D	Contained in a Yellow Nylon Bag, • 1 Hazmat Socks (3" x 10'), • 10 Hazmat Pads (17" x 19" x double weight), • 3 Disposal Bags (20" x 24"), • 1 Neoprene Drain Cover (36" x 36" x 1/16"), • 1 Instruction Booklet	1
Spill Kit Haz-Mat Premium 30LT capacity		
SK-SBHMP-TRK	Contained in a Yellow Nylon Bag, • 1 pair of Nitrile Gloves, • 3 Paper Ties, • 1 Haz-Mat Pillow (12"x13"), • 1 Haz-Mat Sock (3"x10"), • 3 Yellow Plastic Bags (20"x24"x4 mil), • 1 PCOD Plugging Compound Dry (1/2 lb), • 1 PCOM Pre-Mixed Plugging Compound (1lb), • 30 Spill Busters™ Haz-Mat Premium Absorbent Pads, • 1 Instruction Booklet	1
Spill Kit Haz-Mat Premium 20LT capacity		
SK-SBHMP-5	Contained in a 20 litre/5 gallon Polyethylene Pail, • 5 Hazmat Socks (3" x 4'), • 1 Pair Nitrile Gloves, • 2 Disposal Bags (20" x 24") with ties, • 1 Pair Goggles, • 1 Instruction Book	1
Spill Kit Haz-Mat Premium 96LT capacity		
SK-SBHMP-30	Contained in a 135 litre/30 gallon Polyethylene Drum, • 4 Hazmat Socks (3" x 10'), • 75 Hazmat Pads (17" x 19" x double weight), • 1 Drain Cover (36" x 36" x 1/16"), • 1 Caution Tape, • 2 Pair Nitrile Gloves, • 2 Pair Goggles, • 2 Protective Coveralls, • 5 Printed Disposal Bags (24" x 48"), • 1 Instruction Book	1
Spill Kit Haz-Mat Premium 215LT capacity		
SK-SBHMP-OVP	Contained in 95 Gal Salvage Drum, • 10 Haz-Mat Socks (3" x 10'), • 8 Haz-Mat Pillows (12" x 13") • 100 Haz-Mat Pads (17" x 19" D/W) • 1 Neoprene Drain Cover (36" x 36" x 1/16") , • 2 Pair Protective Coveralls , • 2 Pair Goggles, • 2 Pair Nitrile Gloves, • 1 Roll Caution Tape, • 10 Disposal Bags with ties (24" x 48") , • 1 Instruction Book	1
Spill Kit Haz-Mat Premium 215LT capacity		
SK-SBHMP-L	Contained in a Spill Control Locker (31" x 31" x 42"), • 10 Hazmat Socks (3" x 10'), • 100 Hazmat Pads (17" x 19" x double weight), • 8 Hazmat Pillows (12" x 13"), • 1 Drain Cover (36" x 36" x 1/16") • 1 Caution Tape (3" x 1000'), • 2 Pair Nitrile Gloves, • 2 Pairs Safety Goggles, • 2 Protective Coveralls, • 10 Printed Disposal Bags (24" x 48") with ties, • 1 Instruction Book	1
Spill Kit Haz-Mat Premium 215LT capacity		
SK-SBHMP-CR100	Contained in a 16 gauge, 45 gallon drum, 1 Haz-Mat Blanket (30" x 75' x double weight), 4 Haz-Mat Booms (5" x 10'), 25 Haz-Mat Pads (17" x 19" x double weight), 1 Neoprene Drain Cover (36" x 36" x 1/16"), 1 Pair Neoprene Oil and Chemical Resistant Gloves, 1 Pair Safety Goggles, 1 Pair Protective Coveralls, 2 Disposal Bags (28" x 18" x 65", 3mm thick), 1 Instruction Book	1

SK-SBOP-CR100



SK-SBHMP-HND



SK-SBHMP-HND-D



SK-SBHMP-TRK



SK-SBHMP-5



SK-SBHMP-30



SK-SBHMP-L



SK-SBHMP-OVP



SK-SBHMP-CR10





Vendor Code: CANROS

PSL4



CRSB-6612-LB



DOT5B
TIGHTHEAD



1650E



UI-50-FSE



UI-10-FSE

Series #	Description	Qty/Pkg
Peat Sorb™ is an effective way to clean hazardous hydrocarbon spills. Peat Sorb™ is a lightweight biodegradable natural organic absorbent made from 100% Canadian Sphagnum Peat Moss. Peat Sorb™ absorbs cleanly and completely on contact.		
PSL2	Peat Sorb™ 2CF Loose Filled Bag with Handle	1
PSC4	Peat Sorb™ 4CF Double Compressed Bag	1
PSC8	Peat Sorb™ 8CF Double Compressed Bag	1
Constructed of 30oz XR-5 material, Aluminum L-bracket wall supports, Portable and compact, Ground Mat and Track Belting available (and recommended), All sizes available, Also Available in Arctic grade material		
CRSB-6612-LB	Spill Berm 6' x 6' x 12"	1
CRSB-121212-LB	Spill Berm 12' x 12' x 12"	1
CRSB-CUSTOM	Custom Spill Berm	1
45 gallon, Tighthead Drum		
DOT5B TIGHTHEAD	Comes with chime ring, Interior lined with 2 coats of phenolic paint, UN Approved	1
45 gallon, Openhead Drum		
DOT5B OPENHEAD	Comes with chime ring and 12 gauge closing ring with glued in sponge rubber gasket, Interior is lined with 2 coats of phenolic paint	1
Ideal for the storage, transportation, clean up and spill containment of small containers (5 gallons or less). Constructed of 100% blow-molded high density polyethylene with UV inhibitors for superior strength and chemical resistance. These lightweight drums incinerate completely		
1650E	20 Gal. Lab Pack w/Screw Top Lid, Yellow	2
1601E	30 Gal Lab Pack w/Plastic Lever-Lock Ring	3
1690E	95 Gal. Overpack Drum w/Screw Top Lid	4
Eagle galvanized type-I safety cans meet OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage of gasoline and other flammable liquids. Eagle cans feature environmentally friendly Lead Free Technology, constructed of 24-gauge hot dipped galvanized steel.		
UI-10-FSE	1 Gallon Metal - Red w/F-15 Funnel	1
UI-20-FSE	2 Gallon Metal - Red w/F-15 Funnel	1
UI-50-FSE	2.5 Gallon Metal - Red w/F-15 Funnel	1
UI-10-FSYE	1 Gallon Metal - Yellow w/F-15 Funnel	1
UI-20-FSYE	2 Gallon Metal - Yellow w/F-15 Funnel	1
UI-50-FSYE	2.5 Gallon Metal - Yellow w/F-15 Funnel	1

Serie #	Description	Size
SBGMP-PL50+	Spill Busters General Maintenance (Grey)	16" x 12" x Double Weight
SBHM-PL50+	Spill Busters for Chemicals and Haz-Mat (Yellow)	16" x 12" x Double Weight
SBO-PL50+	Spill Busters for Oil (Blue)	16" x 12" x Double Weight

The spill busters allow maximum absorption and exceptional durability with little fluff. Available in box of 75 pads.





Vendor Code: CANROS

**Absorbs Oil, Grease, Water & Other
Non-Aggressive Liquids,**

Suitable for Landfill,

According to TCLP - Ontario Reg. 558

100% Crystalline Silica Free

Non WHMIS Controlled

Non-Flammable

Per Class 4, Div 4.1 TDG Act



**ENVIRO-DRI
ABSORBANT CNR**

ENVIRO-DRI ABSORBANT CNR	Enviro-Dri™ Bag 25LB Bag	1 bag
ENVIRO-DRI ABSORBANT PAPER CNR	Enviro-Dri™ 40LB Paper Bags	1 bag
Recommended for any spill including most acids and bases, Not suitable for hydrofluoric acid, Suitable for Landfill, Non-WHMIS Controlled, Non-Flammable		
410SJ	Enviro-Dri™ Universal Granular Sorbent Shaker Jugs	4
1550P	Enviro-Dri™ Universal Granular Sorbent 5 Litre Pail	1



1550P

410SJ

Neutralizers

Series #	Description	Size*
NRDAN-01	Acid - Dry Granular	48.4 lb / 22 kg pail
NRDAN-03	Acid - Dry Granular	8.8 lb / 4 kg bottle
NRLAN-01	Acid - Liquid	5 gallon / 22.7 litre pail
NRLAN-03	Acid - Liquid	1 gallon / 4.5 litre bottle
NRLAN-04	Acid - Liquid	0.2 gallon / 1 litre bottle
NRLGN-01	Acid - Liquid (Reduced Effervescence)	5 gallon / 22.7 litre pail
NRLGN-03	Acid - Liquid (Reduced Effervescence)	1 gallon / 4.5 litre bottle
NRDCN-01	Caustic - Dry Granular	48.4 lb / 22 kg pail
NRDCN-03	Caustic - Dry Granular	8.1 lb / 3.7 kg bottle
NRLCN-01	Caustic - Liquid	5 gallon / 22.7 litre pail
NRLCN-03	Caustic - Liquid	1 gallon / 4.5 litre bottle
NRLCN-04	Caustic - Liquid	0.2 gallon / 1 litre bottle
NRLFN-01	Formaldehyde - Liquid	5 gallon / 22.7 litre pail
NRLFN-03	Formaldehyde - Liquid	1 gallon / 4.5 litre bottle

* All sizes shown are nominal dimensions.





Vendor Code: CANROS

Column Protector



These colors are also available.

Eagle's Column Protectors (42" high) offer affordable protection for warehouse and factory columns and beams. Absorbs impact from tow motors, minimizing column, fork truck, and personnel damage and injury. These yellow blow-molded 100 percent high-density polyethylene (HDPE) protectors are resistant to most chemicals and feature key-lock to prevent slippage and assist with installation alignment. No tools required. Two halves attach with easy-to-install black straps (included).

Series #	Description	Size	Weight
1704	Column Protector dia. 4-6"	13" x 13" x 42"	16 lb.
1706	Column Protector dia. 6"	24" x 24" x 42"	40 lb
1708	Column Protector dia. 8"	24" x 24" x 42"	40 lb
1709	Column Protector dia. 9"	24" x 24" x 42"	40 lb
1710	Column Protector dia. 10"	24" x 24" x 42"	40 lb
1712	Column Protector dia. 12"	24" x 24" x 42"	40 lb

Double Drum Work Station



A secure way to store drums inside or outside. For the storage of one or two drums, it can be moved via a forklift and have optional dolly allowing for easier movement on worksite. Includes locks for secure storage

Serie #	Size	Capacity	Weight Capacity
1626	60" x 34" x 46"	110 gal.	4 000 lb.

Safety Cabinets



For more information about our safety cabinets (security cabinets, flammables, pesticides and acids), please call your nearest Wajax branch.

Double Drum Spill Platform



The Eagle 2 Drum Modular Platform is constructed of durable (yellow) high density polyethylene (HDPE) for excellent chemical resistance. This platform includes Eagle's patented removable (black) HDPE grating for easy cleaning and features a low profile. Also compatible with Eagle's Poly Pallet Ramp (model 1689) for easy loading and unloading. The design allows for multiple configurations and adds flexibility to your spill protection when used in conjunction with our Eagle's 1 drum (model 1633) and 4 drum (model 1634) modular platforms. Platforms can be easily connected with built-in U Channels.

Serie #	Size	Capacity	Weight Capacity
1632	26.25" x 51.5" x 6.5"	30 gal.	5 000 lb.

Ultra-Spill Pallet Economy Models®

High load capacity – 6,000 lbs. for 4-Drum Model, 3,000 lbs. for 2-Drum Model. Bright, safety yellow sidewalls are translucent, offering convenient visual leak detection. 100% polyethylene construction – compatible with a broad range of chemicals, including acids and corrosives. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.



Vendor Code : ULTRAT

Serie #	Description	Size	Capacity	Weight
2504	Without drain	53 in x 29 in x 16,5 in	66 gallons	63 lbs.
2505	With drain	53 in x 29 in x 16,5 in	66 gallons	63 lbs.

Ultra-Spill Pallets®

High load capacity – 6,000 lbs. for 4-Drum Model, 3,000 lbs. for 2-Drum Model. Bright, safety yellow sidewalls are translucent, offering convenient visual leak detection. 100% polyethylene construction – compatible with a broad range of chemicals, including acids and corrosives. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.

Serie #	Description	Size	Capacity	Weight
1010	2 drums, without drain	53 in x 29 in x 16,5 in	66 gallons	63 lbs.
1011	2 drums, with drain	53 in x 29 in x 16,5 in	66 gallons	63 lbs.
1000	4 drums, without drain	53 in x 53 in x 11,75 in	66 gallons	90 lbs.
1001	4 drums, with drain	53 in x 53 in x 11,75 in	66 gallons	90 lbs.

Ultra-Spill Decks®

Ultra-Spill Decks are available in 1, 2, and 4-drum modules. Modules are easily connected together with bulkhead fittings to allow a virtually unlimited number of customized configurations. Applications include hazardous waste collection, storage of virgin chemicals, drum dispensing, and battery storage. Optional Loading Ramps provide added drum handling safety and convenience. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.

Serie #	Description	Size	Capacity	Weight
1175	For 6 drums	74,25 in x 50 in x 5,25 in	66 gallons	86 lbs.
1075	For 8 drums	98,5 in x 50 in x 5,25 in	75 gallons	110 lbs.

Ultra-Spill Deck Bladder System®

Compact footprint saves valuable floor space — perfect for drum waste collection usage. Use the Spill Deck Bladder Systems in place of taller containment pallets — low 5 3/4" deck height offers significant safety and handling benefits. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.

Serie #	Description	Size	Capacity	Weight
1320	For 1 drum	26 in x 30,5 in x 5,75 in	77 gallons	27 lbs.
2329	For 2 drums	52 in x 30,5 in x 5,75 in	88 gallons	44 lbs.
2330	For 4 drums	52 in x 57 in x 5,75 in	110 gallons	66 lbs.

Ultra-IBC Spill Pallet Plus®

Low profile, 28" overall height— allows safe and convenient IBC tank handling and dispensing. All polyethylene construction — offers excellent chemical resistance and will not rust or corrode. Low-cost design with value-added features and benefits. Available with optional. Bucket Shelf (Part# 1160) — catches leaks or spills during dispensing. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.

Serie #	Description	Size	Capacity	Weight
1157	Without drain	62 in x 62 in x 28 in	77 gallons	27 lbs.
1158	With drain	52 in x 30,5 in x 5,75 in	88 gallons	44 lbs.

Ultra-Utility Trays®

Heavy-duty polyethylene construction — will not rust or corrode. Ribbed bottom keeps cans, pails and other containers elevated above small spills or leaks. Nestable for easy storage when not in use.

Serie #	Size	Capacity	Weight
1031	12 in x 48 in x 4,75 in	12 gallons	7 lbs.
1035	36 in x 36 in x 4,75 in	27 gallons	11 lbs.





Vendor Code : ULTRAT

Ultra-Hard Top Plus Models®

Tall 23 3/4" head space easily accommodates rotary drum pumps and large conical funnels. Low profile (8 3/4") containment pallet positions drum-top funnels at a safe, convenient level to pour hazardous wastes. 100% polyethylene construction will not rust or corrode. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations. Helps meet Stormwater Management Regulations.

Serie #	Description	Size	Capacity	Weight
9640	For 1 drum, without drain	36 in x 36 in x 66 in	70 gallons	75 lbs.
9641	For 1 drum, with drain	36 in x 36 in x 66 in	70 gallons	75 lbs.

Ultra-IBC Hard Top®

Upper roll-top door and lower swingout doors combine to allow easy and convenient access to IBC. Low profile (28" height), 360-gallon containment sump allows safe material handling and dispensing. Forkliftable and lockable. Helps meet Stormwater Management Regulations — NPDES, 40 CFR 122.26 (1999). Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.

Serie #	Description	Size	Capacity	Weight
1162	Without Drain	64,5 in x 62 in x 96 in	365 gallons	520 lbs.
1161	With Drain	64,5 in x 62 in x 96 in	365 gallons	520 lbs.

Ultra-Overpacks®

95 and 65 gallon Plus models comply with UN Packaging Group 1 (X-Rating) and are certified for use as DOT Salvage Drums, 49 CFR 173.3 (c). Visit SpillContainment.com for more regulatory information. Excellent chemical resistance, including acids, caustics, and corrosives. Convenient, "no-tools required" closures are perfect for clean-up and spill response activities. Nestable design and low tare weight allow convenient storage and reduced transportation costs.

Serie #	Size	Capacity	Weight
0580	32,25 in x 25,5 in x 41,25 in	95 gallons	48 lbs.
0582	29 in x 21 in x 36,25 in	65 gallons	40 lbs.

Ultra-Spill Berms®

Unique, urethane material "weeps" into small cracks and crevices to seal off liquid flow. Spill Berm is non-absorbing and is easily cleaned for repeated use. Helps comply with NPDES and SPCC.

Serie #	Size	Color	Weight
2100	10 ft x 4 in x 2,25 in	Orange	31 lbs.

Drain-Seal®

Reinforcing mesh is "sandwiched" between layers of polyurethane — increases durability and resistance to tearing. Unique, urethane construction allows the pad to deform and seal off most drains — temporarily "seals" to any smooth surface. A valuable addition to any emergency response plan, spill kit, SPCC, or stormwater management program.++ Unlike some alternative products, BOTH sides will quickly seal drains — there is no specified "top" or "bottom."

Serie #	Size	Form	Weight
2130	36 in x 36 in x 3/8 in	Square	20 lbs.

Drain-Guard®

The Ultra-Drain Guard is engineered to filter stormwater waste before it becomes a problem in the water system. As a storm drain filter, it removes contaminants like litter, sand, and oil from stormwater flow. Its geotextile fabric and easy installation makes it ideal for industrial facilities, construction sites, and parking lots where stormwater runoff is likely to carry oil, eroded soil, debris, and fuel contaminants. Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements - All Models.

Serie #	Size	Capacity	Weight
9217	48 in x 36 in x 18 in	Up to 0.87 gallons of oil and 40 lbs. of sediment	1 lbs.





Vendor Code : ULTRAT

Foam Wall Containment Berm®

Capture nuisance leaks and spills from vehicles, oily equipment, tanks and drums. No set-up required - simply unfold for quick deployment. Folded units require minimal storage space. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations. Custom sizes and sidewall height available.

Serie #	Description	Size	Capacity	Weight
8385	2 inch thick	6 ft x 7,2 ft	25 gallons	24 lbs.
8386	2 inch thick	8 ft x 9,2 ft	55 gallons	30 lbs.



Rapid Rise Containment Berm®

Sidewalls remain down during normal operations, loading and unloading — minimizing trip hazards. In the case of a spill, the foam ring around the top perimeter of the Containment Berm rises with the level of spilled liquid. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations. Custom sizes available.

Serie #	Description	Size	Capacity	Weight
8433	Rapid Rise model	15 ft x 66 ft	5,610 gallons	302 lbs.



Ultimate Model Containment Berm®

Once a vehicle has entered or exited, the walls automatically spring back to their vertical position. Standard material of construction is Copolymer 2000™ (28 oz.). Other rugged, chemical resistant materials available. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.

Serie #	Description	Size	Capacity	Weight
8505	Ultimate Model	12 ft x 60 ft	5,385 gallons	297 lbs.



Collapsible Wall Model Containment Berm®

The Collapsible Wall Model Containment Berm features rugged PVC sidewall assemblies for sidewall support. Simply swivel the "feet" of the PVC supports to lower or raise the sidewalls in just seconds! Standard material of construction is Copolymer 2000™ (28 oz.). Other rugged, chemical resistant materials available. Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations.

Serie #	Description	Size	Capacity	Weight
8405	Collapsible model	4 ft x 6 ft	79 gallons	26 lbs.



Ultra-Pop Up Pools®

Unique, patented design — foam ring rises with level of liquid to raise sidewalls. Excellent chemical resistance, including diesel fuel, antifreeze, acids, caustics, and corrosives. Helps minimize environmental damage and related clean-up costs.

Serie #	Description	Size	Capacity	Weight
8150	Elastic steel model	12 in x 64 in x 76 in	150 gallons	7 lbs.
8102	Economic model	12 in x 53 in x 64,5 in	100 gallons	5 lbs.





Vendor Code: SPIEEN

Blended Poly Oil and Universal Product Line

These pads/rolls contains a very high recycled content. Manufactured using recycled ultra long poly fibers unlike other products made from pulverized polypropylene scrap. Exceptional web structure provides added strength. Great for outdoor use, very wet environments or if you need to wrap around tight fitting equipment.



Series #	Description-Size-Units/Case
AMEP100	Pads, 16"X18", 100
AMER150	Rolls, 28"X150', 1
AMESR150	Split Rolls, 14"X150', 2
AMEUP100	Pads, 16"X18", 100
AMEUR150	Rolls, 28"X150', 1
AMEUSR150	Split Rolls, 14"X150', 2



Meltblown Oil Only Sorbents Pads, Rolls, Booms, Socks and Pillow

Pure meltblown fibers are the most cost effective absorption technology today. Fast-wicking fibers absorb 25 times their weight in hydrocarbon. Pads and rolls are bonded and perforated for easy use.

Series #	Size
P100	Pads Heavy, 15"X18", 100/Bale
P200	Pads Light, 15"X18", 200/Bale
P50	Pads Heavy, 30"X34", 50/Bale
EP100	Pads Medium, 15"X18", 100/Bale
R144	Rolls Heavy, 30"X150', 1/Bale
SR144	Split Rolls Heavy, 15"X150', 2/Bale
ER144	Rolls Medium, 30"X150', 1/Bale
ESR144	Split Rolls Medium, 15"X150', 2/Bale
B510	Booms, 5"X10', 4/Bale
B810	Booms, 8"X10', 4/Bale
MOPO3048	Socks, 3"X48", 30/Case
MOPO10120	Socks, 3"X120", 10/Case
MOPO815	Socks, 3"X96", 15/Case
SP818-10	Pillows, 8"X18", 10/Case
SP1818-10	Pillows, 18"X18", 10/Case



Spill Response Station

Locate your spill response quickly with this NEW Spill Response Station Sign (kit not included) Part # "CSK40".

Series #	Size
SRS100	38"X22", 3LBS



SpeediKleen

Designed for the quick clean-up of water, oil and grease. Made from diatomaceous earth. Delivers 50% more absorbency per pound than clay alternatives.

Series #	Size
HD2205	20Lbs/Bag, 75 Bags/Skid



Gransorb

Made from 100% recycled post-consumer paper waste. Absorbs oils, solvents, lubricants, coolants, water, most non-aggressive liquids. 100% silica-free.

Series #	Size
GRANSORB	30Lbs/Bag, 65 Bags/Skid



Meltblown Universal Sorbents Pads, Rolls, Booms, Socks and Pillow

Universal sorbents are designed to pick-up aggressive hydrocarbon (oil and water) spills. Suitable for non-aggressive acids, caustics, coolants, solvents, water and solutions. Bonded and perforated for easy use.

Series #	Size
UP118	Pads Heavy, 15"X18", 100/Bale
UP200G	Pads Light, 15"X18", 200/Bale
UP118-9	Pads Medium, 15"X18", 100/Bale
UR136	Rolls Heavy, 30"X150', 1/Bale
UR118S	Split Roll Heavy, 15"X150', 1/Bale
UR136-9	Rolls Medium, 30"X150', 1/Bale
UR118-9	Split Rolls Medium, 15"X150', 2/Bale
UB510	Booms, 5"X10', 4/Bale
UB810	Booms 8"X10', 4/Bale
MOPU3048	Socks, 3"X48", 30/Case
MOPU10120	Socks, 3"X120", 10/Case
SPU818-10	Pillows, 8"X18", 10/Case
SPU1818-10	Pillows 18"X18", 10/Case





Cansorb

A fast acting 100% organic oil absorbent. Picks-up 8-12 times its weight in hydrocarbons on land and water. An approved sorbent for leaks and spills in chemical, automotive, and steel facilities, as well as pulp & paper and food processors. Used by professional responders for over 30 years.

Series #	Size
CB20	20Lbs/Bag, 30 Bags/Skid
LFB5	5Lbs/Bag, 8Bags/Case



Cansorb-All

Cansorb-All is an all purpose organic absorbent suitable for non-aggressive liquids. It quickly and efficiently absorbs oils, fuels, solvents, oil based paints and most chemicals. Non-abrasive, non-leaching and suitable for bio-remediation.

Series #	Size
CSA-8	1.1Cu Ft, 6 Bags/Case

Economy Spill Kit (5 Gallon)

Includes: 10 pads, 1 sock (10'), 1 pair gloves, 1 disposal bag.

Series #	Description
CSKYB5O	Oil only
CSKYB5U	Universal/Chemical

Vehicle Spill Kit (9 Gallon)

Includes: 10 sorbent pads, 4 sorbents socks (4'), 1 neoprene drain cover, 1 disposable bag, 1 bag repair putty, 1 pair goggles, 1 pair gloves.

Series #	Description
CSK40	Oil only
CSKU40	Universal

60 Litre Spill Kits

Includes: 20 sorbent pads, 3 sorbent socks (4'), 2 pillows (8"x18"), 2 disposal bags, 1 pair goggles, 1 pair gloves.

Series #	Description
ASK20O	Oil Only Poly Bag
ASK20ON	Oil Only Nylon Bag
ASK20OP	Oil Only 14 Gallon Drum
ASK20U	Universal Poly Bag
ASK20UN	Universal Nylon Bag
ASK20UP	Universal 14 Gallon Drum



Vendor Code: SPIEEN

Small Vehicle Spill Kit

Includes: 20 pads, 2 socks (4'), 2 pillows (8"x18"), 1 repair putty, 1 pair gloves, 1 pair goggles, 2 disposal bags.

Series #	Description
CSK21	Oil Only
CSK21U	Universal
CSK21UH	Hazmat



20 Gallon Spill Kit

Includes: 50 pads, 4 socks (4'), 2 pillows (8"x18"), 1 pair gloves, 1 disposal bag, 1 pair goggles

Series #	Description
SK20	Oil Only
GPSK20	Universal
HAZSK20	Hazmat



45 Gallon Spill Kit

Includes: 50 pads, 3 booms (5"), 5 socks (4'), 1 granular bag, 1 neoprene drain cover, 5 disposal bags, 1 shovel, 2 pairs goggles, 2 pairs gloves, 2 Tyvek suits.

Series #	Description
CSKF45	Oil Only
CSKUF45	Universal
CSKHF45	Hazmat



95 Gallon Spill Kit

Includes: 50 pads, 3 booms (5"x10'), 5 socks (4'), 1 granular bag, 1 neoprene drain cover, 5 disposal bags, 1 shovel, 2 pair goggles, 2 pair gloves, 2 Tyvek suits.

Series #	Description
CSKF95	Oil Only
CSKUF95	Universal
CSKHF95	Hazmat





Vendor Code: SPIEEN

Cabmount Spill Kit

Includes: 15 pads, 3 socks (4'), 3 x 1lb granular bags, 1 neoprene drain cover, 1 pair goggles, 1 pair gloves, 1 plug n'dike, 3 disposal bags.



Series #	Description
CSKCABMOUNTO	Oil Only
CSKCABMOUNTU	Universal

250L Mobile Spill Kit


Includes: 100 pads, 4 socks (10'), 4 pillows (18"x18"), 1 granular bag, 1 neoprene drain cover, 3 disposal bags, 2 pairs goggles, 2 pairs gloves.

Series #	Description
CSKF250M	Oil Only
CSKUF250M	Universal
CSKHF250M	Hazmat



Duck Ponds

Reliable and reusable secondary containment for oils, fluids, gasoline. Conveniently folds saving storage space. Can withstand temperatures -55°F/-48°C.



Roof Leak Diverters

Catch roof leaks and divert them away from equipment, inventory and personnel. Large, vinyl-coated fabric catches roof leaks and channels them to standard hose hook-up. Hose can be directed to proper drainage point. Heavy-duty grommets in each corner make installation quick and easy.



Series #	Size
2525	2.5' X 2.5' - 3LBS
1785	5' X 5' - 2LBS
1786	7' X 7' - 4LBS
1787	10'X10' - 8LBS

Series #	Dimensions	Sump Capacity	Weight
5622-YE-F	2' X 2' X 6"	15 gal.	5 lbs
5623-YE-F	2' X 3' x 6"	22 gal.	6 lbs
5624-YE-F	2' X 4' x 6"	30 gal.	8 lbs
5633-YE-F	3' X 3' x 6"	34 gal.	7 lbs
5644-YE-F	4' X 4' x 6"	60 gal.	9 lbs
5646-YE-F	4' X 6' x 6"	74 gal.	14 lbs

Low Profile Spill Pallets

Easy loading/low profile/forkliftable. Removable grate. Attach multiple units with link-locks. Ramp available.



Series #	Description	Exterior Dim.	Spill Cap.	Load Cap.	Weight
SCLPS2	2 Drum Low-Profile	53" X 28" X 6"	22 gal.	1 000 lbs	33 lbs
SCLPS4	4 Drum Low-Profile	53" X 53" X 6"	40 gal.	2 000 lbs	61 lbs
SCLPS6	6 Drum Low-Profile	77" X 53" X 6"	61 gal.	3 000 lbs	89 lbs
SCLPS8	8 Drum Low-Profile	100" X 53,25" X 6"	77 gal.	4 000 lbs	135 lbs
SCPRLPS	Ramp for Low-Profile	46" X 25,5" X 6"	-	500 lbs	30 lbs

4 Drums Spill Pallets

Holds four 55 gallon drums. Low 12" height/removable grates. Optional drain available.



Series #	Description	Exterior Dim.	Spill Cap.	Load Cap.	Weight
SCSP4	4 Drum Spill Pallet	54" X 54" X 12"	66 gal.	2 000 lbs	67 lbs
SCSP4D	4 Drum Spill Pallet w/drain	54" X 54" X 12"	66 gal.	2 000 lbs	67 lbs
SCPR4	6 Drum Low-Profile	77" X 53" X 6"	61 gal.	3 000 lbs	65 lbs

Absorb-it oil only sonic bonded melt blown sorbents deliver quick and reliable, absorbency of all oil based liquids. Constructed from high grade polypropylene, our sorbents are available in three different weights, heavy, medium and light.

Heavy weight is the most absorbent. It offers the maximum absorbency per square inch. Ideally suited for the biggest of jobs.

Series #	Description	Size	Qty/CS
SPOQ-HR	Heavy Weight White Oil Only Roll	30" x 150'(76cm x 46m)	1
SPOQ-HSR	Heavy Weight White Oil Only Split Roll	15" x 150'(38cm x 46 m)	2
SPOQ-HS100	Heavy Weight White Oil Only Pads	15" x 18 " (38cm x 46 cm)	100

Medium weight offers the best value in terms of absorbency per piece and cost. Suited for any job.

Series #	Description	Size	Qty/CS
SPOQ-MR	Medium Weight White Oil Only Roll	30" x 150'(76cm x 46m)	1
SPOQ-MSR	Medium Weight White Oil Only Split Roll	15" x 150'(38cm x 46 m)	2
SPOQ-MS100	Medium Weight White Oil Only Pads	15" x 18 " (38cm x 46 cm)	100

Light weight offers the most flexibility in terms of use. Thinner than heavy and medium sorbents, it is great for cleaning tools or cleaning up small spills.

Series #	Description	Size	Qty/CS
SPOQ-LR	Light Weight White Oil Only Roll	30" x 300'(76cm x 46m)	1
SPOQ-LSR	Light Weight White Oil Only Split Roll	15" x 300'(38cm x 46 m)	2
SPUQ-HS100	Light Weight White Oil Only Pads	15" x 18 " (38cm x 46 cm)	200

Absorb-it universal sonic bonded melt blown sorbents deliver quick and reliable absorbency for many types of chemicals including; acids, bases, antifreeze and oil. Constructed from high grade polypropylene, our sorbents are available in three different weights, heavy, medium and lightweight.

Heavy weight is the most absorbent. It offers the maximum absorbency per square inch. Ideally suited for the biggest of jobs

Series #	Description	Size	Qty/CS
SPUQ-HR	Heavy Weight Grey Universal Only Roll	30" x 150'(76cm x 46m)	1
SPUQ-HSR	Heavy Weight Grey Universal Split Roll	15" x 150'(38cm x 46 m)	2
SPOQ-HS100	Heavy Weight Grey Universal Pads	15" x 18 " (38cm x 46 cm)	100

Medium weight offers the best value in terms of absorbency per piece and cost. Suited for any job.

Series #	Description	Size	Qty/CS
SPUQ-MR	Medium Weight Grey Universal Roll	30" x 150'(76cm x 46m)	1
SPUQ-MSR	Medium Weight White Oil Only Split Roll	15" x 150'(38cm x 46 m)	2
SPUQ-MS100	Medium Weight White Oil Only Pads	15" x 18 " (38cm x 46 cm)	100

Light weight offers the most flexibility in terms of use. Thinner than heavy and medium sorbents, it is great for cleaning tools or cleaning up small spills

Series #	Description	Size	Qty/CS
SPUQ-LR	Light Weight Grey Universal Roll	30" x 300'(76cm x 46m)	1
SPUQ-LSR	Light Weight Grey Universal Split Roll	15" x 300'(38cm x 46 m)	2
SPUQ-LS200	Light Weight Grey Universal Pads	15" x 18 " (38cm x 46 cm)	200

Absorb-it Hazmat sonic bonded melt blown sorbents are colour coded yellow to comply with hazmat regulations. These sorbents will absorb all types of liquids. Constructed from high grade polypropylene. Use Hazmat sorbents for aggressive chemicals.

Typically hazmat spill prevention programs are stocked with heavy weight sorbents to ensure maximum absorbency in the event of spills.

Series #	Description	Size	Qty/CS
SPHZ-HR	Heavy Weight Hazmat Yellow Roll	30" x 150'(76cm x 46m)	1
SPHZ-HSR	Heavy Weight Hazmat Yellow Split Roll	15" x 150'(38cm x 46 m)	2
SPHZ-HS100	Heavy Weight Hazmat Yellow Pads	15" x 18 " (38cm x 46 cm)	100



Vendor Code: WIPIND





Vendor Code: WIPIND

Socks

Absorb-it socks are filled with the highest quality absorbent material and are wrapped, in a durable circular knit sleeve. We carry a full line of absorbent socks, White Oil Only, Grey Universal, Yellow Hazmat, and Grey Corn Cob.

Use as a preventative barrier around a tank or a reservoir, or as barrier to absorb spills.

Series #	Description	Size	Qty/CS
SSUQ-40	Grey Universal Absorbent Sock	3" x 4'(8 cm x 1 m)	40

Use as a preventative barrier around a tank or a reservoir, or as barrier to absorb spills.

Series #	Description	Size	Qty/CS
SSOQ-40	White Oil Only Absorbent Sock	3" x 4'(8 cm x 1 m)	40

Absorb-it socks are filled with highest quality absorbent material and are wrapped, in a durable circular knit sleeve. We carry a full line of absorbent socks, White Oil Only, Grey Universal, Yellow Hazmat, and Grey Corn Cob.

Use as a preventative barrier around a tank or a reservoir, or as barrier to absorb spills.

Series #	Description	Size	Qty/CS
SSHZ-40	Yellow Hazmat Absorbent Sock	3" x 4'(8 cm x 1 m)	40

Booms

On land or water, absorbent booms are the ideal solution to contain large spills. Use them as a containment system to prevent the spread of liquids. When used on water, our booms are constructed extra tough so as not to be pulled apart when being pulled by a boat.

Grey universal booms can be used on land to contain chemical spills. These universal booms are handy in the plant or shop as a way to keep fluids contained in one place during maintenance.

Series #	Description	Size	Qty/CS
SBUQ-4	Grey Universal Boom	5" x 10'(13 cm x 3 m)	4

White oil only booms can be used either on land or on water. Available in two different diameters, they make a great barrier to stop the spread of oil.

Series #	Description	Size	Qty/CS
SBOQ-4	White Oil Only Boom	5" x 10'(13 cm x 3 m)	4
SBOQ-8	White Oil Only Boom	8" x 10'(20cm x 3m)	4

Whether big or small we have the spill kit suited for the job. We carry Oil Only, Universal and Hazmat spill kits. Don't see a kit here that you want, we can custom pack a spill kit to meet your specifications.



Vendor Code: WIPIND

Our vehicle kits are small and compact and can easily fit in a trunk or below a bench.

Series #	Description	Qty/CS
SKO-B	Only Truck Kit 1 Yellow Spill Kit Bag • 1 Bag of 4lbs of Wiping Cloths • 10 Sorbent Oil Only Pads • 1 Pair of Nitrile Gloves • 1 Oil Only Absorbent Sock • 1 Bag for disposal	5
SKU-B	Universal Truck Kit 1 Yellow Spill Kit Bag • 1 Bag of 4lbs of Wiping Cloths • 10 Sorbent Universal Pads • 1 Pair of Nitrile Gloves • 1 Universal Absorbent Sock • 1 Bag for disposal	5



Our 30 gallon kits are the perfect size to keep in a small workshop or garage.

Series #	Description	Qty/CS
SKO-30	Oil Only 30 Gal Kit 1 Yellow 30 Gal Lab Pack with Screw lid • 1, 5"x10' Oil Only Boom • 10 Sorbent Oil Only Pads • 1, 15"x150' Oil Only Sorbent Roll • 2 Anti-Static Disposal Bags	1
SKU-30	Universal 30 Gal Kit 1 Yellow 30 Gal Lab Pack with Screw lid • 1, 5"x10' Universal Boom • 10 Sorbent Oil Only Pads • 1, 15"x150' Universal Sorbent Roll • 2 Anti-Static Disposal Bags	1



Our 65 gallon kits are the perfect size for a large plant or job site. Available in Oil Only, Universal or Hazmat.

Series #	Description	Qty/CS
SKO-65	Oil Only 65 Gal Kit 1 Yellow 95gal Over Pack with Screw lid • 100 Sorbent Oil Only Pads • 4, 5"x10' Oil Only Booms • 1, 15"x150' Sorbent Universal Roll • 10 Oil Only Absorbent Socks • 5, 8"x18" Oil Only • 2 Pair of Gloves • 2 Pair of Goggles • 5 Anti-Static Disposal Bags	1
SKU-65	Universal 65 Gal Kit 1 Yellow 95gal Over Pack with Screw lid • 100 Sorbent Universal Pads • 4, 5"x10' Universal Booms • 1, 15"x150' Sorbent Universal Roll • 10 Universal Absorbent Socks • 5, 8"x18" Universal Pillows • 2 Pair of Gloves • 2 Pair of Goggles • 5 Anti-Static Disposal Bags	1
SKHZ-65	Hazmat 65 Gal Kit 1 Yellow 95gal Over Pack with Screw lid • 100 Sorbent Hazmat Pads • 4, 5"x10' Hazmat Booms • 1, 15"x150' Sorbent Hazmat Roll • 10 Hazmat Absorbent Socks • 5, 8"x18" Hazmat Pillows • 2 Pair of Gloves • 2 Pair of Goggles • 5 Anti-Static Disposal Bags	1



Fork lift oil spill kit comes with absorbing pads, socks and sheets for 20 liters spill.

Series #	Description	Qty/CS
SK-SPECWAJAX01 WIPE	Spill Kit for fork lift/truck	1





New Pig

Vendor Code: NEWPIG

WORKWIPES SERIES 60 WIPERS DELIVER VALUE AND TACKLE HEAVY-DUTY, INDUSTRIAL JOBS.

Series #	Wipers/Unit	Color	Size
WIP668	200/box	White	12"W x 16"L
WIP662	110/box	White	8"W x 16"L
WIP663	110/box	White	8"W x 12"L

WorkWipes®

WIP668



BUY A PIG FLAMMABLE SAFETY CABINET ONCE AND USE IT FOREVER WITH OUR LIFETIME WARRANTY.


- Available in a variety of sizes to provide flammable storage throughout your facility
- Cabinets featuring self-closing doors with gas springs offer smooth, maintenance-free operation
- Fusible link on self-closing doors allows you to prop doors open; link melts at 165° F to close doors in the event of a fire
- Heavy-duty, 18-gauge galvanized steel shelves provide 350-lb. weight capacity when evenly loaded; additional shelves sold below



PIG® FLAMMABLE SAFETY CABINET

Series #	Description	Capacity (Gallons)	Ext. Dimensions W x D x H	Adjustable Shelves
CAB717	Manual-closing	120	59" x 34" x 65"	2
CAB722	Self-closing	90	43" x 34" x 65"	2
CAB716	Manual-closing	90	43" x 34" x 65"	2
CAB721	Self-closing	60	34" x 34" x 65"	2
CAB715	Manual-closing	60	34" x 34" x 65"	2
CAB720	Self-closing	45	43" x 18" x 65"	2
CAB714	Manual-closing	45	43" x 18" x 65"	2
CAB719	Self-closing	30	43" x 18" x 44"	1
CAB713	Manual-closing	30	43" x 18" x 44"	1
CAB718	Self-closing	22	34" x 18" x 35"	1
CAB712	Manual-closing	22	34" x 18" x 35"	1

Series #	Description	Ext. Dimensions W x D x H
CAB767	For 120-gal. Standard, 2-Drum, and 115-gal. Combination	59" x 34" x 1"
CAB766	For 90-gal. Standard and Highrise	43" x 34" x 1"
CAB765	For 60-gal. Standard and Highrise or 1-Drum	34" x 34" x 1"
CAB764	For 30- and 45-gal. Standard and Highrise or 15-gal. Countertop	43" x 18" x 1"
CAB763	For 22-gal. Standard and 11-gal. Countertop	34" x 18" x 1"



CAB766

OIL-ONLY • ABSORBS OIL, BUT NOT WATER



Vendor Code: NEWPIG

MAT401



MAT425



MAT403




MAT440



superior technology
inside and out

Eight layers of melt-blown polypropylene make PIG Mat the toughest mat on the market!



Poly backing prevents absorbed liquids from reaching floors or counters. Place over a spill with poly-back side up to help suppress vapors. Available in pads (MAT483) or rolls (MAT498).



Oil-Only Absorbent Mat Pads

Series #	Wipers/Unit	Size	Abs. Up To
MAT423	200 pads	15"W x 20"L	22 gal./bag
MAT460	125 pads	15"W x 20"L	21.7 gal./bag
MAT455	100 pads	15"W x 20"L	18 gal./bag
MAT426	50 pads	30"W x 30"L	33.3 gal./bag
MAT403	100 pads	15"W x 20"L	22 gal./bag
MAT415	50 pads	15"W x 20"L	11 gal./bag

Oil-Only Absorbent Mat Pads in Dispenser Box

Series #	Wipers/Unit	Size	Abs. Up To
MAT485	200 pads	15"W x 20"L	22 gal./box
MAT454	100 pads	15"W x 20"L	17 gal./box
MAT440	100 pads	15"W x 20"L	22 gal./box

Oil-Only Absorbent Mat Rolls

Series #	Wipers/Unit	Size	Abs. Up To
MAT419	1 roll	30"W x 300'L	40.2 gal./bag
MAT462	1 roll	30"W x 150'L	20.1 gal./bag
MAT441	2 rolls	15"W x 300'L	41 gal./bag
MAT461	1 roll	30"W x 200'L	42.5 gal./bag
MAT458	1 roll	30"W x 150'L	32 gal./bag
MAT446	1 roll	15"W x 150'L	16.5 gal./bag
MAT401	1 roll	30"W x 150'L	40.2 gal./bag
MAT424	1 roll	24"W x 150'L	32.4 gal./bag
MAT425	2 rolls	15"W x 150'L	40.2 gal./bag

Oil-Only Absorbent Mat Rolls in Dispenser Box

Series #	Wipers/Unit	Size	Abs. Up To
MAT427	2 rolls	10"W x 100'L	9 gal./box

Oil-Only Absorbent Mat Pads in Bench Box® Dispenser

Series #	Wipers/Unit	Size	Abs. Up To
MAT4510	100 pads	13"W x 10"L	10 gal./case


Oil-Only Absorbent Mat Pads in Bench Box® Dispenser

Series #	Wipers/Unit	Size	Abs. Up To
MAT483	50 pads	20"W x 15.5"L	11.4 gal./bag
MAT498	1 roll	31"W x 75'L	20.5 gal./bag



Vendor Code: NEWPIG

UNIVERSAL • ABSORBS OILS COOLANTS, SOLVENTS AND WATER



superior technology inside and out

Eight layers of melt-blown polypropylene make PIG Mat the toughest mat on the market!



PIG Poly-Back Universal Mat prevents liquids from reaching your floors and can also be placed over a spill with poly backing up to help suppress vapors. Available in pads (MAT285), page 15, or rolls (MAT283).

Absorbent Mat Rolls

Series #	Wipers/Unit	Size	Abs. Up To
MAT225	1 roll	30"W x 300'L	40.2 gal./bag
MAT137	1 roll	30"W x 150'L	20.1 gal./bag
MAT245	1 roll	24"W x 300'L	32.4 gal./bag
MAT246	2 rolls	15"W x 300'L	40.2 gal./bag
MAT411	1 roll	30"W x 200'L	42.5 gal./bag
MAT153	1 roll	30"W x 150'L	31.9 gal./bag
MAT185	1 roll	24"W x 200'L	33.8 gal./bag
MAT2009	2 rolls	15"W x 150'L	32 gal./bag
MAT193	4 rolls	10"W x 25'L	7 gal./box
MAT230	1 roll	30"W x 150'L	40.2 gal./bag
MAT202-01	1 roll	24"W x 150'L	32.4 gal./bag
MAT220	2 rolls	15"W x 150'L	40.2 gal./bag
MAT229	3 rolls	10"W x 150'L	40.2 gal./bag

Absorbent Mat rolls in Dispenser Box

Series #	Wipers/Unit	Size	Abs. Up To
MAT141	1 roll	15"W x 150'L	9.8 gal./box
MAT226	2 rolls	10"W x 100'L	8.8 gal./box
MAT2001	1 roll	15"W x 75'L	8 gal./box
MAT140	1 roll	15"W x 75'L	9.8 gal./box

Un-perfed Absorbent Mat Rolls

Series #	Wipers/Unit	Size	Abs. Up To
MAT159	1 roll	24"W x 150'L	25 gal./bag
MAT201	1 roll	30"W x 150'L	40.2 gal./bag
MAT202	1 roll	24"W x 150'L	32.4 gal./bag
MAT211	3 rolls	4"W x 150'L	16.2 gal./bag

Poly-Back Absorbent Mat Roll

Series #	Wipers/Unit	Size	Abs. Up To
MAT283	1 roll	31"W x 75'L	20.5 gal./bag

Series #	Description	Qty
Sentinel		
1911-02	GOJO® Clear & Mild Foam Handwash	1200 mL
1916-02	GOJO® Pomeberry Foam Handwash	1200 mL
1918-02-CAN00	GOJO® Antibacterial Plum Scent Foam Handwash Triclosan Liquid	1200 mL
1919-02-CAN00	GOJO® Antibacterial Foam Handwash Triclosan Liquid	1200 mL
1903-02-CAN00	PURELL® Advanced Hand Rub	1200 mL
1984-04	GOJO® LTX-12™ Dispenser - Grey/White	1200 mL
1920-04	PURELL® LTX-12™ Dispenser - White/White	1200 mL
8811-03	GOJO® Clear & Mild Foam Handwash	1250 mL
8816-03	GOJO® Botanical Foam Handwash	1250 mL
8817-03-CAN00	GOJO® Antibacterial Plum Scent Foam Handwash Triclosan Liquid	1250 mL
8813-03	GOJO® Citrus Ginger Foam Hand & Showerwash	1250 mL
8809-03-CAN00	PURELL® Advanced Moisturizing Foam Hand Rub	1200 mL
8884-06	GOJO® ADX-12™ Dispenser - Grey/White	1250 mL
8886-06	GOJO® ADX-12™ Dispenser -Black/Black	1250 mL
7200-01	GOJO® PRO™ TDX™ 2000mL Dispenser	2000 mL
7272-04	GOJO® SUPRO MAX™ Hand Cleaner	2000 mL
5395-02-CAN00	PURELL® Advanced Moisturizing Foam Hand Rub	1200 mL
2720-12-CAN00	PURELL® TFX™ Touch Free Dispenser	1200 mL
7290-04	GOJO® Cherry Gel Pumice Hand Cleaner	2000 mL
8242-06	GOJO® HAND MEDIC® Professional Skin Conditioner	500 mL
8200-12	GOJO® HAND MEDIC® Dispenser	800 mL
6396-06	GOJO® Scrubbing Wipes	72 ct
2358-02	GOJO® Cherry Gel Pumice Hand Cleaner	1 Gallon
2156-08-CAN00	PURELL® Instant Hand Sanitizer	1000 mL
2120-06-CAN00	PURELL® NXT® SPACE SAVER™ Dispenser	1000 mL
7572-02	GOJO® SUPRO MAX™ Hand Cleaner	5000 mL
7590-02	GOJO® Cherry Gel Pumice Hand Cleaner	5000 mL
7500-01	GOJO® PRO™ TDX™ 5000mL Dispenser	5000 mL
0955-04	GOJO® NATURAL* ORANGE™ Pumice Hand Cleaner	1 Gallon
5262-02-CAN00	GOJO® Antibacterial Luxury Foam Handwash Chloroxylenol Liquid	2000 mL
5250-06	GOJO® FMX-20™ Dispenser	2000 mL
5267-02	GOJO® E1 Foam Handwash	2000 mL



Vendor Code: GOJCAN



5250-02

5267-02

0955-04

5262-02-CAN00

2358-02

6396-06

7572-02

2120-06-CAN00

7200-01

7272-04

7290-04

8242-06

2156-08-CAN00



1.866.546.3267

WJAX.COM

211



Vendor Code: WOOWYC

Cascades



631378



631379



631973



634001



634010



6337246
Not EcoLogo



631911



631910

Series #	Description	Qty
631378	Cascades Hand towels for Tandem Moka	6 rolls x 775ft
631379	Cascades Hand towels for Tandem Ivory	6 rolls x 775 ft
631973	Tandem No Touch Dispenser Smoked Grey	
631910	Tandem X 4 High Capacity Bath Tissue Dispenser Smoked Grey	
631911	Tandem X 2 High Capacity Bath Tissue Dispenser Smoked Grey	
634001	Tandem X2S Side by Side High Capacity Bath Tissue Dispenser Smoked Grey	
634010	Cascades High Capacity Bath Tissue for Tandem	2 ply x 1,110 sheets x 24 rolls
6337246	Like Rags Wiper (1.5 ounce) Pop up box	150 wipers x 6 boxes



WOOD WYANT

Vendor Code: WOOWYC

Series #	Description	Qty
63403316	Envirologic Ultra Bath Tissue 2 ply	500 sheets x 48 rolls
63403634	Envirologic JRT 9" 2ply toilet tissue 9in diam, (12LBS)	8 rolls x 225 Meters
63404404	Envirologic facial tissue 2 ply	100 sheets x 30 boxes
63405306	Envirologic Hand towels Singlefold Brown	16 x 250 sheets
63405310	Envirologic Hand towels Brown	24 rolls x 205 ft
63405319	Envirologic Hand towels Multifold Brown	16 x 250 sheets
63405765	Envirologic Hand towels Brown	12 rolls 7.875 x 425 ft



63405765



63403316



63405319



63405306



63404404

63405310



63403634

Series #	Description	Qty
6320035	Wiper Gorag Georgia-Pacific industrial higher capacity, drc light weight, all purpose 330 li ft/rl, white	cs 6 rl
6320040	Brawny Georgia-Pacific industrial premium all purpose refillable wiper system 9.9"x13" orange	cs 2 x 200 wipers
6320054	Multi purpose oatmeal Brawny Georgia-Pacific, industrial medium duty, drc shop towel industrial centerpull 9.2" x 12"	cs 6 x 200 wipers
6320067	Wiper Gorag Georgia-Pacific all purpose drc roll 250 li ft/rl orange	cs 6 rl
6325065	Gorag Georgia-Pacific white heavy duty shop towels, 250 linear ft/rl	cs 3 rl
6327700	Preference Georgia-Pacific jumbo perforated roll towel, white, 2 ply, 250 sh/rl	cs 12 rl
6359465	Dispenser wiper Gorag automated, red (d-cell batt)	1



Vendor Code: WOOWYC



6325065



6320067



6327700



6320040



6320035



6359465



6320054



Vendor Code : WEARWE

Starting Line

Domes nest for ease of combining mats together. Resilient and tear resistant. Can easily be cut to size on-site. Overall thickness 3/8" (9 mm). Available in-lengths up to 75' (2286 cm).



Pieces #	Size
300.38x2x75BK	2' x 75'
300.38x3x5BK	3' x 5'
300.38x3x75BK	3' x 75'
300.38x4x75BK	4' x 75'

UltraSoft Diamond Plate (414) and Diamon Plate SpongeCote (415)

Chemical and abrasion resistant. 2X the resilience and 3X the life of look-alikes. Maximized standing area. Unique pre-bond bevel and lay-flat design prevent trip hazards. Available in multiple sizes.



Pieces #	Size	Color
414.1516x2x3BK	2' x 3'	Black
414.1516x2x3BYL	2' x 3'	Black and Yellow
414.1516x2x3CHV	2' x 3'	Black and Chevron
414.1516x2x3GY	2' x 3'	Grey
415.916x2x3BK	2' x 3'	Black
415.916x2x3BYL	2' x 3'	Black and Yellow
415.916x2x3CHV	2' x 3'	Black and Chevron
415.916x2x3GY	2' x 3'	Grey

WeldSafe

Thick rubber surface. Embossed leather texture. Melt point of over 500°F. Unparalleled performance and comfort. Available in multiple sizes.



Pieces #	Size
447.916x2x3BK	2' x 3'
447.916x2x75BK	2' x 75'
447.916x3x5BK	3' x 5'
447.916x3x75BK	3' x 75'

Grade A

Designed to withstand fluids and oils including vegetable oils, animal fats, citrus, and fish oil. Textured surface increases traction when greasy and wet. Passes NSF test ASTM G21-96 (2002) for resistance to microorganisms. Is permanently anti-microbial and compound additive has GRAS status.



Pieces #	Size
482.12x30x36TC	2,5' x 3'
482.12x30x60TC	2,5' x 5'

Industrial WorkSafe

Grease Resistant, Bright, built-in safety borders. Long-term comfort and value. Available in multiple sizes.



Pieces #	Size	Color
476.58X2X3GRBK	2' x 3'	Black
476.58X2X3GRBOR	2' x 3'	Black and orange
476.58X2X3GRBYL	2' x 3'	Black and Yellow

Diamond Plate (495) and Smart Diamond Plate (497)

Chemical and abrasion resistant. Flex-Link sponge base. Used in dry industrial and commercial applications. Available in multiple sizes.



Pieces #	Size	Color
495.1516x2x3BK	2' x 3'	Black
495.1516x2x3BYL	2' x 3'	Black and Yellow
497.1x2x3BK	2' x 3'	Black
497.1x2x3BYL	2' x 3'	Black and Yellow

Corrugated Switchboard Matting

Conforms to ANSI/ASTM D-178-01 Type II, Class 2. Dielectric Strength: 30,000 volts. Recommended Max Usage per ASTM D178-01: up to 17,000 volts. Easy to clean Corrugated surface design



Pieces #	Size	Color
702.14x2x75BK	2' x 75'	Black
702.14x3x75BK	3' x 75'	Black
702.14x3x75BYL	3' x 75'	Black and Yellow
702.14x4x75BK	4' x 75'	Black

ErgoDeck

Standing relief in wet or dry applications. Customize in 3" increments to fit any area or configuration. Positive Interlocking System prevents separation. Easily replace single pieces or sections as needed to reduce costs. 100% Silicone Free PVC tiles provide maximum durability. Corner and ramp available in Yellow.



Pieces #	Size	Color
552.78x18x18BK-CS10	1,5' x 1,5'	Black
553.78x18x18BK-CS10	1,5' x 1,5'	Black
560.78x6x15x15BK-CS4	0,5' x 1,3'	Black



WD Elegance Dry Environment

ANTI-FATIGUE	8/10
DURABILITY	8/10
TRACTION	7/10



Pieces #	Description
WE1223TY	Texture Grey 2x3
WE1223TB	Texture Beige 2x3
WE1235TY	Texture Grey 3x5
WE1235TB	Texture Beige 3x5
WE1232TY	Texture Grey 3x12
WE1232TB	Texture Beige 3x12
WER1224TYSM	Texture Grey 2 lin.ft.
WER1224TBMSM	Texture Beige 2 lin.ft.
WER1236TYSM	Texture Grey 3 lin.ft.
WER1236TBMSM	Texture Beige 3 lin.ft.

Industrial Deck Plate Dry Environment


ANTI-FATIGUE	5/10
DURABILITY	7/10
TRACTION	9/10

Pieces #	Description
CUMR46DB	Black 2x3
CUMR46YB	Black and Yellow 2x3
CUMR60DB	Black 3x5
CUMR60YB	Black and Yellow 3x5
CUMR64DB	Black 3x12
CUMR64YB	Black and Yellow 3x12
CUMRR24DB	Black 2x75
CUMRR24YB	Black and Yellow 2x75
CUMR36DBSM	Black 3 lin.ft.
CUMR36YBSM	Black and Yellow 3 lin.ft.



WD Traction Plus Dry Environment

ANTI-FATIGUE	8/10
DURABILITY	8/10
TRACTION	9/10



Pieces #	Description
WH1223BK	Black 2x3
WH1235BK	Black 3x5
WH1232BK	Black 3x12
WHR1224BKSM	Black 2 lin.ft.
WHR1236BKSM	Black 3 lin.ft.

Tuff Spun Dry Environment

ANTI-FATIGUE	5/10
DURABILITY	4/10
TRACTION	5/10

Pieces #	Description
FL2436BK	Black 2x3
FL2436YB	Black and Yellow 2x3
FL3660BK	Black 3x5
FL3660YB	Black and Yellow 3x5
FL36144BK	Black 3x12
FL36144YB	Black and Yellow 3x12
TS33824BKSM	Black 2x60
TS33824YB	Black and Yellow 2x60
TS3836BKSM	Black 3 lin.ft.
TS3836YBSM	Black and Yellow 3 lin.ft.



Comfort King Dry Environment

ANTI-FATIGUE	10/10
DURABILITY	6/10
TRACTION	8/10



Pieces #	Description
CKM0023BK	Black 2x3
CKM0023YB	Black and Yellow 2x3
CKM0035BK	Black 3x5
CKM0035YB	Black and Yellow 3x5
CKM0312BK	Black 3x12
CKM0312YB	Black and Yellow 3x12
CKR0024BK	Black 2x60
CKR0024YB	Black and Yellow 2x60
CKR0036BKSM	Black 3 lin.ft.
CKR0036YBSM	Black and Yellow 3 lin.ft.

Safewalk Light Wet Environment/Kitchen

ANTI-FATIGUE	8/10
DURABILITY	8/10
TRACTION	7/10

Black : General Purpose.
Terracotta : Applications with grease and oil.

Pieces #	Description
WSSL35BK	Black 3x5
WSSL35TC	Terra Cotta 3x5
WSSL31BK	Black 3'x9'9"
WSSL31TC	Terra Cotta 3'x9'9"
WSSL15BK	Black 3'x14'6"
WSSL15TC	Terra Cotta 3'x14'6"



INDEX BY COMPANY

3M

Eye & Face Protection	15-16
Hearing Protection	25-27
Respiratory Protection	35-40
Welding Protection	164-165

ACCUFORM SIGNS

Signs & Lockout	185-188
-----------------	---------

ALLIANCE MERCANTILE

Protective Clothing	117-122
---------------------	---------

BBH GROUP

Hand Protection	67-68
Protective Clothing	99

BCL GANTERIE

Hand Protection	69-71
-----------------	-------

SHOWA BEST GLOVE

Hand Protection	65-66, 85
-----------------	-----------

BIG BILL

Protective Clothing	92-93, 101
---------------------	------------

BOB DALE GLOVES

Hand Protection	50-51, 74-75, 84, 90
-----------------	----------------------

BOLLÉ SAFETY

Eye & Face Protection	13-14
-----------------------	-------

BRADY

Labels, Lockout & Padlocks	191
----------------------------	-----

CAN ROSS

Environment Spills	193-198
--------------------	---------

CASCADES

Industrial Paper	212
------------------	-----

CHECKERS

Wheel Chocks, Strobe Lights	182-183
-----------------------------	---------

DENTEC

Eye & Face Protection	23
Respiratory Protection	47
Sports Rehydration Drinks	179
Insect Repellents	180

DICKIES

Protective Footwear	128
---------------------	-----

DUPONT

Protective Clothing	123-125
---------------------	---------

DYNAMIC SAFETY

Head Protection	3-4, 6
Eye & Face Protection	17-19
Hearing Protection	28
Respiratory Protection	48
Fall Protection	152-155
First Aid Products	166-167

EDGE EYEWEAR

Eye & Face Protection	11-12
-----------------------	-------

ERGODYNE

Hand Protection	83
Protective Clothing	100
Fall Protection	159
Personal Protection	181

GOJO

Industrial Soap	211
-----------------	-----

HAWS

Emergency Showers & Eye/Face Wash	176-177
-----------------------------------	---------

HONEYWELL

BW Technologies

Gas Detection	160
---------------	-----

Fibre-Metal

Head Protection	2
Welding Protection	161-162

Howard Leight

Hearing Protection	29, 33-34
--------------------	-----------

Miller

Fall Protection	145-151
-----------------	---------

North Safety Products

Head Protection	1, 5
Hearing Protection	34
Respiratory Protection	41-46
Hand Protection	91
Protective Footwear	135-138
Fall Protection	146
Welding Protection	161-163
Security Equipment	178
Lockout & Barricade Tape	192

Uvex

Eye & Face Protection	7-10
-----------------------	------

IMPACTO

Hand Protection 80-82

INCOM MFG

Barricade Tape 189-190

JACKFIELD

Protective Clothing 96-97, 108-113

KODIAK

Protective Footwear 129-130

LAKELAND

Protective Clothing 126

LATOPLAST

Hand Protection 72-73

Protective Clothing 107

MATTECH

Industrial Matting 215

MCR SAFETY

Eye & Face Protection 20-21

Hand Protection 76-77

Protective Clothing 98

MECHANIX WEAR

Hand Protection 78

MOLDEX

Hearing Protection 30-32

NEW PIG

Workwipes & Cabinets 208

Absorbants Mats 209-210

PEAKWORKS

Fall Protection 141-144

PIONEER

Protective Clothing 94-95, 102-103, 106

Protective Footwear 139-140

PMMI

Protective Clothing 127

PTI SOLUTIONS

Satellite Storeroom 184

PYRAMEX

Eye & Face Protection 24

RONCO

Hand & Others Protection 86

SAFE-SPEC

Hand Protection 52-54

Respiratory Protection 49

SAFE CROSS

First Aid Products 168-173

SIRIUS

Protective Clothing 104-105

SPILKLEEN

Spill Pads & Kits 202-204

STC

Protective Footwear 132-134

SUPERIOR GLOVE

Hand Protection 55-64

TERRA

Protective Footwear 131

TRACTEL

Fall Protection 156-158

ULTRATECH

Security Equipment 199-201

WASIP

Eye & Face Protection 22

Protective Clothing 114-116

First Aid Products 174-175

WATSON GLOVES

Hand Protection 87-89

WEARWELL

Industrial Matting 214

WOOD WYANT

Industrial Paper 213

ABSORB-IT

Spill Products 205-207

YOUNGSTOWN GLOVE

Hand Protection 79

TRAINING & FIT TESTING CERTIFICATION

Wajax health and safety specialists can offer essential services in your work place such as:

Basic Training on Respiratory Protection: As per the new CSA Z94.4-11 standard, we can provide all workers required to use a respirator for their work with basic training on how to adequately use and care for their respirators (approximate duration of 45-60 minutes).

Training Health & Safety Leaders in Respiratory Protection: Training intended to help the people in charge of health and safety within your organization to put together a respiratory protection program which will comply with the CSA Z94.4-11 standard (approximate duration of 8 hrs).

Fit Testing Services: Wajax offers fit testing services (qualitative and/or quantitative) for your workers required to use respirators, in accordance with Quebec laws (mandatory as per the CSA Z94.4-11 standard currently in effect). Approximate duration of 5 to 10 minutes/worker.

Training for Fit Testing Certification: We offer training to those who wish to be certified and recognized as having the competencies to perform fit testing on workers who wear respirators. This training covers the important steps pertaining to the application of the qualitative and quantitative fit testing in accordance with the CSA Z94.4-11 standard (approximate duration of 4 hrs).

Basic Fall Arrest Training: We offer a basic training to workers who need to work high above ground and use CSA approved fall arrest equipment (approximate duration of 2 hrs).

Inspection of Fall Arrest Equipment: Our specialists can inspect your harnesses and lanyards to ensure compliance with the CSA regulation pertaining to the maintenance and inspection of your fall arrest equipment.

Fall Arrest Equipment Inspection Training: Wajax offers training to provides your personnel with the required competency level to inspect a safety harness, a lanyard, as well as a self-retractable life line type 1 used in their work environment and in accordance with the CSA standard Z259.10-12, which requires this type of equipment to be inspected at a minimum frequency of once per year (approximate duration of 4 hrs).

Work Environment Analysis: Wajax specialists can analyze your work stations, evaluate the safety risks and determine the measures to be taken to protect your workers by making the work environment safe. Whether it be to evaluate hand protection, eye protection or clothing, they can steer you in the right direction and offer good advice.

Contact a Wajax branch near you for more information on the services offered by our health and safety specialists.



SUPPORTING CANADIAN INDUSTRIES FOR 150+ YEARS



Wajax offers the widest range of industrial products and services
from the world's most reputable manufacturers.

Heavy Equipment | Power Systems | Industrial Components

1.866.546.3267

